

## **VII. *Referências Bibliográficas***

ABU, A.L.; SOUD, W.; JÖNSSON, L.J.; RÅDSTRÖM, P. Identification and characterization of immunoglobulin G in blood as a major inhibitor of diagnostic PCR. **J. Clin. Microbiol.**, v.38, n.1, p.345-350, 2000.

AFIUNE, J.B.; IDE NETO, J. Diagnóstico da tuberculose pulmonar escarro negativo. **J. Pneumol.**, v.19, p.37-41, 1993.

AFIUNE, J.B.; GONÇALVES, M.J.P.R.; FIUZA DE MELO, F.A.; SARAIVA, L.G.P.; AMORIM, C.B.R.; BARBOSA, M. Adenosina deaminase versus citologia no diagnóstico de derrames pleurais tuberculosos. **J. Pneumol.** v.16, p.93-94, 1990. Suplemento.

AKANE, A.; MATSUBARA, K.; NAKAMURA, H.; TAKAHASHI, S.; KIMURA, K. Identification of heme compound copurified with deoxyribonucleic acid (DNA) from bloodstains, a major inhibitor of polymerase chain reaction (PCR) amplification. **J. Forensic Sci.**, v.39, p.362-372, 1994.

AMERICAN THORACIC SOCIETY WORKSHOP. Rapid diagnostic tests for tuberculosis. What is the appropriate use? **Am. J. Respir. Crit. Care Med.**, v.155, p.1804-1814, 1997.

ANDRADE, L.E.C. Theoretical and basic principles in molecular biology. **Rev. Bras. Reumatol.**, v. 33, p.31-40, 1993.

BARNES, P.F.; BARROWS, S.A. Tuberculosis in the 1990s. **Ann. Intern. Med.**, v.119, p.400-410, 1993.

BARNES, P.F.; BLOTCH A.B.; DAVIDSON B.T.; SNYDER, JR. DE. Tuberculosis in patients with immuno-deficiency virus infection. **N. Engl. J. Med.**, v. 324, p.1644-50, 1991.

BAÑALES, J.L.; PINEDA, P.R.; FITZGERALD, M.; RUBIO, H.; SELMAN, M.; SALAZAR-LEZAMA, M. Adenosine deaminase in the diagnosis of tuberculous pleural effusions. A report of 218 patients and review of the literature. **Chest**, v.99, n.2, p.355-357, 1991.

BERGER, H.W.; MEIJIA, E. Tuberculous pleuriys. **Chest**, v.63, p.88-92, 1973.

BLOOM, B.R.; MURRAY, C.J.L. Tuberculosis: commentary on a reemergent killer. **Science**, v.257, p.1055-64, 1992.

BÖDDINGHAUS, B.; ROGALL, T.; FLOHR, T.; BLÖCKER, H.; BÖTTGER, E.C. Detection and identification of mycobacteria by amplification of rRNA. **J. Clin. Microbiol.**, v.28, n.8, p.1751-1759, 1990.

BOLLELA, V.R. **Avaliação da PCR no diagnóstico rápido da Tuberculose Pulmonar em Ribeirão Preto**, 2000. 121f. Tese (Doutorado) em Clínica

Médica - Faculdade de Medicina Ribeirão Preto, Universidade de São Paulo, Ribeirão Preto.

BOLLELA, V.R.; SATO, D.N.; FONSECA, B.A.L. Problemas na padronização da reação em cadeia da polimerase para o diagnóstico da tuberculose pulmonar. **Rev. Saúde Pública**, v.33, n.3, p.281-286, 1999.

BOLLELA, V.R.; SATO, D.N.; FONSECA, B.A.L. McFarland nephelometer as a simple method to estimate the sensitivity of the polymerase chain reaction using *Mycobacterium tuberculosis* as a research tool. **Braz. J. Med. Biol. Res.**, v. 32, n.9, p.1073-1076,1999.

BRASIL. Ministério da Saúde. Fundação Nacional de Saúde. **Plano Nacional de Controle da Tuberculose**. Brasília: Ministério da Saúde, 1999.

BRASIL. Ministério da Saúde. Coordenação Nacional de Pneumologia Sanitária-CENEPI-FNS-MS-SBPI. Consenso brasileiro de tuberculose, 1, 24-25 abr., Brasília - DF. **J. Pneumol.**, v.23, n.6, p.294-301, 1997.

BRASIL. Ministério da Saúde. DNPS/CNCT. **Manual de normas para o controle da tuberculose**. 4. ed. Brasília: Ministério da Saúde, 1995.

BRASIL. Ministério da Saúde. FNS/CENEPI/CNPS/CRPH. **Manual de bacteriologia da tuberculose**. 20.ª ed. Rio de Janeiro: Ministério da Saúde, 1994.

BRASIL. Ministério da Saúde. DNPS. **Controle da tuberculose: uma proposta de integração ensino–serviço**. 4.ª ed. Rio de Janeiro: CNTCT/NUTES, 1994.

BRISSON-NOEL, A.; LECOSSIER, D.; NASSIF, X.; GICQUEL, B.; LÉVY-FREBAULT, V.; HANCE, A. J. Rapid diagnosis of tuberculosis by amplification of mycobacterial DNA in clinical samples. **Lancet**, v.4, p.1069-1071, 1989.

CESTARI, F.O.; RASSI, R.H.F.; MENDONÇA, SAD; PIRES, M.F.C.; RASSI, I.E.; MORRONE, N. Atividade da adenosina deaminase no diagnóstico do derrame pleural. **Rev. Paul Méd.**, v.105, p.276-78, 1987.

CHEN, Z.H.; BUTLER, W.R.; BAUMSTARK, B.R.; AHEARN, D.G. Identification and differentiation of *Mycobacterium avium* and *M. intracelullare* by PCR. **J. Clin. Microbiol.**, v.34, n.5, p.1267-1269, 1996.

CONDE, B.M.; KRITSKI, A.L. Derrame pleural exsudativo linfocitário: estudo de 462 casos. **J. Pneumol.**, v.21, n.2, p.67-72, 1995.

DE WIT, D.; MAARTENS, G.; STEYN, L. A comparative study of the polymerase chain reaction and conventional procedures for tuberculous pleural effusion. **Tuber. Lung Dis.**, v.73, p.262-267, 1992.

DESJARDIN, L.E.; PERKINS, D.M.; WOLSKI, K.; HAUN, S.; TEIXEIRA, L.; CHEN, Y.; JONHSON, L.J.; ELLNER, J.J.; DIETZE, R.; BATES, J.; CAVE, M.D.; EISENACH, K.D. Measurement of sputum *Mycobacterium tuberculosis* messenger RNA as a surrogate for response to chemotherapy. **Am.J.Crit.Care. Med**, v.160,p. 203-210,1999.

DUNLAP, N.E.; BRILES, DE. Imunologia da tuberculose. **Clín. Méd. Am. Norte**, v.77, p.1317-1333, 1993.

EISENACH, K.D.; CAVE, M.D.; CRAWFORD, J.T. PCR detection of *Mycobacterium tuberculosis*. In: PERSING, D.H.; SMITH, T.F.; TENOVER, F.C.; WHITE, T.J. **Diagnostic molecular microbiology: principles and applications**. Washington D.C.: American Society for Microbiology, 1993, p.191-196.

EISENACH, K.D.; SIFFORD, M.D.; CAVE, M.D.; BATES, J.H.; CRAWFORD, J.T. Detection of *Mycobacterium tuberculosis* in sputum samples using a

polymerase chain reaction. **Am. Rev. Respir. Dis.**, v.144, p.1160-1163, 1991.

EISENACH, K.D.; CAVE, M.D.; BATES, J.T. Polymerase chain reaction amplification of a repetitive DNA sequence specific for *Mycobacterium tuberculosis*. **J. Infect. Dis.**, v.160, p.977-981,1990.

ELLNER, J.J.; HINMAN, A.R.; DOOLEY, S.W.; FISCHL, M.A.; SEPKOWITZ, K.A.; GOLDBERG, M.J.; SHINNICK, T.M.; ISEMAN, M.D. Tuberculosis Symposium: Emerging Problems and Promise. **J. Infect. Dis.**, v.168, p.537-551, 1993.

FERRER, J. Pleural Tuberculosis. **Eur. Respir. J.**, v.10, p.942-947, 1997.

FILHO, G.G.; MA. HIJJAR. Aspectos epidemiológicos da tuberculose no Brasil. **J. Pneumol.**, v.19 , n.1, p.4-10, 1993.

FIUZA DE MELO, F.A.; AFIUNE, B.J.; SANTOS, L.M.; FILHO, C.A.; Diagnóstico da tuberculose pleural pela ADA, isolada ou combinada a outras variáveis, inclusive em HIV -positivos. **Folha Méd.**, v.119, n.3, p.9-21, 2000.

FIUZA DE MELO, F.A.; AFIUNE, B.J.; MACEDO, L.G. Características da tuberculose pulmonar num serviço de referência antes e após a implantação do Sistema Único de Saúde. **J. Pneumol.**, v.18, p.122, 1992. Suplemento.

FOLGUEIRA, L.; DELGADO, R.; PALENQUE, E.; NORIEGA, A.R. Detection of *Mycobacterium tuberculosis* DNA in clinical samples by using a polymerase reaction. **J. Clin. Microbiol.**, v.31, n.4, p.1019-1021, 1993.

FORBES, B.A. Critical assessment of gene amplification approaches on the diagnosis of tuberculosis. **Immunol. Invest.**, v.26, n.1,2, p.105-116, 1997.

FREDRICKS, D.N.; RELMAN, D.A. Improved amplification of microbial DNA from blood cultures by removal of the PCR inhibitor sodium polyanetholesulfonate. **J. Clin. Microbiol.**, v.36, n.10, p.2810-2816, 1998.

FREIRE, N.D. Tuberculose. In: VICENTE, A.N.; BALDY, S.L.J. (Ed). **Doenças transmissíveis**. 3. ed., São Paulo: Sarvier, 1989. p. 845-868.

GIUSTI, G. Adenosina deaminase. In: Bergmeyer, H.U. *et al.* **Methods of enzymatic analysis**. New York: Academic Press, 1974. p.1092-1099.



GRANGE, J.M. The rapid diagnosis of paucibacillary tuberculosis. **Tubercle**, v.70, p.1- 4, 1989.

GREENBAUM, M.; BEYT, B.E.; MURRAY, P.R. The accuracy of diagnosing tuberculosis at a large teaching hospital. **Am. Rev. Respir. Dis.**, v.121, p.477-481, 1980.

HANNA, H.A. Diagnosis of tuberculosis by microbiologic techniques. In: ROM, W.N., GARAY, S. **Tuberculosis**. New York: Little Brown, 1996, p.149-159,

HIGUCHI, R. Simple and rapid preparation of samples for PCR. In: ERLICH , H.A. (Ed.). **PCR technology: principles and applications for DNA amplification**. New York: Stockton Press, 1989, p.31-38.

HOLODNIY, M.; KIM, S.; KATZENSTEIN, D.; KONRAD, M.; GROVES, E.T.; MERIGAN, C. Inhibition of human immunodeficiency virus gene amplification by heparin. **J. Clin. Microbiol.**, v.29, n.4, p.676-679, 1991.

IEVEN, M.; GOOSSENS, H. Relevance of nucleic acid amplification techniques for diagnosis of respiratory tract infections in clinical laboratory. **Clin. Microbiol. Rev.**, v.10, n.2, p.242-256, 1997.

JAY, S.J. Diagnostic procedures for pleural diseases. Symposium on pleural diseases. **Clin. Chest Med.**, v.6, p.33-48, 1985.

KATCHER, H.L.; SCHWARTZ, I. A distinctive property of Tth DNA polimerase: enzymatic amplification in the presence of phenol. **Bio Techniques**, v.16, p. 84-92, 1994.

KAZDA, J.F. The principles of the ecology of micobacteria. In: Stanford, J.L. (Ed), **The biology of micobacteria**. London: Academic Press, 1982, v.2, p.323-338.

KHAN, G.; KANGRO, H. O.; COATES, P. J.; HEATH, R. B. Inhibitory effects of urine on the polymerase chain reaction for cytomegalovirus DNA. **J. Clin. Pathol.**, v. 44, p.360-365, 1991.

KOX, L.F.F.; RHIENTHONG, D.; MEDO, A.M.; UDOMSANTISUK, N.; ELLIS, K.; LEEUWEN, F.; HEUSDEN, S.; KOLK, A.H.J. A more reliable PCR for detection of *Mycobacterium tuberculosis* in clinical samples. **J. Clin. Microbiol.**, v. 32, n.3, p. 672-678, 1994.

KRITSKI, A.L.; ROSSETTI, M.L.; BONFIM, G.; CASTELO, A.; MELO, F.C.Q. Reação em Cadeia da Polimerase (RCP/PCR) aplicada ao diagnóstico de tuberculose. **J. Pneumol.**, v.23, p.33-42, 1997.

LEVY, H.; FELDMAN, C.; SACHO, H.; VAN, D.M.; KALLENBACH, H.; KOORNHOF, J.H. A reevaluation of sputum microscopy and culture in the diagnosis of pulmonary tuberculosis. **Chest**, v.95, p.1193-1197, 1989.

LORDI, G.M.; REICHMAN, L.B. Tuberculin skin testing. In: SCHLOSSBERG, D [Ed]. **Tuberculosis**. New York: Spring-Verlag, 1988, p.33-38.

MA, T.S. Applications and limitations of polymerase chain reaction amplification. **Chest**, v.108, n.5, p.1394-1404, 1995.

MARKS, G.L. Genética da tuberculose. **Clín. Méd. Am. Norte.**, v.77, p.1301-1316, 1993.

MIYAZAKI, Y.; KOGA, H.; KOHNO, S.; KAKU, M. Nested polymerase chain reaction for detection of *Mycobacterium tuberculosis* in clinical samples. **J. Clin. Microbiol.**, v.31, n.8, p.2228-2232, 1993.

MORGAN, M.A.; HORSTMEIER, C.D.; De YOUNG, D.R.; ROBERTS, G.D. Comparison of a radiometric method (BACTEC) and conventional culture media for recovery of mycobacteria from smear negative specimens. **J. Clin. Microbiol.**, v.18, p.384-388, 1983.

MULLIS, K.; FALOONA, F.A.; SCHARF, S.; SAIKI, R.; HORN, G.; ERLICH, H. Specific enzymatic amplification of DNA in vitro: the polymerase chain reaction. **Cold Spring Harbor Symp. Quant. Biol.**, v.51, p.263-273, 1986.

NAGESH, S.B.; SEHGAL,S.; JINDAL,K.S.; ARORA,K.S. Evaluation of polymerase chain reaction for detection of *Mycobacterium tuberculosis* in pleural fluid. **Chest**, v.119, p.1737-1741, 2001.

OLIVEIRA, H.G.; ROSSATO, E.R.; PROLLA, J.C. Pleural fluid adenosine deaminase and lymphocyte proportion: Clinical usefulness in the diagnosis of tuberculosis. **Cytopathology**, v.5, p.27-32, 1994.

OLIVEIRA, H.G. **Auxílio diagnóstico da adenosina deaminase (ADA) no derrame de pleura**, 1989. 78f. Dissertação (Mestrado) em Pneumologia - Faculdade de Medicina, Universidade Federal do Rio Grande do Sul, Porto Alegre.

PAO, C.C.; YEN, T.S.B.; YOU, J.B.; MAA, J.S.; FISS, E.H.; CHANG, C.H. Detection and identification of *Mycobacterium tuberculosis* by DNA amplification. **J. Clin. Microbiol.**, v.28, n.9, p.1877-1880,1990.

PARRA, C.A.; LONDOÑO, L.P.; DEL PORTILLO, P.; PATARROYO, M.E. Isolation, characterization, and molecular cloning of a specific *Mycobacterium*

*tuberculosis* antigen gene: identification of a species-specific sequence. **Infect. Immun.**, v.59, p.3411-3417, 1991.

PFALLER, M.A. Application of new technology to the detection, identification, and antimicrobial susceptibility testing of mycobacteria. **Am. J. Clin. Pathol.**, v.101, n.3, p.329-337, 1994.

PIERRE, C.; OLIVER, C.; LECOSSIER D.; BOUSSOUGANT Y.; YENI, P.; HANCE, A.J. Diagnosis of primary tuberculosis in children by amplification and detection of mycobacterial DNA. **Am. Rev. Respir. Dis.**, v.147, p.420-424, 1993.

PIERRE, C.; LECOSSIER D.; BOUSSOUGANT Y.; BOCART D.; JOLY V.; YENI P.; HÁ. Use of reamplification protocol improves sensitivity of detection of *Mycobacterium tuberculosis* in clinical samples by amplification of DNA. **J. Clin. Microbiol.**, v.29, p.712-717, 1991.

QUEROL, J.M.; MÍNGUES. J.; GARCIA-SÁNCHEZ, E.; FARGA, MA.; GIMINO, C.; GARCIA-DE-LOMAS, J. Rapid diagnosis of pleural tuberculosis by polymerase chain reaction. **Am. J. Respir. Crit Care Med.**, v.152, p.1977-1981, 1995.

ROSEMBERG, J. Repercussões da biologia molecular na tuberculose. **J. Pneumol.**, p.1925-36, 1993.

ROTH, A.; SCHABERG, T.; MAUCH, H. Molecular diagnosis of tuberculosis: current clinical validity and future perspectives. **Eur. Respir. J.**, v.10, p.1877-1891, 1997.

RUFINO, N.A. Prova tuberculínica. **Rev. Assoc. Med. Bras.**, v.25, p.527-259, 1979.

SAIKI, R.K.; GELFAND, D.H.; STOFFEL, S.; SCHARF, S.j.; HIGUCHI, R.; HORN, G.T.; MULLIS, K.B.; ERLICH, H.A. Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. **Science**, v.239, p.487-491, 1988.

SAIKI, R.K.; SCHARF, S.; FOLOONA, F.; MULLIS, K.B.; HORN, G.T., ERLICH, H.A.; ARNHEIM, N. Enzymatic amplification of beta globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia. **Science**, v.230, p.1350-54, 1985.

São Paulo. SECRETARIA ESTADUAL DA SAÚDE. Centro de Vigilância Epidemiológica. Divisão de Tuberculose. **Pare a tuberculose: uma emergência mundial.** São Paulo, 1995.

SCHLUGER, N.W. The polymerase chain reaction in the diagnosis of tuberculosis. In: ROM, W.N.; GARAY, S. **Tuberculosis**. New York: Little Brown, 1996, p.233-239.

SCHLUGER, N.W.; KINNEY, D.; HARKIN, T.J.; ROM, W.N. Clinical utility of the polymerase chain reaction in the diagnosis of infections due to *Mycobacterium tuberculosis*. **Chest**, v.105, p.1116-1121, 1994.

SHANKAR, P.; MANJUNATH, N.; MOHAN K.K.; PRASAD, K.; BEHARI, M.; SHRINI AHUJA, G.K. Rapid diagnosis of tuberculous meningitis by polymerase chain reaction. **Lancet**, v.337, p.5-7, 1991.

SILVA, C.C.L. Tuberculose extrapulmonar (excetuado o derrame pleural). **J. Pneumol.**, v.19 n.2, p.83-87, 1993.

SNIDER, J.D.E.; MONTAGNE, J.R.L. The neglected global tuberculosis Problem: A Report of the 1992 World congress on tuberculosis. **J. Infect. Dis.**, v.169, p.1189-1196, 1994 .

SOINI, H.; SHURNIK, K.; LIIPPO, K.; TALA, E.; VILJANEN, M.K. Detection and identification of mycobacteria by amplification of a segment of the gene coding for the 32 kilodalton protein. **J. Clin. Microbiol.**, v.30, n.8, p.2025-2028, 1992.

TARANTINO, A.B. Algumas verdades sobre derrame pleural. **Notas pneumol.**, v.52, n.1, p.30-32, 1987.

TARANTINO, A.B.; ALOYSIO, DE P.; FILHO, G.G.; NEVES, S.J.; GUIMARÃES, M.J.; MAGARÃO, F.M. Tuberculose. In. TARANTINO, A.B (Ed.). **Doenças Pulmonares**. Rio de Janeiro: Guanabara Koogan, 1982, p.373-435.

TAKEWAKI, S.; OKUZUMI, S.K.; ISHIKO, H.; NAKAMURA, K.; OHKUBO, A.; NAGAI, R. Genus-specific polymerase chain reaction for the mycobacterial dnaJ gene and species specific oligonucleotide probes. **J. Clin. Microbiol.**, v.43, n.2, p.446-450, 1993.

THIERRY, D.; BRISSON-NOEL, A.; LÉVY-FRÉBAULT, V.; NGUYEN, S.; GUESDON, J.L.; GIEQUEL, B. Characterization of a *Mycobacterium tuberculosis* insertion sequence, IS6110, and its application in diagnosis. **J. Clin. Microbiol.**, v.28, n.12, p.2668-2673, 1990.

UEHARA, C.; SANTORO, L.I.; NAKATANI, J. Tuberculose pleural. **J. Pneumol.**, v.19, n.2, p.88-890, 1993.



VALDÉS, L.; ALVAREZ, D.; SAN JOSE, E.; JUANATEY, J.R.G.; POSE, A.; VALLE, J.M.; SALGUEIRO, M.; SUÁREZ, J.R.P. Value of adenosine deaminase in the diagnosis of tuberculous pleural effusions in young patients in region of high prevalence of tuberculosis. **Thorax**, v.50, p.600-603, 1995.

VAN KEIMPEMA, A.R.; SLAATS, E.H.; WAGENAAR, J.P.; Adenosina deaminase activity, not diagnostic for tuberculous pleurisy. **Eur. J. Respir. Dis.**, v. 71, p.15-18, 1987.

WIEDBRAUK, D. L.; J. C. WERNER & A. M. DREVON. Inhibition of PCR by aqueous and vitreous fluids. **J. Clin. Microbiol.**, v.33, n.10, p.2643-2646, 1995.

WILSON, I.G. Inhibition and facilitation of nucleic acid amplification. **Appl. Environ. Microbiol.**, v. 63, p.3741-3751, 1997.

WOLINSKY, E. Conventional diagnostic methods for tuberculosis. **Clin. Infect. Dis.**, v.19, p.396-401, 1994.

WORLD HEALTH ORGANIZATION - Global Tuberculosis Programme. WHO Report on the Tuberculosis Epidemic, 1995.

WORLD HEALTH ORGANIZATION - Global Tuberculosis Programme. WHO Report on the Tuberculosis Epidemic, 1997.

YUEN, L.K.W., ROSS, B.C., JACKSON, K.M., DWYER, B. Characterization of *Mycobacterium tuberculosis* from vietnamese patients by Southern blot hybridization. **J. Clin. Microbiol.**, v.31, n.6, p.1615-1618, 1993.