

## REFERENCIAS BIBLIOGRÁFICAS

- ALI, A. M. I.; MAYES, A.G. Preparation of polymeric core-Shell and multilayer nanoparticles: surface-initiated polymerization using *in situ synthesized* photoiniferters. **Macromolecules**, v.43, p. 837-844, 2010.
- AGUIAR, A.; GONZÁLES-VILLEGRAS, S.; RABELERO, M.; MENDIZÁBAL, E.; PUIG, J. E. Core-shell polymers with improved mechanical properties prepared by microemulsion polymerization. **Macromolecules**, v.32, p.6767-6771, 1999.
- ANDRZEJEWSKA, E. Photopolymerization kinetics of multifunctional monomers. **Prog. Polym. Sci**, v. 26, p. 605-665, 2001.
- ARAI, M., ARAI, K., SAITO, S. Polymer particle formation in soapless emulsion polymerization. **Journal of Polymer Science: Polymer Chemistry Edition**, v. 17, n. 11, p. 3655-3665, 1979.
- ASTM International: D7490-08. **Standard test method for measurement of the surface tension of solid coating, substrate and pigments using contact angle measurements.** 2008.
- BALTA, D.K., BAGDATLI, E., ARSU, N., OCAL, N., YAGCI, Y. Chemical incorporation of thioxanthone into beta-cyclodextrin and its use in aqueous photopolymerization of methyl methacrylate. **J. Photochem. Photobiol.**, v. A 196, p. 33–37, 2008.
- BAUER, C.; AMRAM, B.; AGNELY, M.; CHARMOT, D.; SAWATZKI, J.; DUPUY, N., HUVENNE, J. P. On-Line Monitoring of a latex emulsion polymerization by fiber-optic FT-Raman spectroscopy. Part I: Calibration. **Applied Spectroscopy**, v.54, n.4, p. 528-535, 2000.
- BERNARDES, F, B., CAPPARELLI, M, L. H. Estudo de polímeros por microscopia de força atômica. **Comunicado Técnico**, n. 53, p. 1-4, 2003.
- BOGNER, A., THOLLET, G., BASSET, D., JOUNEAU, P.-H., GAUTHIER, C. Wet STEM: A new development in environmental SEM for imaging nano-object included in a liquid phase. **Ultramicroscopy**, v. 104, p. 290-301, 2005

BOGNER, A., JOUNEAU, P.-H., THOLLET, G., BASSET, D., GAUTHIER, C. A history of scanning electron microscopy developments: Towards “wet-STEM” imaging. **Micron**, v. 38, p. 390-401, 2007.

BRAUN, A. M., MAURETTE, M. T., Oliveros, E. **Photochemical Technology**. England: John Wiley & Sons, 1991.

BRINK, M., PEPERS, M., HERK, A. M., GERMAN, A.L. On-line monitoring and composition control of the emulsion copolymerization of VeoVA 9 and butyl acrylate by Ramam spectroscopy. **Polymer Reaction Engineering**, v.9, n.2, p.101-133, 2001.

BROSETA, D., LEIBLER, L., KADDOUR, L. O., STRAZIELLE, C. A Theoretical an experimental study of interfacial tension of immiscible polymer blends in solution. **Journal of Chemical Physics**, v.8, n.2, p.7248-7256, 1987.

BROUWER, W. M., Comparative methods for the characterization of core-shell latex particles. **Colloids and Surfaces**, v. 40, p. 235-247, 1989.

BROUWER, W. M., ZSOM, R. L. J. Polystyrene latex particle surface characteristics. **Colloids and Surfaces**, v. 24, n.2-3, p.195-208, 1987.

CHEN, Y., SAJJADI, S., Particle formation and growth in ab initio emulsifier-free emulsion polymerisation under monomer-starved conditions. **Polymer**, v. 50, p.357-365, 2009.

(a) CHEN, Y. C., DIMONIE, V., EL-AASSER, M. S. Effect of interfacial phenomena on the development of particles morphology in a *polymer latex system*. **Macromolecules**, v.24, p.3779-3787, 1991.

(b) CHEN, Y-C; DIMONIE, V.; EL-ASSER, M.S. Interfacial phenomena controlling particle morphology of composite latexes. **Journal of Polymer Science**, v.42, p. 1049-1063, 1991

CHEN, Y. C., DIMONIE, V., EL-AASSER, M. S. Theoretical aspects of developing latex particle morphology. **Pure and Applied of Chemistry**, v.64, n.11, 1691-1696, 1992.

CHERN, Ch-Sh. **Principles and Applications of Emulsion Polymerization**. New Jersey: John Wiley & Sons, 2008.

CHICOMA, D. L.; SAYER, C.; GIUDICI, R. In-line monitoring of particle size during emulsion polymerization under different operational conditions using NIR spectroscopy. **Macromolecular Reaction Engineering**, v. 5, p.150–162, 2011.

CHONDE, Y., KRIEGER, I. M., Emulsion polymerization of styrene with Ionic comonomer in the presence of methanol. **Journal of Applied Polymer Science**, v.26, p.819-1827, 1981.

CHU, H., WANG, H., NI, Z., LIU, X., CHEN, M. Synthesis of submicron-sized composite particles with unique morphology by emulsifier-free seeded emulsion copolymerization. **Particuology**, v.6, n.5, p.369-375, 2008.

CIENFUEGOS, F., VAITSMAN, D. **Análise Instrumental**. Rio de Janeiro: Interciências, 2000, Brasil.

CUNNINGHAM, A. F., DESOBRY, V., DIETLIKER, K., HÜSLER, R., LEPPARD, D. G. Recent Development in Radical Photoinitiator Chemistry. **Chimia**, v. 48, p. 423-426, 1994.

DARONCH, M., RUEGGEBERG, F. A., DE GOES, M. F., GIUDICI, R. Polymerization Kinetics of Pre-heated Composite. **Research Reports: Biomaterials & Bioengineering. J. Dent Res.**, v. 85, n. 1, p. 38-43, 2006.

DEMARQUETTE, N. R., KAMAL, M. R. Comparação entre o método da gota pendente e o método da gota girante para medida da tensão interfacial entre polímeros. **Polímeros: Ciência e Tecnologia**, jul/set., 1997.

DONG, Y.; SUMDBERG, D. C. Estimation of polymer/water interfacial tensions: hydrophobic homopolymer/water interfaces. **Journal of Colloid and Interface Science**, v.258, p.97-101, 2003.

DURANT, Y. G. SUMDBERG, D. C., GUILLOT, J. Determination of interfacial tensions for latex particles. **Journal of Applied Polymer Science**, v.53, p.1469-1476, 1994.

EARNshaw, J. C., JOHNSON, E. G., CARROLL, B. J., DOYLE, P. J. The Drop volume method for interfacial tension determination: An error analysis. **Journal of Colloid and Interface Science**. v.177, n.15, p.150-155, 1996.

ETHAYARAJA, M.; BANDYOPADHYAYA, R. Model for core-shell nanoparticle formation by ion-exchange mechanism. **Industrial and Engineering Chemistry Research**, v.47, n.16, p.5982-5985, 2008.

FEIJOO, J. L., MÜLLER, A. J., ACOSTA, J. R. A study on the compatibility of poly(methyl methacrylate)/methyl methacrylate-styrene random copolymer blends. **Journal of Materials Science Letters**, v.5, p.313-314, 1986.

FELDMAN, K.; HÄHNER, GEORGE.; SPENCER, N. D. Surface nanochemical studies of polymers and other organic surfaces by scanning force microscopy. In:, Tsukruk, V.; Wahl, K. J., ed. **Microstructure and microtribology of polymer surfaces**. Washington, DC: ACS Symposium Series, 1999.

FERGUSON, C. J., RUSSEL, G. T., GILBERT, R. G., Modelling secondary particle formation in emulsion polymerisation: application to making core-shell morphologies. **Polymer**, v.43, p.4557-4570, 2002.

FÜLÖP, A.; HANCSÓK, J. **Comparison of calibration models based on near infrared spectroscopy data for the determination of plant oil properties**. Veszprém: Department of Hydrocarbon and Coal Processing, Institute of Chemical and Process Engineering, University of Pannonia, 2007.

GAILLARD, C., FUCHS, G., PLUMMER, C. J. G., STADELmann, P. A. The morphology of submicronized core-shell latex particles: An electron microscopy study. **Micron**, v. 38, p.522-535, 2007.

GONÇALVES, O. H., **Obtenção de partículas casca-núcleo expansíveis via polimerização em suspensão**. 2008. Tese (Doutorado) - Universidade Federal de Santa Catarina, 2008.

GONÇALVES, O. H., MACHADO, R. A. F., ARAÚJO, P. H. H., ASUA, J. M. Secondary particle formation in seed suspension polymerization. **Polymer**, v.50, p. 357-381, 2009.

GONÇALVES, O. H., ASUA, J. M., ARAÚJO, P. H. H., MACHADO, R. A. F. Synthesis of PS/PMMA core-shell structured particles by seeded suspension polymerization. **Macromolecules**, v.41, p.6960-6964, 2008.

GOODWIN, J. W., HEARN, J., HO, C. C., OTTEWILL, R. H. Studies on the preparation and characterization of monodisperse polystyrene lattices. III.

preparation without added active agents. **Colloid and Polymer Science**, v.252, p.464-471, 1974.

GOSSEN, P. D., MACGREGOR, J. F., PELTON, R. H. Composition and particle diameter for styrene/Methyl methacrylate copolymer latex using UV and NIR spectroscopy. **Applied Spectroscopy**, v.47, n.11, p.1852-1870, 1993.

GULARI, E.; MCKEIGUE, K.; NG, K. Y. S. Raman and FTIR spectroscopy of polymerization: bulk polymerization of methyl methacrylate and styrene. **Macromolecules**, v.17, p.1822-1825, 1984.

GUO, X., WEISS, A., BALLAUFF, M. Synthesis of Spherical Polyelectrolyte Brushes by Photoemulsion Polymerization. **Macromolecules**, v. 32, p. 6043-6046, 1999.

HAMILTON, W. C. A technique for the characterization of hydrophilic solid surfaces. **Journal of Colloid and Interface Science**, v.40, n.2, p.219-222, 1972.

HATAKEYAMA, T., QUINN, F. X., **Thermal analysis, fundamentals and applications to polymer science**. London: John Wiley and Sons, 1994.

HERGETH, W. D. BITTRICH, H. J., EICHHORN, F. SCHLENKER, S. Polymerizations in the presence of seeds: 5. Core-shell structure of two-stage emulsion polymers. **Polymer**, v.30, p.1913-1917, 1989.

HERRERA, V., PIRRI, R., ASUA, J. M., LEIZA, J. R. Morphology control in polystyrene/Poly(methyl methacrylate) composite latex particles. **Journal of Polymer Science: Part A: Polymer Chemistry**, v.45, p.2484-2493, 2007.

HU, Y.T. Determination of interfacial tension between two immiscible polymers with and without surfactants at the interface. **Journal of Colloid and Interface Science**, v.319, p.287–294, 2008.

ISHIZU, K., Synthesis and Structural Ordering of Core-Shell Polymer Microspheres. **Progress in Polymer Science**, v.23, p.1383-1408, 1998.

JACKSON, C., CHEN, Y-J., MAYS, J. W. Size exclusion chromatography with multiple detectors: solution properties of linear chains of varying flexibility in tetrahydrofuran. **Journal of Applied Polymer Science**, v.61, p.865-874, 1996.

JÖNSSON, J.; KARLSSON, O. J.; HASSANDER, H.; TÖRNELL, B. Semi-continuous emulsion polymerization of styrene in the presence of poly (methyl methacrylate) seed particles. Polymerization conditions giving core-shell particles. **European Polymer Journal**, v. 43, p.1322, 2007.

JÖNSSON, J.; KARLSSON, O. J.; HASSANDER, H.; TÖRNELL, B. Shell-layer stability in core-shell particles prepared with different Initiators. **Macromolecules**, v.34, p.1512-1514, 2001.

JR, L. R. S., FORD, W. T. Small core/thick shell polystyrene/Poly(methyl methacrylate) Latexes. **Industrial Engineering Chemistry Research**, v.44, p.8538-8541, 2005.

KAN, A. K., RAY; B. C., DOLUI, S. K. Preparation of core-shell emulsion polymer and optimization of shell composition with respect to opacity of paint film. **Progress in Organic Coatings**, v.62, p.65-70, 2008.

KANG. K.; KAN, Ch.; DU, Y.; LIU, D. Synthesis and properties of soap-free poly(methyl methacrylate-ethyl acrylate-methacrylic acid) latex particles prepared by seeded emulsion polymerization. **European Polymer Journal**, v.41, p.439-445, 2005.

KARLSSON, O. J.; HASSANDER, H., WESSLÉN, B. Influence of seed polymer molecular weight on polymerization kinetics and particle morphology of structured styrene-butadiene latexes. **Journal of Applied Polymer Science**, v.77, p.297-311, 2000.

KIM, S.M.; VOGELPOHL, A. Degradation of organic pollutants by the photo-Fenton-process. **Chemical Engineering Technology**, v. 21, n. 2, p.187, 1998

KOTERA, A.; FURUSAWA, K.; TAKEDA, Y. **Colloid chemical studies of polystyrene lattices polymerized without any surface-active agents- I-Method for preparing monodisperse latices and their characterization.** Departament of Chemistry, Tokyo Kyoiku University, Otsuka, Tokyo (Japan), v. 239, N. 2, p. 677-681, 1970.

LANDO, J. L., OAKLEY, H. T. Tabulated correction factors for the drop-weight-volume Determination of surface and interfacial tensions. **Journal of Colloid and Interface Science**, v. 25, p. 526-530, 1967.

LANDFESTER, K.; BOEFFEL, C.; LAMBLA, M.; SPIESS, H. W. Characterization of Interfaces in core-shell polymers by advanced solid-state NMR methods. **Macromolecules**, v.29, p.5972-5980, 1996.

LEE, CH-F., CHIU, W-Y. **Kinetic Study on the Poly(methyl methacrylate) Seeded Soapless Emulsion Polymerization of Styrene. III. Seeds with Crosslinking.** J Appl. Polym. Sci. V. 65, p. 425–438, 1997.

LEE, CH-F., CHEN, Y-H., CHIU, W-Y. Synthesis and physical properties of the crosslinking poly(butyl acrylate)/polystyrene core-shell composite latex. **Polymer Journal**, v.32, n. 8, p.629-636, 2000.

- (a) LEE, S., RUDIN, A. The mechanism of core-shell inversion in two-stage latexes. **Journal of Polymer Science: Part A: Polymer Chemistry**, v.30, p.865-871, 1992.
- (b) LEE, S., RUDIN, A. Synthesis of core-shell latexes by redox Initiation at ambient temperatures. **Journal of Polymer Science: part A: Polymer Chemistry**, v.30, p. 2211-2216, 1992

LEE, C. F. The properties of core–shell composite polymer latex. Effect of heating on the morphology and physical properties of PMMA/PS. core–shell composite latex and the polymer blends. **Polymer**, v.41, p.1337-1344, 2000.

LEE, C. F. The morphology of composite polymer particles produced by multistage soapless seeded emulsion polymerization. **Colloid Polymers Science**, v.280, p. 116-123, 2002.

LENZI, M. K., LIMA, E. L., PINTO, J. C. Modelagem da polimerização simultânea de estireno em suspensão e em emulsão. **Polímeros: Ciência e Tecnologia**, v.14, n.2, p.112-121, 2004.

LENZI, M. K., LIMA, E. L., PINTO, J. C. Detecting core-shell structure formation using near infrared spectroscopy. **Journal Near Infrared Spectroscopy**, v.14, n.3, p.179-187, 2006.

LINDON, J. C.; TRANTER, G. E.; HOLMES, J. L. **Encyclopedia of Spectroscopy and Spectrometry.** London: Advisory Board, 1999. 3v.

LI, W.; HUANG, Y. D.; LIU, L., JIANG, B. The application of near infrared spectroscopy in the quality control Analysis of glass/phenolic resin prepreg. **Journal of Materials Science**, v.41, n. 21, p.7183-7189, 2006.

LI, W.; HUANG, Y. D., CHEN, P. NIR spectroscopy: a useful tool for quality **control** of glass/phenolic prepreg manufacture. **Polymers and Polymer Composites**, v.16, n.1, p.55-62, 2008.

LU, Y., WITTEMANN, A., BALLAUFF, M., DRECHSLER, M. Preparation of Polystyrene-Poly(Nisopropylacrylamide) (PS-PNIPA) Core-Shell Particles by Photoemulsion Polymerization. **Macromolecular Rapid Communications. Communication**. DOI: 10.1002/marc.200600190, 2008

LUCAS, Elizabeth F.; SOARES, Bluma G.; MONTEIRO, Elizabeth E. C. **Caracterização de polímeros:** determinação de peso molecular e análise térmica.. Rio de Janeiro: E-papers, 2001.

MAHDAVIAN, A. R., ASHJARI, M., MAKOO, A, B. Preparation of poly (Styrene-methyl methacrylate)/SiO<sub>2</sub> composite nanoparticles via emulsion polymerization. An investigation into the compatibilization. **European Polymer Journal**, v.43, p.336-344, 2007.

Malvern Instruments Ltd. Zetasizer nano series user manual, **MAN0317**, v.11, 2004.

MCDONALD, C. J., DEVON, M.J. Hollow latex particles: synthesis and applications. **Advances in Colloid and Interface Science**, v.99, p.181-213, 2002

MITTAL, Vikas. **Advanced polymer nanoparticles:** synthesis and surface modifications. London: Taylor and Francis, 2011.

NOGUEIRA, R.F.P.; ALBERICI, R.M.; MENDES, M.A.; JARDIM, W.F.; EBERLIN, M.N. **Photocatalytic degradation of phenol and trichloroethylene: On-Line and real-time monitoring via membrane introduction mass spectrometry.** Ind. Eng. Chem. Res. v. 38, p. 1754, 1999

OKUBO, M., SAITO, N., TAKEKOH, R., KOBAYASHI, H. Morphology of polystyrene/polystyrene-block-poly(methyl methacrylate) composite particles. **Polymer**, v.46, p.1151-1156, 2005

OPPENLÄNDER, T. **Photochemical purification of water and air.** Weinheim: Wiley-VCH, 2003.

PAQUET, C., KUMACHEVA, E. Nanostructured polymers for photonics. **Materials Today**, v. 11, n. 4, p. 48-56, 2008.

PARK, J. M., Core-Shell Polymerization with Hydrophilic polymer cores. **Korea Polymer Journal**, v. 9, n.1, p.51-65, 2001.

PARSON, S. **Advanced Oxidation Processes for Water and Wastewater Treatment**. Tunbridge Wells: IWA Publishing, 2004

POSTEK, M. T., HOWARD, K. S., JOHNSON, A. H., McMICHAEL, K. L. **Scanning Electron Microscopy**. A Student's Handbook. 1980

REIS, M. M., ARAÚJO, P. H. H., SAYER, C., GIUDICI, R. Correlation between polymer particle size and in-situ NIR spectra. **Macromol. Rapid Commun.**, v.24, n.10, 2003(a)

REIS, M. M., ARAÚJO, P. H. H., SAYER, C., GIUDICI, R. Evidences of correlation between polymer particle size and Raman scattering. **Polymer**, v.44, p.6123-6128, 2003 (b)

REIS, M. M.; ARAÚJO, P. H. H.; SAYER, C.; GIUDICI, R. Development of calibration models for estimation of monomer concentration by raman spectroscopy during emulsion polymerization: facing the medium heterogeneity. **Journal of Applied Polymer Science**, v.93, p.1136–1150, 2004

REYNHOUT, X. E. E., BECKERS, M., MEULDIJK, J., DRINKENBURG, B. A. H. Electrosteric Stability of Styrene/Acrylic Acid Copolymer Latices under Emulsion Polymerization Reaction Conditions. **Journal of Polymer Science: Part A: Polymer Chemistry**, v. 43, p. 726 –732, 2005.

SANTOS, J. C. REIS, M. M. MACHADO, A. F., BOLZAN, A., SAYER, C., GIUDICI, R., ARAUJO, H. H. Online Monitoring of suspension polymerization reactions using raman spectroscopy. **Industrial Engineering Chemistry Research**, v.43, p. 7282-7289, 2004.

SCHWARZ, J. A., CONTESCU, C. Ed. Surfaces of nanoparticles and porous materials. In: **SURFACTANT sciences series**. New York: Marcel Dekker, 1999. v.78

SCHRINNER, M., HAUPT, B., WITTEMANN, A. A novel photoreactor for the production of electrosterically stabilised colloidal particles at larger scales. **Chemical Engineering Journal**, v. 144, p. 138-145, 2008.

SHIM, S. E., SHIN, Y., JUN, J. W., LEE, K., JUNG, H., CHOE, S. Living-Free-Radical Emulsion Photopolymerization of Methyl Methacrylate by a Surface Active Initiator (Suriniferter). **Macromolecules**, v. 36, p. 7994-8000, 2003

SHOULDICE, G. T. D., VANDEZANDE, G. A., RUDIN, A. Practical aspect of the emulsifier-free emulsion polymerization of styrene. **European Polymers Journal**, v. 30, n.2, p.179-183, 1994.

(a) SILVARES, A. F. M. **Desenvolvimento experimental e simulação matemática do processo de pré-polimerização fotoiniciada do metacrilato de metila (MMA)** 2006. Tese (Doutorado) – Universidade de São Paulo, 2006.

(b) SILVARES, A. F. M., Nascimento, C. A. O., Oliveros, E., Bossmann, S. H. Braun, A. M. Optimization of the photochemically initiated polymerization of methyl methacrylate. **Chemical Engineering and Processing**, v. 45, p. 1001–1010, 2006

SINGH, R., KUMAR, S. Effect of mixing on nanoparticle formation in micellar route. **Chemical Engineering Science**. v. 61, p. 192 – 204, 2006.

SIVUDU, K. S., THOMAS, S., SHAILAJA, D. Synthesis and characterization of poly(4vp-co-dvb)/montmorillonite nanocomposites by in situ intercalative polymerization. **Applied Clay Science**, v.37, p.185-192, 2007.

SJÖBLOM, J. **Emulsion and emulsion stability**. 2.ed. New York: Taylor and Francis, 2006.

SONGKHLA, P. N., WOOTTHIKANOKKHAN, J. Effect of the copolymer composition on the K and a constants of the mark-houwink equation: styrene–methyl methacrylate random copolymers. **Journal of Polymer Science: parte B: Polymer Physics**, v.40, p.562-571, 2002

SONG, Z., POEHLEIN, G. W. Particle Nucleation in emulsifier-Free Aqueous-Phase Polymerization: Stage 1. **Journal of Colloid and Interface Science**, v.18, n.2, p. 486-500, 1989

SONG, M., LIAO, B. A modulated DSC characterization of morphology of latex particles composite. **Thermochimica Acta**, n.423, p.57–61, 2004

STAMM, M. **Characterization, modification and applications**. Berlim: Springer, 2008.

STUBBS, J. M., SUMDBERG, D. C. The dynamics of morphology development in multiphase latex particles. **Progress in Organics Coatings**, v.61, p.156-165, 2008

SUNDBERG, D. C., CASASSA, A. P., PANTAZOPOULOS, J., MUSCATO, M. R., Morphology development of polymeric microparticles in aqueous dispersions. Thermodynamic considerations. **Journal of Applied Polymer Science**, v.41, p.1424-1442, 1990

TAJIMA, A., HIGUCHI, T., YABU, H., SHIMOMURA, M. Hemispherical polymer nanoparticles of polyisoprene-poly(methyl methacrylate) blend with core-shell structure. **Colloids and Surfaces A: physicochem. Eng. Aspects**, v.313-314, p.332-334, 2008.

TANRISEVER, T.; OKAY, O.; SÖNMEZOGLU, I. C. Kinetics of emulsifier-free emulsion polymerization of methyl methacrylate. **Journal of Applied Polymer Science**, v.61, p.485-493, 1996.

THE UNIVERSITY OF THE BASQUE COUNTRY. **Emulsion polymerization process course**. Donostia-San Sebastián: 2005.

THORMANN, E. SIMONSEN, A. C., HANSEN, P. L., MOURITSEN, O. G. Interactions between a polystyrene particle and hydrophilic and hydrophobic surfaces in aqueous solutions. **Langmuir**, v.24, n.14, p.7278-7284, 2008.

TROITSKII, B. B. KHOKHLOVA, L. V., DENISOVA, V. N., NOVIKOVA, M. A. GOLUBEV, A. E., ARAPOVA, A. V. Thermal properties of poly(methyl methacrylate) prepared by emulsifier-free emulsion polymerization. **Russian Journal of Applied Chemistry**, v.80, n.9, p.1575-1578, 2007.

TRATHNIGG, B. Determination of MWD and Chemical composition of polymers by chromatographic techniques. **Progress Polymer Science**, v.20, p.615-650, 1995 .

Van DEN BRINK M.; PEPPERS, M.; VAN HERK, A.M. Raman spectroscopy for polymer latexes. **Journal Raman Spectroscopy**, v.33, p.264–272, 2002.

VAN DER HOFF, B. M. E., **Advances in chemistry series**. Washington, DC.: American Chem. Soc., 1967. n. 34, p. 6

VANDERHOFF, J. W., Mechanism of emulsion polymerization. **Journal of Polymer Science: Polymer Symposium**, v.72, p.161-198, 1985

VIJAYENDRAN, B., R., BONE, T., GAJRA, C. Surfactant interactions in poly(vinyl acetate) and poly(vinyl acetate-butyl acrylate) latexes. **Journal Applied Polymer Science**, v. 26, p. 1351-1359, 1981.

WANG, C.; VICKERS, J.; SCHLENOFF, J. B.; MANN, C. K. In situ monitoring of emulsion polymerization using fiber-optic Raman spectroscopy. **Applied Spectroscopy**, v.46, n.11, p.1729-1731, 1992.

WANG, C.; VICKERS, J.; MANN, C. K. Use of water as an internal standard in the direct monitoring of emulsion polymerization by fiber-optic raman Spectroscopy. **Applied Spectroscopy**, v.47, n.7, p.928-932, 1992.

WANG, H., ZHANG, S., WANG, M., GE, X. Preparation of monodisperse polystyrene particles from emulsifier-free miniemulsion polymerization. **Chemistry Letters**, v.37, n.11, p.1158-1159, 2008.

WU, W; NANCOLLAS, G. H. Determination of interfacial tension from crystallization and dissolution data: a comparison with other methods. **Advances in Colloid and Interface Science**, v.79, p.229-279, 1999.