

IX. REFERÊNCIAS BIBLIOGRÁFICAS

- ABDELSAYED, R. A.; GUIJARRO-ROJAS, M.; IBRAHIM, N.A.; SANGUEZA, O.P. Immunohistochemical evaluation of basal cell carcinoma and trichepithelioma using Bcl-2, Ki-67, PCNA and p53. **J Cutan Pathol** 27(2):169-75, 2000.
- ADRIAENSSENS, E.; DUMOND, L.; LOTTIN, S.; BOLLE, D.; LEPRETE, A.; DOLLOBELLE, A.; BOUALI, F.; DUGIMONTN, T.; COLL, J.; CURGY, J.; JH19 overexpresssion in breast adenocarcinoma stromal cells is associated with tumor values and steroid receptors status but independent of p53 and Ki-67 expression . **Am J Pathol** Nov; 153(5):1597-607, 1998.
- AGUIAR, L.M. **Histologia do liquen escleroso da vulva pós tratamento com propionato de testosterona**. São Paulo, 1987. Tese (Doutorado) - Faculdade de Medicina da Universidade de São Paulo.
- ANDERSEN, S.M.; ROGNUM, T.O.; BAKKA, A.; CLAUSEN, O.P. Ki-67: a useful marker for the evaluation of dysplasia in ulcerative colitis. **Mol Pathol** 51(6):327-32, 1998.
- ARAUJO, M.M.V.; AZEVEDO, L.M.S.; SOUZA, M.C.B.; SIMÕES, P.M. Líquen escleroso e atrofico. **Femina**. v.24, p.135-43, 1996.
- ATULA, S.; GRÉNMAN, R.; LAIPPALA, P.; SYRJNEN, S. Cancer of the tongue in patients younger than 40 years. A distinct entity? **Arch Otolaryngol Head Neck Surg**. 122:1313-19, 1996
- AUGUSTUS, P.J.; MILWARD, T.M. Cryosurgery in the treatment of lichen sclerosus et atrophicus of the vulva. **Br J Dermatol**. v.103, p.667-9, 1980.
- AZEVEDO, L.M.S.; REIS, A.F.F.; BARROCAS, D.; PEREIRA Jr., C.P. Vulvar lichen sclerosus: comparative study of sexual plasmatic steroids. **Folha Med**. v.108, p.197-202, 1994.
- BARBERO, M.; MICHELETTI, L.; BORGNO, G.; CAVANNA L.; PRETI, M.; GHIRINGHELLO, B. Vulvar dystrophies in young and pre menopausal women. **J Reprod Med**. v.33, p.555-8, 1988.

- BARKER, L.; GROSS, P. Lichen sclerosus et atrophicus of the female genitalia. A clinical study and diagnostic guide. **Arch Dermatol.** v.85, p.362-73, 1962.
- BATES,S.; VOUSDEN,K.H. p53 in signaling checkpoint arrest or apoptosis . **Curr Opin Genet.Dev.**6:12-19, 1996.
- BAUMAN, J.H. Clinical experience with 0,05% clobetasol propionate creams. **J Am. Acad Dermatol.** v.12, p.891-3, 1985.
- BERGMAN,A.; KARRAM, M.; BHATA, N. Local steroid application for hyperplastic dystrophy of the vulva. **J Reprod Med.**, v.33, p.543-4, 1988.
- BEN-HUR,H.; ASHKENAZI,M.; HUSZAR,M.; GUREVICH,P.; ZUSMAN, I. Lymphoid elements and apoptosis-related proteins (Fas, Fas ligant , p53 and bcl-2) in lichen sclerosus and carcinoma of the vulva . **Eur J Gynaecol.**104-109 (2), 2001.
- BERGMAN,R.;RAMON,M.;KILIM, S.; LICHTIG, C.; FRIEDMAN-BIRBAUM,R. An immunohistochemical study of p53 protein expression in classical Kaposi's sarcoma. **Am J Dermatopathol**, 18(4):367-70, 1996.
- BERNER, A.; HOLM R.; ANE, H.; JORTADAL, O. p53 protein expression in squamocellular carcinomas of the lip . **Anticancer Res** 13:2421-24214, 1993.
- BOHM, M.; FRIIELING, U.; LUER, T.A. ,BONSMANN, G. Successful treatment of anogenital lichen sclerosus with tacrolimus . **Arch Dermatol.** 139:922-924-2003.
- BOUSEMA, M.T.; ROMPPANEN, U.; GEIGER, J.M.; BAUDIN, M.; VÄHÄ-ESKELI, K.; VARTIAINEN, J.; VUOPALA, S. Acitretin in the treatment of severe lichen sclerosus et atrophicus of the vulva: a double-blind, placebo-controlled study. **J Am Acad ermatol.** v.30, p.225-31, 1994.

- BOUZUBAR, N., WALKER, K.J., GRIFFITHS, K., ELSON, C.W., ROBERTSON, J.F.R.; BLAMEY, R.W., NICHOLSON, R.I. Ki-67 immunostaining in primary breast cancer : pathological and clinical associations . **Br Cancer.** 59(6) 943-7,1989 .
- BOVO, A.C. **Propionato de clobetasol no tratamento do lichen escleroso vulvar. Efeitos clínicos e histopatológicos.** São Paulo, 1996. Dissertação (Mestrado) – Escola Paulista de Medicina, Universidade Federal de São Paulo.
- BRACCO, L.G.; CARLI, P.; SONNI, L.; MAESTRINI, G.; MARCO, A.; TADDEI, G.L.; CATTANEO, A. Clinical and histologic effects of topical treatments of vulval lichen sclerosus. A critical evaluation. **J Reprod Med.** v.38, p.37-40, 1993.
- BREISKY, A. Uber Kraurosis vulvae (eine wenig beachtete Form von Hautatrophie am pudendum muliebre). **Z Heilkd.** v.6, p.69, 1885 apud HEWITT, J. 1986.
- BROWN, D.S., COLE, D., GATTER, K.C., MASON D.Y. Carcinoma of the cervix uteri: an assessment of tumor proliferation using the monoclonal antibody Ki-67. **Br J Cancer.** 57,178-181, 1988
- BROWN, DC; GATTER, KC. Monoclonal antibody Ki-67 :its use in histopatology . **Histopatology.** Dec;17(6):489-503,1990.
- BROWN, DC; GATTER KC. Ki-67 protein :The immaculate deception. **Histopatology.** Jan ;(40)(1):2-11,2002.
- CANTWELL, A.R. Histologic observations of pleomorphic, variably acid-fast bacteria in scleroderma, morphea and lichen sclerosus et atrophicus. **Int J Dermatol.** v.23, p.45-53, 1984.
- CARDINAL, L.; GOMEZ, N.R.; VIGHI, S. p53 and MIB-1 expression in vulvar lichen sclerosus: comparasion before and after treatment with topical clobetasol. **Proc Int Soc Study Vulvo-Vaginal Dis.** 101, 1993.

- CARLI, P. Clobetasol propionate 0, 05% cream in the treatment of vulvar lichen sclerosus: effect on the immunohistological profile. **Br J Dermatol.** v.127, p.542-8, 1992.
- CARLI, P.; BRACCO, G.; TADDEI, G.; SONNI, L.; De MARCO, A.; MAESTRINI, G.; CATTANEO, A. Vulvar lichen sclerosus immunohistologic evaluation before and after therapy. **J Reprod Med.** v.39, p.110-4, 1994.
- CARLI, P.; CATTANEO, A.; De MAGNIS, A.; BIGGERI, A.; TADDEI, G.; GIANNOTTI, B. Squamous cell carcinoma arising in vulvar lichen sclerosus: a longitudinal cohort study. **Eur J Cancer.** 97:1135-1139, 1995.
- CARLI, P.; CATTANEO, A.; PIMPINELLI, N.; COZZA, A.; BRACCO, G.; GIANNOTTI, B. Immunohistochemical evidence of skin immune system involvement in vulvar lichen sclerosus et atrophicus. **Dermatologica.** v.182(1) p.18-22, 1991.
- CARLI, P.; CATTANEO, A.; TADDEI, G.; Topical cyclosporine in the treatment of vulvar lichen sclerosus :clinical histologic and immunohistochemical findings. **Arch Dermatol.** 128:1548-9, 1992.
- CARLSON, J.A.; HEALY, K.; TRANT, A.; Malfetano, J.; WILSON, V.L.; ROHWEDDER, A.; ROSS, J.S. Chromosome 17 Aneuploidy detected by fluorescence *in situ* hybridization in vulvar squamous cell carcinomas and synchronous vulvar skin. **Am J Pathol.** 157(3) 973-983, 2000.
- CHA, H.H.; CRAM, E.J.; WANG, E.G ; HUANG, A.J.; KASLER, H.G.; FIRESTONE, G.L. Glucocorticoids stimulate p21 gene expression by targeting multiple transcriptional elements within a steroid responsive region of p21 promoter in rat hepatoma cell. **J Biol Chem.** 273:1998-2007, 1998.
- CHAN, I The role of extra cellular matrix protein 1 in human skin. **Clin Exp Dermatol.** 29:52-56, 2004.

CHAN, I.; OYAMA, M.; NEIL, S.M.; WOJNAROWSKA, F.; BLACK, M.; MCGRATH, J.A. *Clin Exp Dermatol* .29:499-504,2004.

CHANG J.; POWLES T.J.; ALLRED D.C.; ASHLEY, S.E.; CLARK G.M.; MAKRIS A., ASSERSOHN L., GREGORY R.K., OSBORNE C.K., DOWSETT M. Biologic markers as predictors of clinical outcome from systemic therapy for primary operable breast cancer. *Clin Oncol*. 17(10):3058-63, 1999.

CINBERG, B.L. Postmenopausal pruritus vulvae. *Am J Obstet Gynecol* v.49, p.647-57,1945.

COCHRAN, W.G. Some methods for strengthening the common χ^2 test *BIOMETRICS*. 10;417-451,1954.

COLLINS, C.G.; HANSEN, L.H.; THERIOT, E. A clinical stain for use in selecting biopsy sites in patient with vulvar disease. *Obstet Gynecol*. v.28, p.158-63, 1966.

COOPER, S.M.; GAO, H.; POWELL, J.J.; WOJNAROWSKA, F. Does the treatment of vulvar lichen sclerosus influence its prognosis? *Arch Dermatol*. 140:702-706, 2004.

CROSTHWAITE, N. TEALE, D.; FRANKLIN, C.; FOSTER G.A.; STRINGER B.M.J. p53 protein expression in malignant ,pre-malignant and non-malignant lesions of the lip. *J Clin Pathol*.49;648-653,1996.

CUCÉ, L.C.; FESTA NETO, C. 2^a. ed. *Manual de Dermatologia*. São Paulo, Manole, 2001. p. 319-337.

DALZIEL, K.L.; MILLARD, P.R.; WOJNAROWSKA, F. The treatment of vulval lichen sclerosus with a very potent steroid (clobetasol propionate 0,05%) cream. *Br J Dermatol*. v.124, p.461-4, 1991.

DARIER, J. Lichen plan scléieux. *Bull Soc Dermatol Syph Ann Dermatol*. v.3, p.833, 1889.

- DEI TOS, A.P.; DOGLIONI, C.; LAURINO, L. ; BARBARESH, M.; FLETCHER, C.D.M.; p53 protein expression in non- neoplastic lesions and benign and malignant neoplasms of soft tissue. ***Histopatology***. 22:45-50, 1993.
- DE JONG, E.M.; FERRIER, C.M.; DE ZWART, A., WAUBEN-PENRIS P.J.; KORSTANJE, C.; VAN DE KERKHOF, P.C. Effects of topical treatment with desonide on parameters for epidermal proliferation , keratinization and inflammation in psoriasis ***J Dermatol Sci***. 9(3)185-94,1995.
- DI PAOLA, G.R. Treatment of lichen sclerosus et atrophicus of the vulva with topical testosterone. ***Rev Argent Gynecol Obstet***. v.2, p.224-7 1971.
- DICKIE, R.J.; HORNE, C.H.W.; SUTHERLAND, H.W.; BEWSHER, P.D.; STANKLER, L. Direct evidence of localised immunological damage in vulvar lichen sclerosus. ***J Clin Pathol***. v.35, p.1395-7, 1982.
- DUTTON, W.A.W. The use of local injections of triamcinolone into chronic inflammatory lesions of the vulva. ***J Obstet Gynecol***. p.891-92, 1962.
- EL- DERY,W.S.;TOKINO,T.;VELCULESCU,V.E.;LEVY,D.B.PARSONS,R.;T RENT,J .M .;LIN, D.; MERCER, W.E.; KINZLER, K.W.; VOLGELSTEIN,B.; WAF1, a potential mediator of p53 tumor supression. ***Cell***. p817-25,1993.
- ELLIS, P.E.; FONGL, F.; ROLFE, K.J.; CROW, J.C.; REID, W.M.; DAVIDSON, T.; MacLEAN, A.B.;RERRET, C.W. The role of p53 and Ki-67 in Paget's disease of the vulva and the breast .***Gynecol Oncol***. 86(2):150-6,2002.
- FIGUEROAS CASAS, P.R.; SAPENNE, C.; MALAMUD, L. Evaluation of simple vulvectomy in the treatment of vulvar dystrophies. ***Rev Argent Gynecol Obstet***. v.4, p.179, 1973.
- FINLAY,C.A.; HINDS,P.W.; LEVINE,A.J. The p53 Proto-Oncogene can act as supressor of transformation.***Cell*** . v.57 p.1083-89,1989.

- FOULDS, I.S. Lichen sclerosus et atrophicus of the scalp. *Br J Dermatol.* v.103, p.197-200, 1980.
- FRANCES, C.; WECHSLER, J.; MEIMON, G.; LABAT-ROBERT, J.; GRIMAUD, J.A.; HEWITT, J-I. Investigation of intercellular matrix macromolecules involved in lichen sclerosis. *Acta Dermatol Venereol.* (Stockh.), v.63, p.483-90, 1983.
- FRANKLIN, W.A.; McDONALD, G.B.; STEIN, H.O.;GATTER, K.C.; JEWELL D.P.; CLARKE, L.C.; MASON, D.Y. Immunohistologic demonstration of abnormal colonic crypt cell kinetics in ulcerative colitis *Hum Pathol* 16(11)1129-32,1985.
- FRIEDRICH, E.G. Jr. Topical testosterone for benign vulvar dystrophy. *Obstet Gynecol.*, v.37, p.667-86, 1971.
- FRIEDRICH, E.G.Jr. Lichen sclerosus. *J Reprod Med.*, v.17, n.3, p.147-54, 1976.
- FRIEDRICH, E.G. Jr. *Vulvar disease*. 2.ed. Philadelphia, W.B. Saunders, 1983.
- FRIEDRICH, E.G. Jr. Vulvar dystrophy. *Clin Obstet Gynecol.* v.28, p.178-87, 1985.
- FRIEDRICH, E.G. Jr.; KALRA, P.S. Serum levels of sex hormones in vulvar lichen sclerosus and the effect of topical testosterone. *N Engl J Med.* v.310, p.488-91, 1984.
- FRIEDRICH, E.G.Jr.; MACLAREN, N.K. Genetic aspects of vulvar lichen sclerosis. *Am J Obstet Gynecol.* v.150, p.161-4,1984.
- FRIEDRICH, E.G. Jr.; JULIAN, C.G.; WOODRUFV, J.D. Acrine-orange fluorescence in vulvar dysplasia. *Am J Obstet Gynecol.* v.90, p.1281-7, 1964.

FUNG, M.A.; LeBOIT, P.E. Light microscopic criteria for the diagnosis of early vulvar lichen sclerosus : a comparison with lichen planus . ***Am J Surg Pathol.*** 22:473-8,1998.

FYNT, J.; GALLUP, D.G. Childhood lichen sclerosus. ***Obstet Gynecol.*** v.53, p.79S-81S, 1979.

GALUPPO, M.T.G. Morfometria do líquen escleroso relacionado ao estudo imunohistoquímico do receptor de estrógeno e da proliferação celular pela detecção do antígeno Ki-67. Tese apresentada à Universidade Federal de São Paulo, 1998.

GANNON, J.V.; GREAVES, R.; IGGO, R.; LANE, D.P. Activating mutations in p53 produce a common conformational effect. A monoclonal antibody specific for the mutation form . ***EMBO J.*** 9(5):1595-1602, 1990.

GARDNER, H.L.; FRIEDRICH, E.G.; KAUFMAN, R.H.; WOODRUFF, J.D. The vulvar dystrophies atypias and carcinomata "in situ": an invitational symposium. ***J Reprod Med.*** v.17, p.131, 1976.

GARDNER, H.L.; KAUFMAN, R.H. ***Benign diseases of the vulva and vagina.*** St. Louis, C.V. Mosby, 1969. p.121-8.

GERDES J.; LEMKE H.; BAISCH H.; WACKER H.H.; SCHWAB U. Stein H. Cell cycle analysis of cell proliferation-associated human nuclear antigen defined by the monoclonal antibody Ki-67 . ***J Immunol.*** 133(4):1710-5, 1984.

GOLDSTEIN, A.T.; MARINOFF, S.C. CHRISTOPHER, K., SRODON, M. Prevalence of vulvar lichen sclerosus in general gynecology practice ***J Reprod Med*** 50:477-480, 2005.

GOMES, P.A.; MONTANO, A.; SILVA, A.M.E.; MOSCOVITZ, T.; ROCHA, S.R.H.; DUARTE, A.A.; CUCÉ, L.C. Estudo das patologias dermatológicas

- de vulva mais freqüentes na Faculdade de Medicina de Santo Amaro. **Dermatológica**. v.13, p.18-23, 1994.
- GOOLAMALI, S.K.; BARNES, E.W.; IRVINE, W.J.; SHUSTER, S. Organ specific antibodies in patients with lichen sclerosus. **Br. Med J.** v.4, p.78-9, 1974.
- GRAVES, W.P.; SMITH, G.V.S. Kraurosis vulvae. **JAMA**, v.92, p.1244-52, 1929.
- GREENBLAT, M.S.; BENNET W.P.; HOLLSTEIN, M.; HARRIS, C.C.; Mutations in p53 Tumor Suppressor Gene :Clues to cancer etiology and molecular pathogenesis. **Cancer Res.**, 54:4855-78, 1994.
- GUILLAUD, P.; VERMONT, J.; SEIGNEURIN, D. Automatic classification of cells in cell cycle phases based on Ki-67 antigen quantification by fluorescence microscopy. **Cell Prolif** .vol 24 p481-491, 1991.
- HALL, P.A.; RICHARDS M.A.; GREGORY W.M.; D'ARDENNE A.J.; LISTER, T.A.; STANSFELD, A.G.; The prognostic value of Ki-67 immunostaining in non-Hodgkin's lymphoma .**J Pathol.**, 154:223-235 ,1988.
- HALL, P.A.; McKEE, P.H.; MENAGE, H.; DOVER, R.; LANE, D.; High levels of p53 protein in UV irradiated normal human skin. **Oncogene**. 8:203-7, 1993.
- HALLOPEAU, H. Du lichen plan, et particulièrement de sa forme atrophique. **Union Med.** (Paris), v.42, p.729, 1887.
- HARRINGTON, C.I.; DUNSMORE, I.R. An investigation into the incidence of auto-immune disorders in patients with lichen sclerosus et atrophicus. **Br J Dermatol**. v.104, p.563-6, 1981.
- HARRINGTON, C.I.; GELSTHORPE, K. The association between lichen sclerosus et atrophicus and HLA-B40. **Br J Dermatol**. v.104, p.561-2, 1981.

- HART, W.R.; NORRIS, H.J.; HELWING, E.B. Relation of lichen sclerosus et atrophicus of the vulva to development of carcinoma. ***Obstet Gynecol.*** v.45, p.369-77, 1975.
- HANTSCHMANN, P.; STERZER, S.; JESCHKE, U.; FRIESE, K.; p53 expression in vulvar carcinoma, vulvar intraepithelial neoplasia, squamous cell hyperplasia and lichen sclerosus. ***Anticancer Res.*** v.25(3A), p.1379-45, 2005.
- HEALY, E.; ANGUS, B.; LAWRENCE C.M.; REES J.L. Prognostic value Ki-67 antigen expression in basal cell carcinomas. ***Br J Dermatol.*** 133(5)737-41, 1995.
- HELANDER, S.D.; PETERS, M.S.; PITTELKOW, M.R. Expression of p53 protein in benign and malignant epidermal pathologic conditions. ***J Am Acad Dermatol.*** 29:741-8, 1993.
- HENDRICKS, J.B.; WILKINSON, E.J.; KUBILIS, P.; DREW, P.; BLAYDES, S.M.; MUNAKATA S. Ki-67 expression in vulvar carcinoma. ***Int J Gynecol Pathol.*** 13(3)205-10, 1994.
- HESELTIME, H.C. Vitamin therapy in vulvar dermatoses. ***Am J Obstet Gynecol.*** v.42, p.702, 1941.
- HEWITT, J. Histologic criteria for Lichen Sclerosus of the vulva. ***J Reprod Med.,*** v.31, p.781-7, 1986.
- HILLEMANN, P.; UNTCH, M.; PROVE, F.; BAUMGARTNER, R.; HILLEMANN, M.; KORELL, M. Photodynamic therapy of vulvar lichen sclerosus with 5-aminolevulinic acid. ***Obstet Gynecol.*** 93: 71-74:1999.
- INOHARA, S.; KITAGAWA, K.; KITANO, Y. Expression of cyclin D1 and p53 protein in various malignant skin tumors. ***Dermatol.*** 192:94-98, 1996.

INTERNATIONAL SOCIETY FOR THE STUDY OF VULVAR DISEASE.

Committee on Terminology. New nomenclature for vulvar disease. **Obstet Gynecol.** v.47, p.122, 1976.

ITALA, J.H. Treatment of vulvar lichen sclerosus et atrophicus with the retinoic acid aromatic derivative (Ro 10-9359). **Eur J Gynecol. Oncol.** v.8, p.224, 1987.

JASIONOWSKI, E.A.; JASIONOWSKI, P.A. Topical progesterone in treatment of vulvar dystrophy. Preliminary report of five cases. **Am J Obstet. Gynecol.**, v.15, p.667-70, 1977.

JASIONOVSKI, E.A.; JASIONOVSKI, P.A. Further observation on the effect of topical progesterone on vulvar disease. **Am J Obstet Gynecol.** v.134, p.565, 1979.

JEFFCOATE, T.N.A. The dermatology of the vulva. **J. Obstet. Gynecol.**, p.888-90, 1961.

JEFFCOATE, T.N.A. Chronic vulvar dystrophies. **Am J Obstet. Gynecol.**, v.95, p.61-71, 1966.

JEFFCOATE, T.N.A.; WOODCOCK, A.S. Premalignant conditions of the vulva, with particular reference to chronic epithelial dystrophies. **Br Med J.** v.2, p.127, 1961.

KAGIE, M.J.; KENTER, G.G.; TOLLENAAR ,R.A.E.M; HERMANS J.; TRIMBOS, J.B; FLEUREN G.J. p53 protein overexpression , a frequent observation in squamous cell carcinoma of vulva and in various synchronous vulvar epithelia , has no value as prognostic parameter.**Int J Gynecol Pathol** , vol 16(2) 124-130,1997.

KAUFMAN, R.H. Hyperplastic dystrophy. **J Reprod Med.**, v.17, p.137-45, 1976.

- KAUFMAN, R.H.; WOODRUFF, J.D. Vulvar dystrophies, atypias, carcinoma in situ: an invitational symposium historical background in development stages of new nomenclature. **J Reprod Med.** v.17, p.132-6, 1976.
- KAUFMAN, R.H.; GARDNER, H.L.; BROWN, D.Jr.; BEYTH, Y. Vulvar dystrophies: an evaluation. **Am J Obstet. Gynecol.** v.120, p.363-7, 1974.
- KINDBLOM, L.G.; MEIS-KINDBLOM J.M.; HAVEL, G., BUSH C. Benign epithelioid schwannoma. **Am Surg Pathol** . Jun 22(6):762-70;1998.
- KIRSCH, A.H.; MAHMOOD, A.A.; ENDRES, J Apoptosis of human T-cells: induction by glucocorticoids or surface receptor ligation in vitro and ex vitro **J Biol Regul Homeost Agents** 13:80-9,1999.
- KNEALE, M.B. Carcinoma of the vulva then and now. The 1987 ISSVD presidential adress. **J Reprod Med,** v.33, p.496-9, 1988.
- KREUTER, A.; GAMBICHLER, T.; SAUERMAN, K. Extra genital lichen sclerosus successfully treated with topical calcipotriol: evaluation by in vivo confocal laser scanning microscopy **.Br J Dermatol.** 146:332-3; 2002.
- KUNSTFELD, R.; KIRNBAUER, R.; STIINGL, G.; KARHOFER, F.M Successful treatment of vulvar lichen sclerosus with topical tacrolimus. **Arch Dermatol.** 139:850-852, 2003.
- KUSHNER, J., BRADLEY, G., JORDAN, R.C.K. Patterns of p53 and Ki-67 protein expression in epithelial dysplasia from the floor of the mouth. **J Pathol** 183:418-23,1997.
- LASSAM, N.J.; FROM, L; KAHN,H.J. Overexpression of p53 is late event in development of malignant melanoma. **Cancer Res.** 53:2235-38,1993.
- LAVERY, H.A. Vulvae dystrophies: new approaches. **Clin Obstet Gynecol.** v.11, p.155-69, 1982.

- LERMA, H.; GUIU, X.M.; LEE, S.J.; PRAT, J. Squamous cell carcinoma of the vulva: Study of ploidy ,HPV,p53, and pRb . *Int J of Gynecol Pathol* 18(3): 191-7 ,1999.
- LEVER, W.F.; LEVER, G.S., 7a. ed. *Histopatologia da pele*. São Paulo, Manole, 1991. p. 278-9.
- LEVINE, A.J.; MOMAND J.; FINLAY C.A. The p53 tumor suppressor gene. *Nature* 351:453-56,1991.
- LI, S.; MAWAAL-DEWAN, M.; CRISTOFALO, V.J.; SELL, C. Enhance proliferation of human fibroblasts in presence of dexamethasone is accompanied by changes in p21 and insulin-like growth factor type 1 receptor. *J Cell Physiol.* 177:396-401;1998.
- LUBACH, D.; RATH, J.; KIETZMANN, M. Steroid-induced dermal thinning: discontinuous application of clobetasol-17-propionate ointment. *Dermatology*, v.185, p.44-8, 1992.
- MANSOOR, A. ; McKEE, P. H. ;SIMPSON, J. A. ; McGUIRE, B.; HOBBS,C. Prognostic significance of Ki-67 and p53 immunoreactivity in cutaneous squamous cell carcinomas. *Am J Dermatopathol.* 18(4):351-57,1996.
- McGREGOR J.M.; YU, CC-W; DUBLIN, E.A.; LEVISON, D.A.; MacDONALD, D.M. Aberrant expression of p53 tumor-suppressor protein in non melanoma skin cancer . *Br J Dermatol.*, 127:463-69,1992.
- McNUTT, N.S; SANTAMARIA, C.S.; VOLKENANDT,M.; SHEA, C.R.; ALBINO, A.P. Abnormalities of p53 protein expression in cutaneous disorders. *Arch Dermatol.* 130: 225-32,1994.
- MANN, P.R.; COWAN, M.A. Ultrastructural changes in four cases of lichen sclerosus et atrophicus. *Br J Dermatol.* v.89, p.223-31, 1973.

- MARREN, P.; MILLARD, P.; CHIA, Y.; WOJNAROWSKA, F. Mucosal lichen sclerosus/lichen planus overlap syndromes. *Br J Dermatol.* v.113, p.118-23, 1994.
- MEFFERT, J.; DAVIS, D.M.; GRIMWOOD, R.E. Lichen sclerosus. *J Am Acad Dermatol.* v.32, p.393-409, 1995.
- MELO, M.G.M.; SOTO, F.J.D.; ROZENBAUM, J.; ASSIS, T.L.; MARQUES, A.S.M. Lichen esclero-atrófico e esclerodermia circunscrita. *An Bras Dermatol.* v.60, p.3340, 1985.
- MEYRICH T.R.H.; KENNEDY, C.T.C. The development of lichen sclerosus et atrophicus in monozygotic twin girls. *Br J Dermatol.* v114, p.337-9, 1986.
- MEYRICH, T.R.H.; HOLMES, R.C.; ROWLAND PAYNE, C.M.E.; RIDLEY, C.M.; SHERWOOD, F.; BLACK, M.M. The incidence and development of auto immune diseases in woman after the diagnosis of lichen sclerosus e atrophicus. *Br J Dermatol.* 107:(22)29, 1982.
- MEYRICK, T.R.H.; RIDLEY, C.M.; BLACK, M.M. The association of lichen sclerosus et atrophicus and auto-immune-related diseases in males. *Br J Dermatol.* v.109, p.661-4, 1983.
- MEYRICK, T.R.H.; RIDLEY, C.M.; GIBBON, D.H. Lichen sclerosus et atrophicus and autoimmunity - A study of 350 women. *Br J Dermatol.* v.118, p.41-6, 1988.
- MILLER, R.F. Lichen sclerosus et atrophicus with oral involvment: histopathologic study and dermabrasive treatment. *Arch Dermatol.*, v.76, p.43-55, 1957.
- MITCHELL, J.N.S.; COX, N.H.; MORLEY, W.N. Lichen sclerosus et atrophicus in non identical female twins. *Br J Dermatol.*, v.115, p.743-6, 1986.

- MOLLICA, G.; PALMARA, D.; CAMPAGNA, A. Histochemical data on adenosine triphosphate and alkaline phosphate in a human vulva. ***Minerva Ginecol.***, v.18, p.1111-5, 1996.
- MORENO, J.A.R.; GOMEZ, R.G.; SANCHEZ, R.T.; ALVARADO, R.M.O. Resultados de un programa selectivo de detección de la neoplasia intraepitelial de la vulva. ***Ginecol Obstet Mex.***, v.60, p.55-9, 1992.
- OBERFIELD, R.A. Lichen sclerosus et atrophicus and kraurosis vulvae. Are they the same disease? ***Arch Dermatol.*** v.83, p.144-53, 1961.
- OIKARINEN, A.; HAAPASAARI, K.M.; SUTINEN, M.; TASANEN, K. The molecular basis of glucocorticoid –induced skin atrophy :topical glucocorticoid apparently decreases both collagen synthesis and corresponding collagen mRNA level in human skin in vivo.***J Dermatol*** 139:1106-10;1998.
- OLSEN, E.A.; CORNELL, R.C.; DURHAM, N.C.; La JOLLA, C.A. Topical clobetasol-17-propionate:Review of its clinical efficacy and safety. ***J Am Acad Dermatol.*** v.15, p.246-55, 1986.
- PANIZZON, R.; VUORIO, T.; BRUCKER-TUDERMAN, L. Collagen biosynthesis and type I and III procollagen mRNA in lichen sclerosus et atrophicus. ***Arch Dermatol Res.***, v.2822, p.480-3,1990.
- PARISH, L.C.; WITKOWSKI, J.A.; MUIR, J.G. Topical corticosteroids. ***Int J Dermatol.***, v.24, p.435-6, 1985.
- PELISSE, M. Metabolites of testosterone for lichen sclerosus - preliminary report. In: FRIEDRICH, E.G.; JOSEY, W.E., ed.. ***Proc Int Soc Study Vulvar Dis.*** Key Biscaine, 1975.
- PELISSE, M.; FISCHESSE, D.; MOYAL, M.; LESSANA-LEIBOWITCH, M.; HEWITT, J.; ENJOLRAS, O.; ESCANDE, J.P. Lichen scléreux vulvaire infantile (Vinght-deux obsevation). ***Ann Dermatol Venereol.***, v.111, p.741-2, 1984.

- PETROZZI, J.W.; WOOD, M.G.; TISA, V. Palmar-plantar lichen sclerosus et atrophicus. **Arch Dermatol**, v.115, p.884, 1979.
- RADY ,M.I.; ROBINS, P.; BIRIA, S.; ROCO, J.; SIEGEL, E.; PELLICER, A.p53 oncoprotein expression and gene mutations in some keratoacanthomas. **Arch Dermatol**. 33:189-193,1992.
- RAYMOND, W.A.; LEONG,A.S.; BOLT,J.W. ;MILIOS,J.; JOSE,J.S. Growth fractions in human prostatic carcinoma determined by Ki-67 immunostaining **J Pathol** . 156(2) 161-7, 1988.
- RENAUD-VILMER C. ; BALLOY B.C.; PROCHER R.; DUBERTRET L. Vulvar lichen sclerosus effect of long-term topical application of potent steroid on course of the disease.**Arch Derm**. 140:709-712;2004.
- RICHARDSON, A.C.; WILLIAMS, G.A. Topical androgenic hormones in vulvar kraurosis leucoplakia syndrome. **Am J Obstet Gynecol**. v.49, p.647-57, 1945.
- RODKE, G.; FRIEDRICH, E.G.; WILKINSON, E.J. Malignant potential of mixed vulvar dystrophy (lichen sclerosus associated with squamous cell hyperplasia. **J Reprod Med**., v.33, p.545-50,1988.
- ROLFE, K.J.; EVA, L.J.; MACLEAN, A.B.; CROW,J.C.; PERRETT, C.W.; REID ,M.N. Cell cycle proteins as molecular markers of malignant change in vulvar lichen sclerosus. **Int J Gynecol Cancer**. 11:113-118, 2001.
- ROLFE, K.J.; CROW,J.C.; REID, M.N.; BENJAMIN, E. The effect of topical corticosteroids on Ki-67 and p53 expression in vulval lichen sclerosus **Br J Dermatol**. 147:503-508, 2002.
- ROLFE, K.J.; MacLEAN, A.B.; BENJAMIN, E.; REID, W.M.N.; PERRETT, C.W. TP53 mutations in vulval lichen sclerosus adjacent to squamous cell carcinoma of the vulva. **Br J Cancer**. 89:2249-2253,2003.

- ROOK, A.; WILKINSON, D.S.; EBLING, F.J.G. **Textbook of dermatology**. 5.ed. Local, Blackwell Scientific, 1992, v.3, p.2271-3.
- SANCHES, N.P.; MIHM, M.C. Reactive and neoplastic epithelial alterations of the vulva. A classification of the vulvar dystrophies from the dermatopathologist's viewpoint. **J Am Acad Dermatol**. v.6, p.378-88, 1982.
- SAGOL, O.; KURTOGLU, B.; OZER, E.; PABUCCUOGLU, U.; Stereological estimation of mean nuclear volume and staining pattern of Ki-67 antigen in keratoacanthomas and squamous cell carcinomas. **Gen Diagn Pathol** 143(5-6):305-9, 1998 .
- SANHUEZA, R. P.; YAKSIC, B. N.; CHAHUAN, I. K.; Valor de la biopsia vulvar en el diagnóstico de liquen escleroso en pacientes con alteraciones vulvares crónicas. **Rev Chil Obstet Ginecol**. 69(3) 199-202, 2004.
- SANTOS, M.; MONTAGUT, C.; MELLADO, B.; GARCIA, A.; CAJAL, R.S.; CARDESSA, A.; TINTORÉ, L.M.; ORDI, J. Immunohistochemical staining for p16 and p53 in premalignant and malignant epithelial lesions of the vulva. **Int J Gynecol Pathol**. 23(3) 206-214, 2004.
- SCHWIMMER, E. Die idiopathischen schleim haut plaques der mundhöhle, Vrtljsch. **Derm Syph**. v.9-10, p.510-70, 1877-1888.
- SCURRY J.S.; NAVIN K.; OSTORS, A. A comparison of histological features of vulvar lichen sclerosus with and without adjacent squamous cell carcinoma. **Int Gynecol Cancer** 7:392-9, 1997.
- SCURRY J.S.; BESHAY V.; COHEN C.; ALLEN, D. Ki-67 expression in lichen sclerosus of vulva in patients with and without associated squamous cell carcinoma. **Histopathology**. 32:399-404, 1998.
- SHEA, C.R.; MCNUTT, N.S.; VOLKENANDT, M.; LUGO, J.; PRIOLEAU, P.G.; ALBINO, A.P. Over expression of p53 protein in basal cell carcinomas of human skin. **Am J athol**. 141(1); 25-9, 1992.

- SHEPHERD, N.A.; RICHMAN, P.I. LUGIO, J .Ki-67 derived proliferative activity in colorectal adenocarcinoma with prognostic correlations **J Pathol** 155(3)213-9, 1998.
- SIDERI, M.; ROGNONI, M.; RIZOLLO, L.; MICHELETTI, L.; BARBERO, M.; ORIGONI, M.; GARSIA, S. Antigens of HLA system in women with vulvar lichen sclerosus. Association with HLA-B21. **J Reprod Med.** v.33, p.551-3, 1988.
- SIEGEL, S.; CASTELLAN JR, N.J.- Nonparametric Statistics - second edition. McCRAW - HILL . INT.ED. - N.YORK-1998 pag. 399
- SMITH, Y.; HAEFNER, H.K. Vulvar lichen sclerosus: Pathophysiology and treatment. **Am J Clin Dermatol** 5(2) 105-125, 2004.
- SKYTHING, B.T.; BAUER, H.C.; PERFECT, R.; NILSSON, G.; LARSSON O. Ki-67 is strongly prognostic in synovial sarcoma :analysis based on 86 patients from the Scandinavian Sarcoma group register.**Br J Cancer** . Aug 80(11)1809-14, 1999.
- SODO, G.; PIZZO, A.; MARSICO, S. Distrofie vulvari. **Minerva Ginecol.** v.42, p.251-62, 1990.
- SOINI, Y.; KAMEL, D.; PÄÄKKÖ, P.; LEHTO, V-P; OIKARINEN, A.; VÄHÄKANGAS, K. .Aberrant accumulation of p53 associates with Ki-67 and mitotic count in benign lesion .**Br J Dermatol** 131:514-20;1994.
- SZEKERES G.;De GIACOMONI P. Ki-67 and p53 expression in cutaneous Bowen's disease: un immunohistochemical study of fixed-embedded tissue sections.**Acta Derm Venereol** .74(2)95-7:1994.
- TAN, S.H.; DERRICK, E.; MCKEE, P.H.; HOBBS, C.; RICLEY, M.; NEIL, S.; Altered p53 expression and epidermal cell proliferation is seen in vulval lichen sclerosus . **J Cutan Pathol** 21:316-323, 1994.

- TANNAPFEL, A.; GEISSLER, F.; KOCKERLING, F.; KATALINIC, A.; HAUSS J.; WITTEKIND, C. Apoptosis and proliferation in relation to histopathological variables and prognosis in hepatocellular carcinoma. *J Pathol.* 187(4)439-45, 1999.
- TAUSSIG, F.J. Leucoplakic vulvitis and cancer of the vulva: etiology, histopathology, treatment, five year results. *Am J Obstet Gynecol.* v.18, p.472-503, 1929.
- TAUSSIG, F.J. Contributions to the pathology of vulvar diseases. *Am J Obstet Gynecol.* p.407-18, 1923.
- TREMAINE, R.D.L.; MILLER, R.A.W. Lichen sclerosus et atrophicus. *Int J Dermatol.* v.28, p.10-6, 1989.
- VANIN, K.; SCURRY, J.; THORNE, H.; YUEN, K.; RAMSAY, R.G. Over expression of wild-type p53 in lichen sclerosus adjacent to human papillomavirus-negative vulvar cancer. *J Invest Dermatol.* 119(5):1027-33, 2002.
- VILMER, C.; CAVELIER-BALLOY, B.; NOGUES, C.; TRASSARD, M.; LE DOUSSAL, V. Analysis of alterations adjacent to invasive vulvar carcinoma and their relationship with the associated carcinoma: a study of 67 cases. *Eur J Gynecol Oncol* 19:25-31, 1998.
- VOLDEN, G. Successful treatment of chronic skin diseases with clobetasol propionate and a hydrocolloid occlusive dressing. *Acta Dermatol Venereol.* v.72, p.69-71, 1992.
- WALLACE, H.J. Lichen sclerosus et atrophicus. *Trans St Johns Hosp Dermatol Soc.* v.57, p.9-30, 1971.
- WALLACE, H.J. Vulval leucoplakia. *J Obstet Gynecol Br Commonn,* v.69, p.865-70, 1962.

- WALLACE, H.J.; WHIMSTER, I.W. Vulval atrophy and leukoplakia. **Br J Dermatol.** v.63, p.241, 1951.
- WALSH, P.; AELING, J.L.; HUFF, L.; WESTON, L. Hypothalamus-pituitary-adrenal axis suppression by superpotent topical steroids. **J. Am. Acad. Dermatol,** v.29, p.501-3, 1993.
- WEIR, R.F. Ichthyosis of tongue and vulva. **N. Y. State Med. J.,** v.21, p.240, 1875.
- WEISS, J.; HEINE, M.; ARDEN, K.C.; KÖRNER, B.; PILCH, H.; HERBST, P.A.; JUNG, E.G. Mutation and expression of p53 in malignant melanomas. **Rec Res Cancer Res.** v. 139, p. 137-54, 1995.
- WHITTLES, C.E.; BIDDLESTONE, L.R.; BURTON, A.; BARR, H.; JANKOWSKI, J.A.; WARNER, P.J.; SHEPHERD, N.A. Apoptotic and proliferate activity in the neoplastic progression of Barret's esophagus : comparative study . **J Pathol** 187(5) 535-40, 1999.
- WILKINSON, E.J. Benign diseases of the vulva. **Blaustein's Pathology of female genital tract.** 4.ed. New York, Springer-Verlag, cap. 2, p.46-50,1994.
- WILLIAMS, G.A.; RICHARDSON, A.C.; HATHCOCK, E.W. Topical testosterone in dystrophic diseases of vulva. **Am J Obstet Gynecol.** v.96, p.21-30, 1966.
- WOODRUFF, JD, BABAKNIA A.: Local alcohol injection of the Vulva: discussion of 35 cases. **Obstet Gynecol** 54(4)512--515, 1979.
- WOODRUFF, J.D.; BAENS, J Interpretation of atrophic and hypertrophic alterations in vulvar epithelium . **Am J Obstet Gynecol.** v,86,p713-23,1963.
- WOODRUF, J.D.; BORKOWF, H.I.; HOLZMAN G.B. Metabolic activity in normal and abnormal vulvar epithelia.**Am J Obstet Gynecol** 91:809,1965.

YONG, C.A.; WILLIAMS, I.R.; MACFARLANE, I.A. Unrecognised Cushing's syndrome and adrenal suppression due to topical clobetasol propionate. **Br J Clin Pract** v.45, p.61-2, 1991.

ZELLE, K. Treatment of vulvar dystrophies with topical testosterone propionate. **Am J Obstet Gynecol.** v.109, p.570-2, 1971.

ZHENG, P.; LEVKER, R.M.; LEHMANN, P.; KLIGMAN, A.M. Morphologic investigations on the rebound phenomenon after corticosteroid-induced atrophy in human skin. **J Invest Dermatol,** v.82, p.345-52, 1984.