

6. REFERÊNCIAS BIBLIOGRÁFICAS

- Akiyama, M., e Nakashima, H. 1996. Molecular cloning of the *acr-2* gene which controls acriflavine sensitivity in *Neurospora crassa*. Biochem. Biophys. Acta **1307**:187-192.
- Andrade, A. C., Van Nistelrooy, J. G. M., Peery, R. B., Skatrud, P. L. Van de Waard, M. A 2000. The role of ABC transporters from *Aspergillus nidulans* in protection against cytotoxic agents and antibiotic production. Mol. Gen. Genet. **263**:966-977.
- Aoki, Y.; Yoshihara, F. Kondoh, M. Nakayama, N. e Arisawa, M. 1993. Ro 09-1470 is a selective inhibitor of P-450 lanosterol C-14 demethylase of fungi. Antimicrobial Agents and Chemotherapy **37**:2662-2667.
- Atkins, P. J. e Gesteland R. 2002. The 22nd Amino acid. Science **296**: 1409-1410.
- Beever, R. E. e Laracy, E. P. 1986. Osmotic adjustment in the filamentous fungus *Aspergillus nidulans*. Journal of Bacteriology **93**:1276-1280
- Bell-Pedersen D.; Shinohara, M. L.; Loros J.J. e Dunlap J. C. 1996. Circadian clock-controlled genes isolated from *Neurospora crassa* are late night- to early morning-specific. Proc. Natl. Acad. Sci. USA **93**:13096-13101.
- Beullens, M.; Mbonyi, K.; Geerts, L; Gladines, D.; Detremere, K.; Jans, A. W. and Thevelein, J. . 1988. Studies on the mechanism of the glucose-induced cAMP signal in glycolysis and glucose repression mutants of the yeast *Saccharomyces cerevisiae*. Eur. J. Biochem. **172**:227-231.
- Blazquez, M. A.; Stucka, R.; Gancedo, C. and Gancedo, J. M. 1993. Trehalose-6-phosphate, a new regulator of yeast glycolysis that inhibits hexokinases. FEBS Letters **329**:51-54.

- Bonini, B. M.; Van Vaeck, C.; Larsson, C.; Gustafsson, L.; Ma, P.; Winderickx, J.; Van Dijck, P. and Thevelein, J. M. 2000. Expression of *Escherichia coli otsA* in a *Saccharomyces cerevisiae tps1* mutant restores trehalose-6-phosphate levels and partly restores growth and fermentation with glucose and control of glucose influx into glycolysis. *Biochem. J.* **350**:261-268.
- Bradley, G.; Juranka, P. F. e Ling, V. 1988. Mechanism of multidrug resistance. *Biochem. Biophys. Acta* **945**:87-128.
- Brody, H.; Griffith, J.; Cuticchia, A. j.; Arnold, J. and Timberlake, W. E. 1991. Chromosome-specific recombinant DNA libraries from the fungus *Aspergillus nidulans*. *Nucleic Acid Research*, **19**(11):3105-3109.
- Castro, A. F.; Horton, J. K.; Vanoye, C. G. and Altenberg, A. 1999. Mechanism of inhibition of P-glycoprotein-mediated drug transport by protein kinase C blockers. *Biochemical pharmacology* **58**:1723-1733.
- Campton, D.; Wavrant D. V. F., Petersen, R. Tangalos, E., Li, L. e Hardy, J. 2002. Possible association between genetic variability at the apolipoprotein (a) locus and Alzheimer's disease in apolipoprotein E2 carriers. *Neurosci Lett* **331**(1)-60.
- Chen, W. and Struhl, K. 1988. Saturation mutagenesis of Yeast his3 "TATA element": genetic evidence for a specific TATA-binding protein. *Proc. Natl. Acad. Sci. USA* **85**:2691-2695.
- Choi, H. S.; Cho, J. Y.; Chung, Y. S.; Hong, Y. B. H. and Kim, S. G. 2000. Inhibition of lipopolysaccharide-induced I- κ B degradation and tumor necrosis factor- α expression by acriflavine, an antimicrobial agent. *International Journal of Immunopharmacology* **22**:775-787.

- Clark, F. S.; Parkison T.; Hitchcock, C. A. e Gow, N. A. R. 1996. Correlation between Rhodamine 123 accumulation and azole sensitivity in *Candida* species. Possible role for drug efflux in drug resistance. *Antimicrobial Agents and Chemotherapy* **40**:419-425.
- Clarke, L. e Carbon, J. A. 1976. A cloning bank containig synthetic *Col* E1 hybrid plasmid representative of the entire *E. coli* genome. *Cell*. **9**:91-99.
- Cove, D. J. 1966. The induction and repression of nitrate reductase in the fungus *Aspergillus nidulans*. *Biochimica et Biophysica Acta* **113**:51-56.
- De Silva-Udawatta M.N e Cannon, J. F. 2001. Roles of trehalose phosphate syntase in yeast glycogen metabolism and sporulation. *Molecular Microbiology* **40**(6):1345-1356.
- D'Souza, C. A. and Heitman, J. 2001. Conserved cAMP signaling cascades regulate fungal development and virulence. *FEMS Microbiology Reviews* **25**:349-364.
- Fan D., Fidler j., Ward, N. E., Seid C., Earnest, L. E., Housey G. M. e O'Brian C. A. 1992. Stable expression of cDNA encoding rat brain protein kinase C-B1 confers a multidrug-resistant phenothype on rat, fibroblast, *Anticancer Res.* **12**:661-668.
- Ferey, L; Herlin, P.; Marnay, J.; Mandard, A-M.; Catania, R.; Lubet, P.; Lande, R. and Bloyet, D. 1986. Pararosanine or acriflavine-Schiff staining of epoxy-embedded tissue periodic acid oxidation in ethanol: a method suitable for morphometric and fluorometric analysis of glycogen. *Stain Techniques* **61**:107-110.

- Fillinger, S.; Chaverroche, M. K.; Dijck, P. V.; De Vries, R.; Ruijter, G. Thevelein, J. e D'enfert, C. 2001. Trehalose is required for the acquisition of tolerance to a variety of stresses in the filamentous fungus *Aspergillus nidulans*. *Microbiology* **147**:1851-1862.
- Georgopapadokou, N. H. e Walsh, T. J. 1996. Antifungal agents: chemotherapeutic targets and immunologic strategies. *Antimicrobial Agents and Chemotherapy* **40**: 279-291.
- Georgopapadokou, N. H. e Walsh, T.J. 1994. Human mycoses: drugs and targets for emerging pathogens. *Science* **264**: 371-373.
- Garcia, Ma. X. U., Roberts, C., Alexander, H., Stewart, M. Harwood, A., Alexander, S. e Insall, R. H 2002. Methanol and acriflavine resistance in *Dictostelium* are caused by loss of catalase. *Microbiology* **148**: 333-340.
- Graf, D., Fisher, A. G. e Mathias M. 1997 Rational primer design greatly improves differential display-PCR (DD-PCR). *Nucleic Acids Research* **25** (11):2239-2240.
- Griffin, D. M. 1981. Water and microbial stress. *Advances in Microbial Ecology* **5**:91-136.
- Gupta, A. K.; Sauder, D. N. e Shear N. H. 1994. Antifungal agents:an overview. Part I. *Journal of the American Academy of Dermatology* **30**:677-698.
- Gupta, K.A.; e Shear, H. N. 1997. Terbinafine: An update. *Journal of American Academy Dermatology* **37**:979-988.

- Lee, L. F., Huang, Y. J, e Carton W. C. 1996 Two classes of ethidium-bromide-resistant mutants of *Streptomyces lividans* 66. *Microbiology*. **142**: 1041-1047.
- Linden, D., Lindberg, K., Oscarsson, J., Claesson, C., Asp. L.L., Gustafsson, M., Boren, J. e Olofsson, so. 2002. Influence of peroxisome proliferator-activated receptor alpha agonist on the intracellular turnover and secretion of apolipoprotein (Apo B) B-100 and Apo B-48. *J. Biol. Chem* **277** (25):23044-43.
- Low, S. C. e Berry, M, J. 1996 Knowing when not stop: selenocysteine incorporation in euKaryotes. *Trens Biochems Sci*. **21**:203-208.
- Hannun, Y. A e Bell, R. M. 1988. Aminoacridines, potent inhibitors of protein Kinase C. *J. Biol Chem* **263**:5124-5131.
- Hardin, C. C., Walker, G. T. e Tinoco I 1988. Binding of ethidium ion to left-handed Z-RNA induces a cooperative transition to right-handed RNA at the intercalating site, *Biochemistry* **27**: 4178-4184.
- Heintz, K. ; Palme K.; Diefenthal T. and Russo, V. E. 1992, The Ncyp1 gene from *Neurospora crassa* is located on chromosome 2: molecular cloning and structural analysis. *Mol. Gen. Genet*. **235**(2-3):413-421.
- Hitchcock, C. A ; Barret, K. J. e Russel, N. J. 1987. The lipid and permeability to azole of an azole- and polyene-resistant mutant of *Candida albicans*. *Journal of Medical and Veterinary Mycology* **25**:29-37.
- Hohmann, S.; Bell, W.; Neves , M. J.; Valckx, D. and Thevelein, J. M. 1996. Evidence for trehalose-6-phosphate-dependent and independent mechanisms in the control of sugar influx into yeast glycolysis. *Mol. Microbiology* **20**:981-991.

- Hosaka, M.; Toda K.; Takatsu, H.; Torii S.; Murakami K. And Nayakama K. 1996. Structure and intracellular localization of mouse ADP-ribosylation factors type 1 to type 6 (ARF1-ARF6). *J.Biochem. (Tokyo)* **120**(4): 813-9.
- Katzmann, D. J., Burnett, P. E., Golin, J., Mahé, Y. e Moye-Rowley, W. S. 1994. Transcriptional control of the yeast PDR5 gene by the PDR3 gene product. *Mol. Cell. Biol.* **14**: 4653-4661.
- Kelly, S. L.; Kenna, S.; Bligh, H. F. J.; Watson, P. F.; Kelly, D. E.; Stansfield, I.; e Ellis, S. W. 1990. Lanosterol to ergosterol enzymology. Inhibition and Genetics. In: KHUN, P. J.; TRINCI, A. P. S.; JUNG, M. J.; GOOSEY, M. W. e COPPING EDS, L. G. *Biochemistry of walls and membranes in fungi*. Springer - Verlag. Berlin. Heidelberg (Germany). pp 224-239.
- Kim, S. G.; Cho, J. Y.; Chung, Y. S.; Ahn, E. T.; Lee, K. Y. and Han, Y. B. 1998. Suppression of xenobiotic-metabolizing enzyme expression in rats by acriflavine, a protein Kinase C inhibitor. Effects on epoxide hydrolase, glutathione S-transferases, and cytochromes p450. *Drug Metab Dispos* **26**(1):66-72.
- Martinelli, S. D. e Kinghorn, J. R. 1994. *Aspergillus: 50 years on*. 851pp. Elsevier, Amsterdam.
- Masaoka, Y.; Ueno Y.; Morita Y.; Kuroda T.; Mizushima T. e Tsuchiya T. 2000. A two-component multidrug efflux pump, EBrAB, in *Bacillus subtilis*. *Journal of Bacteriology*, **182**(8) : 2307-2310.
- May, G. S. , Waring, R. B., Osmani, S. A., Morris, N. R. e Denison, S. H. 1989. The coming of age of molecular biology in *Aspergillus nidulans*. 6. Helsinki: Foundation for biotechnical and industrial fermentation research.

- McCormick, M. 1987. Sib selection. In *Methods in Enzymology* Academic Press, Inc. **151**: 445-449.
- Müller, J.; Wiemken, A. e Aeschbacher, R. 1999. Trehalose metabolism in sugar sensing and plant development. *Plant Science* **147**:37-47.
- Neyfakh, A. A. 1991. Natural functions of bacterial multidrug transporters. *Trends Microbiol.* **5**:309-313.
- Oakley, B. R.; Rinchart, J. E.; Mitchell, B. L.; Oakey, C. E.; Carmona, C.; Gray, G. L. e May, G. S. 1987. Cloning, mapping and molecular analysis of the pyrG (orotidine-5'-phosphate decarboxilase) gene of *Aspergillus nidulans*. *Gene*, **61**:385-339.
- Pallares-Trujillo, J.; Lopes-Soriano, F. J. e Argiles, J. M. 2000. Lipids: A key role in multidrug resistance *Int. J. Oncol* **16**(4):783-98.
- Panneman, H.; Ruijter, G. J. G.; van den Broeck, H. C. and Visser, J. 1998. Cloning and biochemical characterization of *Aspergillus niger* hexokinase. The enzyme is strongly inhibited by physiological concentrations of trehalose-6-phosphate. *Eur. J. Biochem.* **258**:223-232.
- Pasqualato, S.; Menetrey, J.; Franco, M. and Cherfils J. 2001. The structural GDP/GTP cycle of human Arf6. *EMBO Rep.* **2**(3):234-238.
- Pena-Muralla, R.; Ayoubi, P. ; Graminha, M.; Martinez-Rossi, N.M.; Rossi, A. e Prade, R.A. 2002 Antifungal target selection in *Aspergillus nidullans*. *Pathogen Genomics Impact on Human Health* **14**:215-229.

- Pereira, M.; Fachin, A. L. and Martinez-Rossi, N. M. 1998. The gene that determines resistance to tioconazole and to acridine derivatives in *A. nidulans* may have a corresponding gene in *T. rubrum*. *Mycopathologia* **143**:71-75.
- Plourde-Owobi, L.; Durner, S.; Goma, G. e François, J. 2000. Trehalose reserve in *Saccharomyces cerevisiae*: phenomenon of transport, accumulation and role in cell viability. *Int. J. of Food Microbiology* **55**:33-40.
- Pons, O. R.; Gregorio, D. M.; Mateo, J. V. G. e Calatayud, J. M. 2001. Flow-injection analysis study of the chemiluminescent behaviour of proflavine and acriflavine **438**:149-156.
- Pontecorvo, G.; Roper, J. A.; Hemmons, L. M.; MacDonald, K. D. e Bufton, A. W. J. 1953. The genetics of *Aspergillus nidulans* *Advances in Genetics* **5**:141-238.
- Rocha, E. M. F., Almeida, C. B., Martinez-Rossi, N.M. 2002. Identification of genes involved in terbinafine resistance in *Aspergillus nidulans*. *Letters in Applied Microbiology* **35**:228-232.
- Rolland, F. ; De Winde, J. H.; Lemaire, K.; Boles, E.; Thevelein, J. M. and Winderickx, J. 2000. Glucose-induced cAMP signalling in yeast requires both a G-protein coupled receptor system for extracellular glucose detection and a separable hexose Kinase-dependent sensing process. *Mol. Microbiol.* **38**:348-358.
- Roper, J. A. e Käfer, E. 1957. Acriflavine-resistant mutants of *Aspergillus nidulans*. *J. Gen. Microbiol.* **16**:660-667.

- Roth, D.; London, M. and Manjon, M. 1967. Binding specificity and affinity of acriflavine for nucleic acids. *Stain Techniques* **42**:125-132.
- Rossi, A. e Arst, H. N, Jr. 1990. Mutants of *Aspergillus nidulans* able to grow at extremely acidic pH acidity the medium less than wild type when grown at more moderate pH. *FEMS Microbiology Letters* **66**:51-54.
- Ryder, N. H. 1992. Terbinafine: mode of action and properties of the squalene epoxidase inhibition. *Br. J. Dermatol.* **39**:2-7.
- Ryder, N. H. e Bertrand F. 1997 Differential inhibition of fungal and mammalian squalene epoxidases by the benzylamine SDZSBA586 in comparison with the allylamine terbinafine. *Archives of Biochemistry and Biophysics* **340**(2):265-269.
- Ryder, N. H., Wagner, S. e Leitner, I. 1998. In vitro activities of terbinafine against cutaneous isolates of *Candida albicans* and other pathogenic yeasts. *Antimicrobial Agents and Chemotherapy* **42**:1057-1061.
- Ruijter, G. J. G.; Panneman, H.; van den Broeck, H. C.; Bennett, J. M. and Visser, J. 1996. Characterisation of the *Aspergillus nidulans* *fra1* mutant: hexose phosphorylation and apparent lack of involvement of hexokinase in glucose repression. *FEMS Microbiol Lett* **139**:223-228.
- Saito, K.; Yamazaki, H.; Ohnishi, Y.; Fugimoto, S.; Takahashi, E. and Horinouchi, S. 1998. Production of trehalose synthase from a basidiomycete, *Grifola frondosa*, in *Escherichia coli*. *Appl Microbiol Biotechnol* **50**:193-198.
- Sambrook, J.; Fritsch, E. F. and Maniatis, T. 1989. *Molecular Cloning: a Laboratory Manual*. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory.

- Sanglard, D.; Ischer F.; Monod M. e Bille, J. 1997. Cloning of *Candida albicans* genes fungal conferring resistance to azole antifungal agents: characterization of CDR2, a new multidrug ABC transporter gene. *Microbiology* **143**:405-416.
- Sanglard, D.; Ischer F.; Monod, M. e Billey, J. 1996. Susceptibilities of *Candida albicans* multidrug transporter mutants to various antifungal agents and other metabolic inhibitors. *Antimicrobial Agents e Chemother* **40**: 2300-2305.
- Sanglard, D.; Kuchler K.; Ischer F.; Pagani, J. L.; Monod, M. e Bille, J. 1995. Mechanisms of resistance to azole antifungal agents in *Candida albicans* isolates from AIDS patients involve specific multidrug transporters. *Antimicrobial Agents and Chemotherapy* **39**: 2378-2386.
- Sean, R. E. 1999 Noncoding RNA genes. *Curr Opin Genet Dev.* **9**: 695-699.
- Scarazzatti, M. E.; Bonatelli, R. e Azevedo, J. L. 1979. Resistance to ethidium bromide in *Aspergillus nidulans*. *Experientia* **35**:307-308.
- Scholösser, A. 2000. Msik-dependent theabse uptake in *Streptomyces reticuli*. *Fems-Microbiology Letters* **184**:187-192.
- Stambuk, B. U.; Panek, A. D.; Crowe, J.H.; Crowe, L. M. e De Araujo, P. S. 1998. Expression of high-affinity trehalose –H+ symport in *Saccharomyces cerevisiae*. *Biochemistry and Biophysics* **1379**:118-128.
- Thevelein, J. M. 1984. Regulation of trehalose mobilization in fungi. *Microbiol. Rev.* **48**:42-59.
- Thevelein, J. M. 1994. Signal transduction in yeast. *Yeast* **10**:1753-1790.

- Thevelein, J. M. 1996. Regulation of trehalose metabolism and its relevance to cell growth and function. In: *The Mycota. III. Biochemistry and Molecular Biology* (R. Brambl and G. A. Marzluf, Eds.), Springer Verlag, Berlin.
- Timberlake, W. E. e Marshall, M. A. 1988. Genetic regulation of development in *Aspergillus nidulans*. *Trends Genet.* **4**: 162-169.
- Tsusaki, K.; Nishimoto, T.; Nakada, T.; Kubota, M.; Chaem, H.; Fukuda, S.; Sugimoto, T.; e Kurimoto, M. 1997. Cloning and sequencing of trehalose syntase gene from *Thermus aquaticus* ATCC33923. *Biochemistry and Biophysics* **1334**:28-32.
- Tsusaki, K.; Nishimoto, T.; Nakada, T.; Kubota, M.; Chaem, H.; Sugimoto, T.; e Kurimoto, M. 1996. Cloning and sequencing of trehalose syntase gene from *Pimelobacter sp.*48. *Biochemistry and Biophysics* **1290**:1-3.
- Walker, G. T., Stone, M. P. e Krugh, T. R. 1985. Ethidium binding to left-handed (Z) DNA's results in regions of right-handed DNA at the intercalating site. *Biochemistry* **24**: 7462-7471.
- Vanden Bosshe, H.; Marichal, P.; Gorrens, J.; Bellens, D.; Moerreels, H. e Jansen, P. 1990. Mutation in cytochrome P-450 dependent 14 ? demethylase results in decreased affinity for azole antifungals. *Biochem. Soc. Trans.* **18**:56-59.
- Van Veen, H. W., Callaghan, R. Soceneantu, L. Sardini, A., Konings, W. N., e Higgins, C. F. 1998. A bacterial antibiotic-resistance gene that complements the human multidrug P-glycoprotein gene. *Nature* **391**:291-295.

- Verdoes, J. C., Punt, P. J. Van der Berg, P. Debets, F. Stouthamet, A. S. e Van den Hondel, C. A. M. J. J 1994. Characterization of an efficient gene cloning strategy for *Aspergillus niger* based on autonomously replicating plasmid: cloning of the *incB* gene of in *A. niger* **146**: 159-165.
- White, T, C. Marr, K. e Bowden, R. A. 1998. Clinical, cellular e Bowden, R. A. 1998. Clinical, cellular, and molecular factors that contribute to antifungal drug resistance. *Clinical Microbiol Reviews* **11**(2):382-402.
- Yang, J. M., Sullivan, G. F. e Hait, W. N. 1997. Regulation of the function of P-glycoprotein by epidermal growth factor through phospholipase C. *Biochem Pharmacol* **53**: 1597-1604.
- Yu Z., Hayton W. L. e Chan K.K 1997. Characterization of proflavine metabolites in rainbow trout. *Drug Metab Dispos* **25**:431-436.
- Yuhong, Y.; Ping, C. and Yi, L. 2002. The clock kinases in the *Neurospora crassa* circadian clock. *Fungal Genetics Newsletter* **495**:7.