

REFERÊNCIAS BIBLIOGRÁFICAS

- Apgar J. R. (1995) Activation of protein kinase C in rat basophilic leukemia cells stimulates increased production of phosphatidylinositol 4-phosphate and phosphatidylinositol 4,5-bisphosphate: correlation with actin polymerization. *Mol Biol Cell* **6**, 97-108.
- Bankaitis V. A. (2002) Cell biology. Slick recruitment to the Golgi. *Science* **295**, 290-1.
- Baron C. L. and Malhotra V. (2002) Role of diacylglycerol in PKD recruitment to the TGN and protein transport to the plasma membrane. *Science* **295**, 325-8.
- Basciano L. K., Berenstein E. H., Kmak L. and Siraganian R. P. (1986) Monoclonal antibodies that inhibit IgE binding. *J Biol Chem* **261**, 11823-31.
- Beaven M. A. and Baumgartner R. A. (1996) Downstream signals initiated in mast cells by Fc epsilon RI and other receptors. *Curr Opin Immunol* **8**, 766-72.
- Benhamou M. and Siraganian R. P. (1992) Protein-tyrosine phosphorylation: an essential component of Fc epsilon RI signaling. *Immunol Today* **13**, 195-7.
- Bennoist C. and Mathis D. Mast cells in autoimmune disease. *Nature* **420** (6917), 875-8
- Bi K., Roth M. G. and Ktistakis N. T. (1997) Phosphatidic acid formation by phospholipase D is required for transport from the endoplasmic reticulum to the Golgi complex. *Curr Biol* **7**, 301-7.
- Bloom G. D. and Haegermark O. (1965) A study on morphological changes and histamine release induced by compound 48/80 in rat peritoneal mast cells. *Exp Cell Res* **40**, 637-54.
- Boggs J. M. (1987) Lipid intermolecular hydrogen bonding: influence on structural organization and membrane function. *Biochim Biophys Acta* **906**, 353-404.
- Brown F. D., Thompson N., Saqib K. M., Clark J. M., Powner D., Thompson N. T., Solari R. and Wakelam M. J. (1998) Phospholipase D1 localises to secretory granules and lysosomes and is plasma-membrane translocated on cellular stimulation. *Curr Biol* **8**, 835-8.
- Burkhardt J. K. (1998) The role of microtubule-based motor proteins in maintaining the structure and function of the Golgi complex. *Biochim Biophys Acta* **1404**, 113-26.
- Cazzolli R., Shemon A. N., Fang M. Q. and Hughes W. E. (2006) Phospholipid signalling through phospholipase D and phosphatidic acid. *IUBMB Life* **58**, 457-61.
- Chahdi A., Choi W. S., Kim Y. M. and Beaven M. A. (2003) Mastoparan selectively activates phospholipase D2 in cell membranes. *J Biol Chem* **278**, 12039-45.

- Chen J. S. and Exton J. H. (2004) Regulation of phospholipase D2 activity by protein kinase C alpha. *J Biol Chem* **279**, 22076-83.
- Choi O. H., Kim J. H. and Kinet J. P. (1996) Calcium mobilization via sphingosine kinase in signalling by the Fc epsilon RI antigen receptor. *Nature* **380**, 634-6.
- Choi W. S., Hiragun T., Lee J. H., Kim Y. M., Kim H. P., Chahdi A., Her E., Han J. W. and Beaven M. A. (2004) Activation of RBL-2H3 mast cells is dependent on tyrosine phosphorylation of phospholipase D2 by Fyn and Fgr. *Mol Cell Biol* **24**, 6980-92.
- Choi W. S., Kim Y. M., Combs C., Frohman M. A. and Beaven M. A. (2002) Phospholipases D1 and D2 regulate different phases of exocytosis in mast cells. *J Immunol* **168**, 5682-9.
- Cissel D. S., Fraundorfer P. F. and Beaven M. A. (1998) Thapsigargin-induced secretion is dependent on activation of a cholera toxin-sensitive and phosphatidylinositol-3-kinase-regulated phospholipase D in a mast cell line. *J Pharmacol Exp Ther* **285**, 110-8.
- Cole N. B., Sciaky N., Marotta A., Song J. and Lippincott-Schwartz J. (1996) Golgi dispersal during microtubule disruption: regeneration of Golgi stacks at peripheral endoplasmic reticulum exit sites. *Mol Biol Cell* **7**, 631-50.
- Colley W. C., Sung T. C., Roll R., Jenco J., Hammond S. M., Altshuler Y., Bar-Sagi D., Morris A. J. and Frohman M. A. (1997) Phospholipase D2, a distinct phospholipase D isoform with novel regulatory properties that provokes cytoskeletal reorganization. *Curr Biol* **7**, 191-201.
- Combs J. W., Lagunoff D. and Benditt E. P. (1965) Differentiation and proliferation of embryonic mast cells of the rat. *J Cell Biol* **25**, 577-92.
- Cremona O. and De Camilli P. (2001) Phosphoinositides in membrane traffic at the synapse. *J Cell Sci* **114**, 1041-52.
- Crivellato E., Beltrami C. A., Mallardi F. and Ribatti D. (2004) The mast cell: an active participant or an innocent bystander? *Histol Histopathol* **19**, 259-70.
- De Paulis A., Minopoli G., Arbustini E., de Crescenzo G., Dal Piaz F., Pucci P., Russo T. and Marone G. (1999) Stem cell factor is localized in, released from, and cleaved by human mast cells. *J Immunol* **163**, 2799-808.
- de Paulis A., De Palma R., Di Gioia L., Carfora M., Prevete N., Tosi G., Accolla R. S. and Marone G. (2000) Tat protein is an HIV-1-encoded beta-chemokine homolog that

- promotes migration and up-regulates CCR3 expression on human Fc epsilon RI+ cells. *J Immunol* **165**, 7171-9.
- Demel R. A., Yin C. C., Lin B. Z. and Hauser H. (1992) Monolayer characteristics and thermal behaviour of phosphatidic acids. *Chem Phys Lipids* **60**, 209-23.
- Du G., Huang P., Liang B. T. and Frohman M. A. (2004) Phospholipase D2 localizes to the plasma membrane and regulates angiotensin II receptor endocytosis. *Mol Biol Cell* **15**, 1024-30.
- Dvorak A. M. (2005) Ultrastructural studies of human basophils and mast cells. *J Histochem Cytochem* **53**, 1043-70.
- Dvorak A. M., Mitsui H. and Ishizaka T. (1994) Stimulation of partial development of human mast cells by supernatant fluid from mouse fibroblast cultures. *Clin Exp Allergy* **24**, 649-59.
- Exton J. H. (2002) Regulation of phospholipase D. *FEBS Lett* **531**, 58-61.
- Fernandez-Ulibarri I., Vilella M., Lazaro-Dieguez F., Sarri E., Martinez S. E., Jimenez N., Claro E., Merida I., Burger K. N. and Egea G. (2007) Diacylglycerol is required for the formation of COPI vesicles in the Golgi-to-ER transport pathway. *Mol Biol Cell* **18**, 3250-63.
- Foster D. A. and Xu L. (2003) Phospholipase D in cell proliferation and cancer. *Mol Cancer Res* **1**, 789-800.
- Freyberg Z., Bourgoin S. and Shields D. (2002) Phospholipase D2 is localized to the rims of the Golgi apparatus in mammalian cells. *Mol Biol Cell* **13**, 3930-42.
- Freyberg Z., Siddhanta A. and Shields D. (2003) "Slip, sliding away": phospholipase D and the Golgi apparatus. *Trends Cell Biol* **13**, 540-6.
- Frohman M. A. and Morris A. J. (1999) Phospholipase D structure and regulation. *Chem Phys Lipids* **98**, 127-40.
- Galli S. J. (2000) Mast cells and basophils. *Curr Opin Hematol* **7**, 32-9.
- Galli S. J. and Nakae S. (2003) Mast cells to the defense. *Nat Immunol* **4**, 1160-2.
- Galli S. J., Nakae S. and Tsai M. (2005) Mast cells in the development of adaptive immune responses. *Nat Immunol* **6**, 135-42.
- Gilfillan A. M. and Tkaczyk C. (2006) Integrated signalling pathways for mast-cell activation. *Nat Rev Immunol* **6**, 218-30.

- Gomez-Cambronero J., Di Fulvio M. and Knapik K. (2007) Understanding phospholipase D (PLD) using leukocytes: PLD involvement in cell adhesion and chemotaxis. *J Leukoc Biol* **82**, 272-81.
- Guo N. H., Her G. R., Reinhold V. N., Brennan M. J., Siraganian R. P. and Ginsburg V. (1989) Monoclonal antibody AA4, which inhibits binding of IgE to high affinity receptors on rat basophilic leukemia cells, binds to novel alpha-galactosyl derivatives of ganglioside GD1b. *J Biol Chem* **264**, 13267-72.
- Hammond S. M., Altshuller Y. M., Sung T. C., Rudge S. A., Rose K., Engebrecht J., Morris A. J. and Frohman M. A. (1995) Human ADP-ribosylation factor-activated phosphatidylcholine-specific phospholipase D defines a new and highly conserved gene family. *J Biol Chem* **270**, 29640-3.
- Hitomi T., Zhang J., Nicoletti L. M., Grodzki A. C., Jamur M. C., Oliver C. and Siraganian R. P. (2004) Phospholipase D1 regulates high-affinity IgE receptor-induced mast cell degranulation. *Blood* **104**, 4122-8.
- Holowka D., Sheets E. D. and Baird B. (2000) Interactions between Fc(epsilon)RI and lipid raft components are regulated by the actin cytoskeleton. *J Cell Sci* **113** (Pt 6), 1009-19.
- Honda A., Nogami M., Yokozeki T., Yamazaki M., Nakamura H., Watanabe H., Kawamoto K., Nakayama K., Morris A. J., Frohman M. A. and Kanaho Y. (1999) Phosphatidylinositol 4-phosphate 5-kinase alpha is a downstream effector of the small G protein ARF6 in membrane ruffle formation. *Cell* **99**, 521-32.
- Huff T. F. and Justus D. E. (1988) Mast cell differentiation in cultures of T cell-depleted mesenteric lymph node cells from *Nippostrongylus brasiliensis*-infected mice. *Int Arch Allergy Appl Immunol* **85**, 137-44.
- Hughes W. E., Elgundi Z., Huang P., Frohman M. A. and Biden T. J. (2004) Phospholipase D1 regulates secretagogue-stimulated insulin release in pancreatic beta-cells. *J Biol Chem* **279**, 27534-41.
- Humeau Y., Vitale N., Chasserot-Golaz S., Dupont J. L., Du G., Frohman M. A., Bader M. F. and Poulain B. (2001) A role for phospholipase D1 in neurotransmitter release. *Proc Natl Acad Sci U S A* **98**, 15300-5.
- Huang P., Altshuller Y. M., Hou J. C., Pessin J. E. and Frohman M. A. (2005) Insulin-stimulated plasma membrane fusion of Glut4 glucose transporter-containing vesicles is regulated by phospholipase D1. *Mol Biol Cell* **16**, 2614-23.

- Jamur M. C. (2005) Mastócitos. In *Células. Uma abordagem Multidisciplinar* (Edited by Manole), p. 382-391. Carvalho, H. F., Colares-Buzato, C. B., São Paulo.
- Jamur M. C., Grodzki A. C., Mello L. F. C., Moreno A. N., Siraganian R. P. and Oliver C. (1998) Depletion of the mast cells from the peritoneal cavity results in an increase in undifferentiated mast cells in the bone marrow and the appearance of the mast cells in the circulation. In *38th Annual Meeting of the American Society for Cell Biology*, Vol. 9, p. 327a-378a, San Francisco, USA.
- Jamur M. C., Grodzki A. C., Moreno A. N., de Mello Lde F., Pastor M. V., Berenstein E. H., Siraganian R. P. and Oliver C. (2001) Identification and isolation of rat bone marrow-derived mast cells using the mast cell-specific monoclonal antibody AA4. *J Histochem Cytochem* **49**, 219-28.
- Jamur M. C., Grodzki A. C., Berenstein E. H., Hamawy M. M., Siraganian R. P. and Oliver C. (2005) Identification and characterization of undifferentiated mast cells in mouse bone marrow. *Blood* **105**, 4282-9.
- Jenco J. M., Rawlingson A., Daniels B. and Morris A. J. (1998) Regulation of phospholipase D2: selective inhibition of mammalian phospholipase D isoenzymes by alpha- and beta-synucleins. *Biochemistry* **37**, 4901-9.
- Jenkins G. M. and Frohman M. A. (2005) Phospholipase D: a lipid centric review. *Cell Mol Life Sci* **62**, 2305-16.
- Jones D., Morgan C. and Cockcroft S. (1999) Phospholipase D and membrane traffic. Potential roles in regulated exocytosis, membrane delivery and vesicle budding. *Biochim Biophys Acta* **1439**, 229-44.
- Kitamura Y., Kanakura Y., Fujita J. and Nakano T. (1987) Differentiation and transdifferentiation of mast cells; a unique member of the hematopoietic cell family. *Int J Cell Cloning* **5**, 108-21.
- Kitamura Y., Kasugai T., Arizono N. and Matsuda H. (1993) Development of mast cells and basophils: processes and regulation mechanisms. *Am J Med Sci* **306**, 185-91.
- Kitamura Y., Sonoda T., Nakano T., Hayashi C. and Asai H. (1985) Differentiation processes of connective tissue mast cells in living mice. *Int Arch Allergy Appl Immunol* **77**, 144-50.
- Kitani S., Berenstein E., Mergenhagen S., Tempst P. and Siraganian R. P. (1991) A cell surface glycoprotein of rat basophilic leukemia cells close to the high affinity IgE

- receptor (Fc epsilon RI). Similarity to human melanoma differentiation antigen ME491. *J Biol Chem* **266**, 1903-9.
- Kooijman E. E., Chupin V., de Kruijff B. and Burger K. N. (2003) Modulation of membrane curvature by phosphatidic acid and lysophosphatidic acid. *Traffic* **4**, 162-74.
- Krishnaswamy G., Ajitawi O. and Chi D. S. (2006) The human mast cell: an overview. *Methods Mol Biol* **315**, 13-34.
- Lee J. H., Kim Y. M., Kim N. W., Kim J. W., Her E., Kim B. K., Kim J. H., Ryu S. H., Park J. W., Seo D. W., Han J. W., Beaven M. A. and Choi W. S. (2006) Phospholipase D2 acts as an essential adaptor protein in the activation of Syk in antigen-stimulated mast cells. *Blood* **108**, 956-64.
- Lee M. C., Miller E. A., Goldberg J., Orci L. and Schekman R. (2004) Bi-directional protein transport between the ER and Golgi. *Annu Rev Cell Dev Biol* **20**, 87-123.
- Lee S., Park J. B., Kim J. H., Kim Y., Kim J. H., Shin K. J., Lee J. S., Ha S. H., Suh P. G., Ryo S. H. (2001) Actin directly interacts with phospholipase D inhibiting its activity. *J Biol Chem* **276**, 28252-28260.
- Lee S. Y., Yang J. S., Hong W., Premont R. T. and Hsu V. W. (2005) ARFGAP1 plays a central role in coupling COPI cargo sorting with vesicle formation. *J Cell Biol* **168**, 281-90.
- Lentz B. R., Malinin V., Haque M. E. and Evans K. (2000) Protein machines and lipid assemblies: current views of cell membrane fusion. *Curr Opin Struct Biol* **10**, 607-15.
- Lin P., Fung W. J. and Gilfillan A. M. (1992) Phosphatidylcholine-specific phospholipase D-derived 1,2-diacylglycerol does not initiate protein kinase C activation in the RBL 2H3 mast-cell line. *Biochem J* **287** (Pt 1), 325-31.
- Lin P., Wiggan G. A. and Gilfillan A. M. (1991) Activation of phospholipase D in rat mast (RBL-2H3) cell line a possible unifying mechanism for IgE-dependent degranulation and arachidonic acid metabolite release *J Immunol* **146**, 1609-1616.
- Liscovitch M., Chalifa V., Pertile P., Chen C. S. and Cantley L. C. (1994) Novel function of phosphatidylinositol 4,5-bisphosphate as a cofactor for brain membrane phospholipase D. *J Biol Chem* **269**, 21403-6.
- Liscovitch M., Czarny M., Fiucci G. and Tang X. (2000) Phospholipase D: molecular and cell biology of a novel gene family. *Biochem J* **345** Pt 3, 401-15.
- Liscovitch M., Czarny M., Fiucci G., Lavie Y. and Tang X. (1999) Localization and possible functions of phospholipase D isozymes. *Biochim Biophys Acta* **1439**, 245-63.

- Lopez I., Arnold R. S. and Lambeth J. D. (1998) Cloning and initial characterization of a human phospholipase D2 (hPLD2). ADP-ribosylation factor regulates hPLD2. *J Biol Chem* **273**, 12846-52.
- Marsh B. J. and Howell K. E. (2002) The mammalian Golgi--complex debates. *Nat Rev Mol Cell Biol* **3**, 789-95.
- McDermott M., Wakelam M. J. O. and Morris A. J. (2004) Phospholipase D. *Biochem Cell Biol* **82**, 225-253
- Meier K. E., Gibbs T. C., Knoepp S. M. and Ella K. M. (1999) Expression of phospholipase D isoforms in mammalian cells. *Biochim Biophys Acta* **1439**, 199-213.
- Melendez A. J. and Khaw A. K. (2002) Dichotomy of Ca²⁺ signals triggered by different phospholipid pathways in antigen stimulation of human mast cells. *J Biol Chem* **277**, 17255-62.
- Metcalf D. D., Baram D. and Mekori Y. A. (1997) Mast cells. *Physiol Rev* **77**, 1033-79.
- Metzger H. (1992) The receptor with high affinity for IgE. *Immunol Rev* **125**, 37-48.
- Millar C. A., Jess T. J., Saqib K. M., Wakelam M. J. and Gould G. W. (1999) 3T3-L1 adipocytes express two isoforms of phospholipase D in distinct subcellular compartments. *Biochem Biophys Res Commun* **254**, 734-8.
- Morris A. J., Frohman M. A. and Engebrecht J. (1997) Measurement of phospholipase D activity. *Anal Biochem* **252**, 1-9.
- Nakashima S., Fujimiya H., Miyata H. and Nozawa Y. (1991) Antigen-induced biphasic diacylglycerol formation in RBL-2H3 cells: the late sustained phase due to phosphatidylcholine hydrolysis is dependent on protein kinase C. *Biochem Biophys Res Commun* **177**, 336-42.
- Nicoletti L. M., Jamur M. C. and Oliver C. (2007) Phospholipase D1 regulates RhoA expression in mast cells. In *ASCB 47th Annual meeting, 2007, Washington dc. Abstracts Book of ASCB 47th Annual meeting 2007 p 159.*
- O'Luanagh N., Pardo R., Fensome A., Allen-Baume V., Jones D., Holt M. R. and Cockcroft S. (2002) Continual production of phosphatidic acid by phospholipase D is essential for antigen-stimulated membrane ruffling in cultured mast cells. *Mol Biol Cell* **13**, 3730-46.
- Parravicini V., Gadina M., Kovarova M., Odom S., Gonzalez-Espinosa C., Furumoto Y., Saitoh S., Samelson L. E., O'Shea J. J. and Rivera J. (2002) Fyn kinase initiates

- complementary signals required for IgE-dependent mast cell degranulation. *Nat Immunol* **3**, 741-8.
- Pathre P., Shome K., Blumental-Perry A., Bielli A., Haney C. J., Alber S., Watkins S. C., Romero G. and Aridor M. (2003) Activation of phospholipase D by the small GTPase Sar1p is required to support COPII assembly and ER export. *Embo J* **22**, 4059-69.
- Peng Z. and Beaven M. A. (2005) An essential role for phospholipase D in the activation of protein kinase C and degranulation in mast cells. *J Immunol* **174**, 5201-8.
- Pierini L., Holowka D. and Baird B. (1996) Fc epsilon RI-mediated association of 6-micron beads with RBL-2H3 mast cells results in exclusion of signaling proteins from the forming phagosome and abrogation of normal downstream signaling. *J Cell Biol* **134**, 1427-39.
- Provost J. J., Fudge J., Israelit S., Siddiqi A. R. and Exton J. H. (1996) Tissue-specific distribution and subcellular distribution of phospholipase D in rat: evidence for distinct RhoA- and ADP-ribosylation factor (ARF)-regulated isoenzymes. *Biochem J* **319** (Pt 1), 285-91.
- Rabouille C. and Klumperman J. (2005) Opinion: The maturing role of COPI vesicles in intra-Golgi transport. *Nat Rev Mol Cell Biol* **6**, 812-7.
- Rappoport J. Z. and Simon S. M. (2008) A Functional GFP Fusion for Imaging Clathrin-Mediated Endocytosis. *Traffic* **9**, 1250-5.
- Rivera J. and Gilfillan A. M. (2006) Molecular regulation of mast cell activation. *J Allergy Clin Immunol* **117**, 1214-25; quiz 1226.
- Robbins E. and Gonatas N. K. (1964) Histochemical and Ultrastructural Studies on Hela Cell Cultures Exposed to Spindle Inhibitors with Special Reference to the Interphase Cell. *J Histochem Cytochem* **12**, 704-11.
- Rogalski A. A., Bergmann J. E. and Singer S. J. (1984) Effect of microtubule assembly status on the intracellular processing and surface expression of an integral protein of the plasma membrane. *J Cell Biol* **99**, 1101-9.
- Roth M. G., Bi K., Ktistakis N. T. and Yu S. (1999) Phospholipase D as an effector for ADP-ribosylation factor in the regulation of vesicular traffic. *Chem Phys Lipids* **98**, 141-52.
- Sakai K., Hayashi C., Yamaji H. and Fukuda H. (2001) Use of nonionic surfactants for effective supply of phosphatidic acid in serum-free culture of Chinese hamster ovary cells. *J Biosci Bioeng* **92**, 256-61.

- Saqib K. M. and Wakelam M. J. (1997) Differential expression of human phospholipase D genes. *Biochem Soc Trans* **25**, S586.
- Sarri E., Pardo R., Fensome-Green A. and Cockcroft S. (2003) Endogenous phospholipase D2 localizes to the plasma membrane of RBL-2H3 mast cells and can be distinguished from ADP ribosylation factor-stimulated phospholipase D1 activity by its specific sensitivity to oleic acid. *Biochem J* **369**, 319-29.
- Scheel J., Matteoni R., Ludwig T., Hoflack B. and Kreis T. E. (1990) Microtubule depolymerization inhibits transport of cathepsin D from the Golgi apparatus to lysosomes. *J Cell Sci* **96 (Pt 4)**, 711-20.
- Schmidt A., Wolde M., Thiele C., Fest W., Kratzin H., Podtelejnikov A. V., Witke W., Huttner W. B. and Soling H. D. (1999) Endophilin I mediates synaptic vesicle formation by transfer of arachidonate to lysophosphatidic acid. *Nature* **401**, 133-41.
- Schwartz L. B. and Austen K. F. (1980) Enzymes of the mast cell granule. *J Invest Dermatol* **74**, 349-53.
- Sciorra V. A., Rudge S. A., Prestwich G. D., Frohman M. A., Engebrecht J. and Morris A. J. (1999) Identification of a phosphoinositide binding motif that mediates activation of mammalian and yeast phospholipase D isoenzymes. *Embo J* **18**, 5911-21.
- Shimizu A., Tepler I., Benfey P. N., Berenstein E. H., Siraganian R. P. and Leder P. (1988) Human and rat mast cell high-affinity immunoglobulin E receptors: characterization of putative alpha-chain gene products. *Proc Natl Acad Sci U S A* **85**, 1907-11.
- Siddhanta A., Backer J. M. and Shields D. (2000) Inhibition of phosphatidic acid synthesis alters the structure of the Golgi apparatus and inhibits secretion in endocrine cells. *J Biol Chem* **275**, 12023-31.
- Siddhanta A. and Shields D. (1998) Secretory vesicle budding from the trans-Golgi network is mediated by phosphatidic acid levels. *J Biol Chem* **273**, 17995-8.
- Siraganian R. P. (2003) Mast cell signal transduction from the high-affinity IgE receptor. *Curr Opin Immunol* **15**, 639-46.
- Steed P. M., Clark K. L., Boyar W. C. and Lasala D. J. (1998) Characterization of human PLD2 and the analysis of PLD isoform splice variants. *Faseb J* **12**, 1309-17.
- Sweeney D. A., Siddhanta A. and Shields D. (2002) Fragmentation and re-assembly of the Golgi apparatus in vitro. A requirement for phosphatidic acid and phosphatidylinositol 4,5-bisphosphate synthesis. *J Biol Chem* **277**, 3030-9.

- Thyberg J. and Moskalewski S. (1985) Microtubules and the organization of the Golgi complex. *Exp Cell Res* **159**, 1-16.
- Vitale N., Caumont A. S., Chasserot-Golaz S., Du G., Wu S., Sciorra V. A., Morris A. J., Frohman M. A. and Bader M. F. (2001) Phospholipase D1: a key factor for the exocytotic machinery in neuroendocrine cells. *Embo J* **20**, 2424-34.
- Waggoner D. W., Xu J., Singh I., Jasinska R., Zhang Q. X. and Brindley D. N. (1999) Structural organization of mammalian lipid phosphate phosphatases: implications for signal transduction. *Biochim Biophys Acta* **1439**, 299-316.
- Waselle L., Gerona R. R., Vitale N., Martin T. F., Bader M. F. and Regazzi R. (2005) Role of phosphoinositide signaling in the control of insulin exocytosis. *Mol Endocrinol* **19**, 3097-106.
- Wedemeyer J. and Galli S. J. (2000) Mast cells and basophils in acquired immunity. *Br Med Bull* **56**, 936-55.
- Weigert R., Silletta M. G., Spano S., Turacchio G., Cericola C., Colanzi A., Senatore S., Mancini R., Polishchuk E. V., Salmona M., Facchiano F., Burger K. N., Mironov A., Luini A. and Corda D. (1999) CtBP/BARS induces fission of Golgi membranes by acylating lysophosphatidic acid. *Nature* **402**, 429-33.
- Whatmore J., Morgan C. P., Cunningham E., Collison K. S., Willison K. R. and Cockcroft S. (1996) ADP-ribosylation factor 1-regulated phospholipase D activity is localized at the plasma membrane and intracellular organelles in HL60 cells. *Biochem J* **320** (Pt 3), 785-94.
- Wilson B. S., Pfeiffer J. R. and Oliver J. M. (2000) Observing FcepsilonRI signaling from the inside of the mast cell membrane. *J Cell Biol* **149**, 1131-42.
- Xie Z., Ho W. T. and Exton J. H. (2000) Association of the N- and C-terminal domains of phospholipase D. Contribution of the conserved HKD motifs to the interaction and the requirement of the association for Ser/Thr phosphorylation of the enzyme. *J Biol Chem* **275**, 24962-9.
- Xu K., Williams R. M., Holowka D. and Baird B. (1998) Stimulated release of fluorescently labeled IgE fragments that efficiently accumulate in secretory granules after endocytosis in RBL-2H3 mast cells. *J Cell Sci* **111** (Pt 16), 2385-96.
- Yang J. S., Gad H., Lee S. Y., Mironov A., Zhang L., Beznoussenko G. V., Valente C., Turacchio G., Bonsra A. N., Du G., Baldanzi G., Graziani A., Bourgoin S., Frohman

- M. A., Luini A. and Hsu V. W. (2008) A role for phosphatidic acid in COPI vesicle fission yields insights into Golgi maintenance. *Nat Cell Biol*.
- Yang J. S., Lee S. Y., Gao M., Bourgoin S., Randazzo P. A., Premont R. T. and Hsu V. W. (2002) ARFGAP1 promotes the formation of COPI vesicles, suggesting function as a component of the coat. *J Cell Biol* **159**, 69-78.
- Yang J. S., Lee S. Y., Spano S., Gad H., Zhang L., Nie Z., Bonazzi M., Corda D., Luini A. and Hsu V. W. (2005) A role for BARS at the fission step of COPI vesicle formation from Golgi membrane. *Embo J* **24**, 4133-43.
- Yang J. S., Zhang L., Lee S. Y., Gad H., Luini A. and Hsu V. W. (2006) Key components of the fission machinery are interchangeable. *Nat Cell Biol* **8**, 1376-82.
- Yang S. F., Freer S. and Benson A. A. (1967) Transphosphatidylation by phospholipase D. *J Biol Chem* **242**, 477-84.
- Ying H. S., Gottron F. J. and Choi W. D. (2000) Assessment of Cell Viability in Primary Neuronal Cultures. In *Current Protocols in Neuroscience* (Edited by Crawley J. N., Gerfen C. R., Rogawski M. A., Sibley D. R., Skolnick P. and Wray S.). John Wiley & Sons, Inc., St Louis, Missouri.
- Yong L. C. J. (1997) *The mast cells: origin, morphology, distribution and function*.
- Zhao Y., Ehara H., Akao Y., Shamoto M., Nakagawa Y., Banno Y., Deguchi T., Ohishi N., Yagi K. and Nozawa Y. (2000) Increased activity and intranuclear expression of phospholipase D2 in human renal cancer. *Biochem Biophys Res Commun* **278**, 140-3.