
6. BIBLIOGRAFIA

AHMED, Z. F.; EL-KEIY, M. A.; RIZK, A. M.; HAMMOUDA, F. M.; ABDEL-BARY, E. F. Phytochemical studies on Egyptian Araceae species. *Planta Medica*, 16, 282-293, 1968.

ACHTARDJIEFF, CHR.; KOLEVA, M. Untersuchungen über Araceen-Arten in Bulgarien. *Die Pharmazie*, 26, 642-643, 1971.

ALIOTTA, G.; MONACO, P.; PINTO, G.; POLLIO, A.;PREVITERA, L. Potential Allelochemicals from *Pistia stratiotes* L. *Journal of Chemical Ecology*, 17,2223-2234, 1991.

ALLEN, ANTHONY K. Purification and characterization of an N-acetyllactosamine-specific lectin from tubers of *Arum maculatum*. *Biochimica et Biophysica Acta,General Subjects* 1244, 129-132, 1995

AQUINO,R.;MORELLI,S.;LAURO, M.R.;ABDO, S.; SAIJA, A.;TOMAINO, A.; Phenolic Constituents and Antioxidant Activity oa an Extract of *Anthurium versicolor* leaves. *Journal of Natural Products*,64, 1019-1023, 2001.

ASANO N., NISHIDA M., KIZU H., MATSUI K. Homonojirimycin Isomers and Glycosides from *Aglaonema trebii*. *Journal of Natural Products*, 60, 98-101, 1997

ASIF, M.; SIDDIQI, M. T. A.; AHMAD, M. U. Fatty acid and sugar composition of *Acorus calamus* Linn A. K. *Fette, Seifen, Anstrichmittel* 86(1), 24-25, 1984.

ASSUMPÇÃO, R.M.V. E MORITA, T. Manual de Soluções, Reagentes e Solventes. Editora Edgard Blucher Ltda., São Paulo 1968.

AYYAD S N. A new cytotoxic stigmastane steroid from *Pistia stratiotes*. *Die Pharmazie*, 56, 212-214, 2001.

BREITMAIER E., VOELTER W. ^{13}C NMR SPECTROSCOPY, Methods and Applications in Organic Chemistry, 2nd Edition, 1978 (125)

BOURDY G., DE WALT S.J., CHÁVEZ DE MICHEL L.R., ROCA A., DEHARO E., MUÑOZ V., BALDERRAMA L., QUENEVO C., GIMENEZ A. Medical plants uses of the Tacana, an Amazonian Bolivian ethnic group. *Journal of Ethno-Pharmacology* 70, 87-109, 2000.

CAMPORESE A; BALICK M J; ARVIGO R; ESPOSITO R G; MORSELLINO N; DE SIMONE F; TUBARO A. Screening of anti-bacterial activity of medicinal plants from Belize (Central America). *Journal of ethnopharmacology* 87, 103-107, 2003.

CHEN J.H., CUI G.Y., LIU J.Y., TAN R.X. Pinelloside, an antimicrobial cerebroside from *Pinellia ternata*. *Phytochemistry*, 64, 903-906, 2003

CHERNENKO, T.V.; UL'CHENKO, N. T.; GLUSHENKOVA, A. I.S. YU. Glycolipids from leaves of *Eminium lehmanii*. *Chemistry of Natural Compounds* 4, 499-500, 2005

CHOO, C. Y.; CHAN, K. L.; SAM, T. W.; HITOTSUYANAGI, Y.; TAKEYA, K. The cytotoxicity and chemical constituents of the hexane fraction of *Typhonium flagelliforme* (Araceae). *Journal of Ethnopharmacology* 77, 129-131, 2001.

CHOO C Y; CHAN K L; TAKEYA K., ITOKAWA H. Cytotoxic activity of *Typhonium flagelliforme* (Araceae). *Phytotherapy research* 15, 260-262, 2001.

DEHARO E., BOURDY G., QUENEVO C., MUÑOZ V., RUIZ G., SAUVAIN M. A search for natural bioactive compounds in Bolivia through a multidisciplinary approach. Part V. Evaluation of the antimalarial activity of plants used by the Tacana Indians. *Journal of Ethno-Pharmacology* 77, 91-98, 2001.

DELLA GRECA, M.; MONACO, P.;PREVITERA, L.; ALIOTTA, G.; PINTO, G.; POLLIO, A. Allelochemical activity of phenylpropanes from *Acorus gramineus*. *Phytochemistry* 28,2319-2321,1989.

DELLA GRECA, M.; MOLINARO, A.; MONACO, P.;PREVITERA, L. Neolignans from *Arum italicum*. *Phytochemistry*, 35, 777-779, 1994.

DESMARCHELIER C., REPETTO M. COUSSIO J., LLESUY S. CICCIA G. Total Reactive Antioxidante Potencial (TRAP) and Total Antioxidant Reactivity (TAR) of Medicinal Plants Used in Southwest Amazonia (Bolivia and Peru). *International Journal of pharmacognosia* 35, 288-296, 1997.

DYAS L., GOAD L.J. Steryl Fatty Acyl Esteres in Plants, *Phytochemistry*,34, 17-29, 1993.

ELBANDY, M.; LERCHE, H.; WAGNER,M.L. Constituents of the rizhome of *Homalomena occulta*. *Biochemical Systematics and Ecology*, 32,1209-1213,2004.

EL-SEEDI, HESHAM R.; BOHLIN, LARS; GHIA, FELIPE; TORSSELL, KURT B. G. Ecologically active 2-octanoylcyclohexane-1,3-dione from *Philodendron guttiferum*. *Journal of Chemical Ecology* 27, 517-521, 2001

FIGUEIREDO-RIBEIRO, R. C. L.; DIETRICH, S. M. C.; CHU, E. P.; MACHADO DE CARVALHO, M. A.; VIEIRA, C. C. J.; GRAZIANO, T. T. Reserve carbohydrates in underground organs of native Brazil plants. *Revista Brasileira de Botanica* 9, 159-66, 1986.

FOX, M. G.; FRENCH, J. C. Systematic occurrence of sterols in latex of Araceae: subfamily Colocasioideae. *American Journal of Botany* 75(1), 132-137,1988.

FRANKE, K.; HOFFMANN, M.; SCHMIDT, J.; PORZEL, A.; ARNOLD, N.;

WESSJOHANN, L. 2"-O-Glucosylvitexin, a chemotaxonomic marker for the genus *Cryptocoryne* (Araceae). *Biochemical Systematics and Ecology* 34, 546-548, 2006.

FREI B., BALTISBERGER M., STICHER O., HEINRICH M. Medical ethnobotany of the Zapotecs of the Isthmus-Sierra (Oaxaca, Mexico): Documentation and assessment of indigenous uses. *Journal of Ethno-Pharmacology* 62, 149-165, 1998.

GRAZIANO, T. T.; DIETRICH, S. M. C.; FIGUEIREDO-RIBEIRO, R. C. L. Characterization of starch of the underground system of *Xanthosoma sagittifolium* (L.) Schott (Araceae) during plant development. *Revista Brasileira de Fisiologia Vegetal* 4, 7-10, 1992.

GUPTA M.M., SHUKLA Y.N. 5 α -stigmast-11-em-3 β -yl Palmitate and 24-ethyl-5 α -cholesta-8(14),25-dien-3 β -yl stearate, two steryl esters from *Cryptocoryne spiralis* rhizomes. *Phytochemistry*, 25, 1423-1425, 1986.

GUPTA M.M., LAL R. N., SHUKLA Y.N. Oxo Fatty Acids from *Cryptocoryne spiralis* Rhizomes. *Phytochemistry*, 23, 1639 – 1641, 1984.

HODSON, M. J.; WHITE, P. J.; MEAD, A.; BROADLEY, M. R. Phylogenetic variation in the silicon composition of plants. *Annals of Botany* 96, 1027-1046, 2005

HOLLAND H.L., DIAKOW P.R.P, TAYLOR G.J. ¹³C Nuclear Magnetic Resonance Spectra of Some C-19-Hydroxy, C-5,6-epoxy, C-24-ethyl and C-19-norsteroids. *Canadian Journal Chemistry* 56, 3121 – 3127, 1978.

HONG VAN, N. T.; VAN MINH, C.; DE LEO, M.; SICILIANO, T.; BRACA, A. Secondary metabolites from *Lasia spinosa* (L.) Thw. *Biochemical Systematics and Ecology* 34, 882-884, 2006.

JARVIS M.C., FORSYTH W., DUNCAN H.J. A Survey of the Pectic Content of

Nonlignified Monocot Cell Wall. *Plant Physiology*, 88, 309 – 314, 1988

JUNG J.H.; LEE, H.; KANG S.S. Diacylglycerl galactosides from *Arisaema amurense*. *Phytochemistry*, 42, 447-452, 1996 a.

JUNG J.H., LEE C.O., KIM Y. C., KANG S.S. New Bioactive Cerebrosides from *Arisaema amurense*. *Journal of Natural Products*, 59, 319-322, 1996 b.

KATO, T.; FREI, B.; HEINRICH, M.; STICHER, O. Antibacterial Hydroperoxysterols from *Xanthosoma robustum*. *Phytochemistry*, 41, 1191-1195, 1996.

KAZUCO A.M., ROSSI M.H. DE ALMEIDA BLUMENTHAL E.E., ALBRECHT S. I.T. MALHEIROS^a, VIDOTTI G. J. 3- β -O-D-Glucopyranosylsterol in species of Labiatae, Verbenaceae and Apocynaceae. *Anais Associaçõ Brasileira de Química* 45, 147-151, 1996

KEATE S.E., TARLY N. M. LOEWUS F. A., FRANCESCHI V. R. L-Ascorbic acid and L-galactose are sources for oxalic acid and calcium oxalate in *Pistia stratiotes*, 53, 433 – 440, 2000

KITE, G. C.; SHARP, H. J.; HILL, PHILIPPA S.; BOYCE, P. C. Polyhydroxyalkaloids in the aroid tribes Nephthytideae and Aaglaonemateae: phytochemical support for an intertribal relationship. *Biochemical Systematics and Ecology*, 25, 757-766, 1997.

KLOUCEK P; POLESNY Z; SVOBODOVA B; VLKOVA E; KOKOSKA L. Antibacterial screening of some Peruvian medicinal plants used in Calleria District. *Journal of ethnopharmacology* 99, 309-12, 2005

KOVGANKO N. V., KASHKAN ZH. N., BORISOV E. V., BATURA E. V. ¹³C NMR Spectra of β -Sitosterol Derivatives with Oxidized Rings A and B. *Chemistry of Natural Compounds*, 35, 646 – 649, 1999.

LENTZ D.L., CLARK A.M., HUFFORD C.D., MEURER-GRIMES B.,PASSRCITER C.M., CORDERO J., IBRAHIMI O., OKUNADE A.L. Antimicrobial properties of Honduran medical plants. *Journal of Ethno-Pharmacology* 63, 253-263, 1998.

LIAO J. F., HUANG S.Y., JAN Y.M., YU L.L.CHEN C.F. Central inhibitory effects of water extract of *Acori graminei* rizhoma in mice. *Journal of Ethno-Pharmacology* 61, 185-193, 1998

MASUI H., KONDO T., KOJIMA M. Na antifungal compound,9,12,13-trihydroxy-(*E*)-10-Octadecenoic acid, from *Colocasia antiquorum* inoculated with *Ceratocystis fimbriata*. *Phytochemistry* 28, 2613 – 2615, 1989

MATSUO M., URANO S. ¹³C NMR Spectra of Tocopherols and 2,2-dimethylchromanols. *Tetrahedron*, 32, 229 – 231, 1976.

MAYO, S.J., BOGNER, J. & BOYCE, P.C. The Genera of Araceae. Royal Botanical Gardens Kew, Firt published 1997.

MEIJA, J.; SOUKUP, V. G. Phenyl-terminated fatty acids in seeds of various aroids. *Phytochemistry* 65, 2229-2237, 2004.

MELHAQUI A., JOSSAHG A., BODO B. Structure of Irniine, a Pyrrolidine Alkaloid from *Arisarum vulgare* *Journal of Natural Products*, 55, 950-952, 1992

MELHAOUI, A. A new toxic alkylpyrrolidine alkaloid from *Arisarum vulgare*. *Planta Medica*, 64, 476-477, 1998.

MELHAOUI,A. BELOUALI, H. DNA affinity of active alkaloids from *Arisarum vulgare* Targ. *Journal of Ethnopharmacology*, 62, 67-71, 1998.

FEITOSA M.C., BEZERRA M.Z.B.,CITÓ A. M. L., SOARES DA COSTA J.J., LOPES

J.A. D., NETO J.M.M. Constituintes Químicos de *Philodendron imbe* Schott. *Química Nova* 30, 41-44, 2007

MONACO PIETRO; PREVITERA LUCIO. A Steroid from *Pistia stratiotes*. *Phytochemistry*, 30,2420-2422,1991.

MORS W. B. Poisons and Anti-poisons from the Amazon Forest. *A.C. S. Symposium Series 588, Chemistry of Amazon, Biodiversity, Natural Products, and Environmental Issues*. American Chemical Society, Washington, D.C. (79 – 83) 1995

MUELAS-SERRANO S; NOGAL J J; MARTINEZ-DIAZ R A; ESCARIO J A; MARTINEZ-FERNANDEZ A R; GOMEZ-BARRIO A In vitro screening of american plant extracts on Trypanosoma cruzi and trichomonas vaginalis. *Journal of ethnopharmacology* 71, 101-107, 2000.

MUÑOZ V., SAUVAIN M., BOUDRY G., CALLAPA J., ROJAS I., VARGAS L., TAE A., DEHARO E. The search for natural bioactive compounds through a multidisciplinary approach in Bolivia. Part II. Anthimalarial activity of some plants used by Mosekene indians. *Journal of Ethno-Pharmacology* 69, 139-155, 2000.

NAWAMAKI K., KUROYANAGI M. Sesquiterpenoids from *Acoru calamus* as Germination inhibitors. *Phytochemistry* 43, 1175-1182, 1996.

NGUYEN XUAN CUONG; HOANG NHU MAI. The chemical composition of *Raphidophora decursiva* Schott. Araceae plant. *Tap Chi Duoc Hoc* 1, 20-3, 1983.

Normas Analíticas do Instituto Adolf Lutz 3ª Edição, IMESP 1, 245-266 1985

OTERO R; FONNEGRA R; JIMÉNEZ S L; NÚÑEZ V; EVANS N; ALZATE S P; GARCÍA M E; SALDARRIAGA M; DEL VALLE G; OSORIO R G; DÍAZ A; VALDERRAMA R; DUQUE A; VÉLEZ H N. Snakebites and ethnobotany in the

northwest region of Colombia: Part I: traditional use of plants. *Journal of ethnopharmacology* 71, 493-504, 2000.

PAGANI, F. Fitocostituenti dell'*Arisarum vulgare* O. Targ.-Tozz. (Araceae). *Bollettino Chimico Farmaceutico*, 121, 460-464, 1982.

PANERU R.B., LE PATOUREL G.N.J., KENNEDY S.H. Toxicity of *Acorus calamus* Rizhome Powder from Eastern Nepal to *Sitophilus granarius* (L.) and *Sitophilus oryzae* (L.) (Coleoptera, Curculionidae). *Crop Protection* 16,759-763, 1997.

PAULL, R. E. TANG, C. GROSS, K. URUU, G. The nature of the taro acridiry factor. *Postharvest Biology and Technology*, 16, 71-78, 1999.

PEI-WU G., FUKUYAMA Y., REI W., JINXIAN, NAKAGAWA K. An Acylated sitosterol glucoside from *Allisma plantago-aquatica*, *Phytochemistry*, 27, 1895 – 1896, 1988

PEREIRA A.S., SIQUEIRA D. S., ELIAS V. O., SIMONEIT B. R.T., CABRAL J. A., AQUINO NETO F. R. Three series of high molecular weight alkanoates found in Amazonian plants. *Phytochemistry*, 61, 711 – 719, 2002

PERRETT, S., WHITFIELD, P. J. Anthelmintic and pesticidal activity of *Acorus gramineus* (Araceae) is associated with phenylpropanoid asarones. *Phytotherapy Research* 9, 405-409, 1995.

PICERNO, P.; MENCHERINI, T.;LAUROM.R.; BARBATO, F.; AQUINO, R. Phenolic Constituents and Antioxidant Properties of *Xanthosoma violaceum* leaves. *Journal of Agricultural and Food Chemistry*, 51,6423-6428, 2003.

RAKBA N., MELHAOUI A., RISSEL M., MOREL I., LOYER P., LESCOAT G. Irniine, a pyrrolidine alkaloid, isolated from *Arisarum vulgare* can induce apoptosis and/or necrosis in rat hepatocyte cultures. *Toxicon* 38 1389-1402, 2000.

REFSTRUP, T.; HAMMERSHOY, O.; BOLL, P.M.; SCHMIDT, H. *Philodendron scandens* Koch et Sello subsp. *Oxycardium* (Schott) Bunting, A New Source of Allergenic Alkyl Resorcinols. *Acta Chemica Scandinavica B*, 36, 291-294, 1982.

REFSTRUP, T.; HAMMERSHOY, O.; BOLL, P.M. Allergenic 5-alkyl- and 5-alkenylresorcinols from *Philodendron* species. *Phytochemistry*, 24, 2563-2565, 1985.

ROHR M., NAEGELI P., DALY J.J. New Sesquiterpenoids of Sweet Flag Oil (*Acorus calamus*). *Phytochemistry*, 18, 279-281, 1979.

ROHR M., NAEGELI P. (-)-Cadala-1,4,9-Triene, a New Sesquiterpenic Hydrocarbon from *Acorus calamus*. *Phytochemistry*, 18, 328-329, 1979.

SAGLIK, S.; ALPINAR, K.; IMRE, S. Fatty acid composition of *Dracunculus vulgaris* Schott (Araceae) seed oil from Turkey. *Journal of Pharmacy & Pharmaceutical Sciences* 5, 231-233, 2002

SAXENA D.B. Phenyl Indane from *Acorus calamus*. *Phytochemistry*, 25, 553-555, 1986.

SEGURA L., VILA R., GUPTA M.P., ESPÓSITO-AVELLA M., ADZET T., CAÑIGUERAL S. Antiinflammatory activity of *Anthurium cerrocampaense* Croat in rats and mice. *Journal of Ethno-Pharmacology* 61, 243-248, 1998.

SCHMID, P. C.; HOLMAN, R. T.; SOUKUP, V. G. 13-Phenyltridecanoic acid in seed lipids of some aroids. *Phytochemistry* 45, 1173-1175, 1997.

SCOOT K. N. Carbon-13 Nuclear Magnetic Resonance of Biologically Important Aromatic

Acids. I. Chemical Shifts of Benzoic Acid and Derivatives. *Journal of the American Chemical Society* 94, 8564 – 8568, 1972

SHANGARY, S.; SINGH, J.; KAMBOJ, S. S.; KAMBOJ, K. K.; SANDHU, R. S. Purification and properties of four monocot lectins from the family Araceae. *Phytochemistry*, 40, 449-455, 1995

SHARMA, S. C.; SHUKLA, Y. N.; TANDON, J. S. Constituents of *Colocasia formicata*, *Sagittaria sagittiflora*, *Arnebia nobilis*, *Ipomoea paniculata* *Rhododendron niveum*, *Paspalum Scrobiculatum*, *Mundulea sericea*, and *Duabanga sonneratiodes*. *Phytochemistry*, 11(8), 2621-2623, 1972.

SILVA, D.H.S. Constituintes químicos de *Iryanthera sagotiana e Iryanthera lancifolia*. 1997. Tese de Doutorado, Instituto de Química, Universidade de São Paulo, 1995.

SUFFREDINI, I. B.; PACIENCIA, M. L. B.; VARELLA, A. D.; YOUNES, R. N. In vitro prostate cancer cell growth inhibition by Brazilian plant extracts. *Pharmazie* 61, 722-724, 2006.

SUNG, T.V.; KUTSCHABSKY, L.; PORZEL, A.; STEGLICH, W.; ADAN, G. Sesquiterpenes from the Roots of *Homalomena aromatica*. *Phytochemistry*, 31, 1659-1661, 1992 a

SUNG, T.V.; STEFFAN B.; STEGLICH, W.; ADAN, G. Sesquiterpenoids from the Roots of *Homalomena aromatica*. *Phytochemistry*, 31, 3515 - 3520, 1992 b.

SUZUKI M. Studies on the Irritating Substance of *Pinellia ternata* Breitenbach (Araceae). *Arzneimittel-Forschung*, 19, 1307-1309, 1969.

TAKATSU H.; YAMADAYA T.; FURIHATA K.; OGATA M.; ENDO T.; KOJIMA K.;

URANO S. Acetylated aporphine alkaloids from *Lysichiton camtschatcense*. *Journal of Natural Products* 68, 430-431, 2005.

VOLK G.M., LYNCH-HOLM V.J., KOSTMAN T.A., GOSS L.J., FRANCESCHI V.R. The Role of Druse and Raphide Calcium Oxalate Crystals in tissue Calcium Regulation in *Pistia stratiotes* Leaves. *Plant Biology* 4, 34 – 45, 2002.

WONG K.T., TAN B.K.H., In vitro cytotoxicity and immunomodulating property of *Rhaphidophora korthalsii*, *Journal of Ethno-Pharmacology* 52, 53-57, 1996

WRIGHT J.L.C., MCINNES A.G., SHIMIZU S., SMITH D.G., WALTER J.A. Identification of C-24 alkyl epimers of marine sterols by ¹³C nuclear magnetic resonance spectroscopy. *Canadian Journal of Chemical* 56, 1898 – 1903, 1978

ZHANG, H.J.; TAMEZ, P., HOANG V.D., TAN, G. T.; VAN HUNG, N., XUAN L. T., HUONG L.M., CUONG N.M., THAO D.T., SOEJARTO, D. D.; FONG, H. H., PEZZUTO, J. M. Antimalarial Compounds from *Rhaphidophora decursiva*, *Journal of Natural Products*, 64, 772-777, 2001.

ZHANG, H.J.; QIU, S.; TAMEZ, P., TAN, G. T.; AYDOGMUS, Z.; VAN HUNG, N., CUONG N.M., ANGERHOFER, C., SOEJARTO, D. D.; PEZZUTO, J. M.; FONG, H. H. S. Antimalarial agents from plants II. Decursivine, a new antimalarial indole alkaloid from *Rhaphidophora decursiva*. *Pharmaceutical Biology*, 40, 221-224, 2002.