

Errata

- 1) Página 22 onde lê-se “ICB (Instituto de Ciências Biológicas)” leia-se “ICB (Instituto de Ciências Biomédicas)”
- 2) Substituem-se os respectivos dados das caracterizações dos compostos pelos seguintes:

Página 64

1-feniletanol (1b)

RMN ¹H (300 MHz, CDCl₃) δ ppm: 7,35-7,22 (m, 5H); 4,83 (q, *J* = 6,6 Hz, 1H); 2,25 (s, 1H); 1,46 (d, *J* = 6,6 Hz, 3H).

1-(2-metilfenil)-etanol (2b)

RMN ¹H (300 MHz, CDCl₃) δ ppm: 7,49-7,46 (m, 1H); 7,24-7,09 (m, 3H); 5,08 (q, *J* = 6,3 Hz, 1H); 2,32 (s, 3H); 2,06 (s, 1H); 1,43 (d, *J* = 6,3 Hz, 3H).

Página 65

1-(3-metilfenil)-etanol (3b)

RMN ¹H (300 MHz, CDCl₃) δ ppm: 7,24-7,05 (m, 4H); 4,80 (q, *J* = 6,5 Hz, 1H); 2,34 (s, 3H); 2,26 (s, 1H); 1,48 (d, *J* = 6,5 Hz, 3H).

1-(4-metilfenil)-etanol (4b)

RMN ¹H (300 MHz, CDCl₃) δ ppm: 7,24 (d, *J* = 8,0 Hz, 2H); 7,07 (d, *J* = 8,0 Hz, 2H); 4,83 (q, *J* = 6,4 Hz, 1H); 2,33 (s, 3H); 2,05 (s, 1H); 1,46 (d, *J* = 6,4 Hz, 3H).

Página 66

1-(2-metóxfenil)-etanol (5b)

RMN ¹³C (75 MHz, CDCl₃) δ ppm: 156,4; 133,4; 128,2; 126,0; 120,7; 110,3; 66,3; 55,2; 22,8.

1-(3-metóxfenil)-etanol (6b)

RMN ¹H (300 MHz, CDCl₃) δ ppm: 7,27-7,25 (m, 1H); 6,94-6,92 (m, 2H); 6,81-6,77 (m, 1H); 4,84 (q, *J* = 6,5 Hz, 1H); 3,80 (s, 3H); 2,16 (s, 1H); 1,46 (d, *J* = 6,5 Hz, 3H).

Página 67

1-(4-metóxfenil)-etanol (7b)

RMN ¹H (500 MHz, CDCl₃) δ ppm: 7,27 (d, *J* = 8,5 Hz, 2H); 6,87 (d, *J* = 8,5 Hz, 2H); 4,82 (q, *J* = 6,5 Hz, 1H); 3,78 (s, 3H); 1,46 (d, *J* = 6,5 Hz, 3H).

1-(2-flúorfenil)-etanol (8b)

RMN ¹³C (75 MHz, CDCl₃) δ ppm: 159,6 (d, *J* = 244 Hz, 1C); 132,6 (d, *J* = 21 Hz, 1C); 128,7 (d, *J* = 7,5 Hz, 1C); 126,6 (d, *J* = 7,5 Hz, 1C); 124,2 (d, *J* = 3 Hz, 1C); 115,2 (d, *J* = 21 Hz, 1C); 64,4 (d, *J* = 3 Hz, 1C); 23,9 (s, 1C).

Página 68

1-(3-flúorfenil)-etanol (9b)

RMN ¹³C (75 MHz, CDCl₃) δ ppm: 163,2 (d, *J* = 244 Hz, 1C); 148,7 (d, *J* = 7,5 Hz, 1C); 130,1 (d, *J* = 7,5 Hz, 1C); 121,1 (d, *J* = 2,4 Hz, 1C); 114,3 (d, *J* = 21 Hz, 1C); 112,5 (d, *J* = 21 Hz, 1C); 69,9 (s, 1C); 25,3 (s, 1C).

Camila Rodrigues da Silva

1-(4-fluorfenil)-etanol (10b)

RMN ¹³C (75 MHz, CDCl₃) δ ppm: 162,0 (d, *J* = 244 Hz, 1C); 141,5 (d, *J* = 2,9 Hz, 1C); 127,0 (d, *J* = 7,5 Hz, 2C); 115,2 (d, *J* = 21 Hz, 2C); 69,6 (s, 1C); 25,2 (s, 1C).

Página 69

1-(2-clorofenil)-etanol (11b)

RMN ¹³C (75 MHz, CDCl₃) δ ppm: 143,1; 131,7; 129,4; 128,4; 127,2; 126,4; 67,0; 23,5.

Página 70

1-(4-clorofenil)-etanol (13b)

RMN ¹H (300 MHz, CDCl₃) δ ppm: 7,32-7,26 (m, 4H); 4,84 (q, *J* = 6,5 Hz, 1H); 2,17 (s, 1H); 1,45 (d, *J* = 6,5 Hz, 3H).

1-(2-bromofenil)-etanol (14b)

RMN ¹H (200 MHz, CDCl₃) δ ppm: 7,59-7,56 (m, 1H); 7,51-7,48 (m, 1H); 7,35-7,30 (m, 1H); 7,25-7,08 (m, 1H); 5,22 (d, *J* = 6,6 Hz, 1H); 2,25 (s, 1H); 1,47 (d, *J* = 6,6 Hz, 3H).

Página 71

1-(3-bromofenil)-etanol (15b)

RMN ¹H (300 MHz, CDCl₃) δ ppm: 7,51-7,50 (m, 1H); 7,40-7,36 (m, 1H); 7,27-7,24 (m, 1H); 7,21-7,16 (m, 1H); 4,82 (q, *J* = 6,4 Hz, 1H); 2,30 (s, 1H); 1,44 (d, *J* = 6,4 Hz, 3H).

Página 72

1-(2-nitrofenil)-etanol (17b)

RMN ¹H (500 MHz, CDCl₃) δ ppm: 7,87 (d, *J* = 8,0 Hz, 1H); 7,82 (d, *J* = 8,0 Hz, 1H); 7,63 (t, *J* = 7,6 Hz, 1H); 7,40 (t, *J* = 7,6 Hz, 1H); 5,38 (q, *J* = 6,4 Hz, 1H); 2,96 (s, 1H); 1,54 (d, *J* = 6,4 Hz, 3H).

1-(3-nitrofenil)-etanol (18b)

RMN ¹H (300 MHz, CDCl₃) δ ppm: 8,23 (t, *J* = 2,1 Hz, 1H); 8,11-8,08 (m, 1H); 7,70 (d, *J* = 7,6 Hz, 1H); 7,51 (t, *J* = 7,6 Hz, 1H); 5,01 (q, *J* = 6,3 Hz, 1H); 2,59 (s, 1H); 1,52 (d, *J* = 6,3 Hz, 2H).

Página 73

1-(4-nitrofenil)-etanol (19b)

RMN ¹H (500 MHz, CDCl₃) δ ppm: 8,19 (d, *J* = 8,8 Hz, 2H); 7,54 (d, *J* = 8,8 Hz, 2H); 5,02 (q, *J* = 6,5 Hz, 1H); 2,30 (s, 1H); 1,52 (d, *J* = 6,5 Hz, 3H).

Página 74

1-(bifenil-4-il)-etanol (21b)

RMN ¹H (200 MHz, CDCl₃) δ ppm: 7,33-7,62 (m, 9H); 4,93 (q, *J* = 6,5 Hz, 1H); 1,97 (s, 1H); 1,52 (d, *J* = 6,5 Hz, 3H).

Página 75

(4-metilfenil)(fenil)metanol (22b)

RMN ¹³C (50 MHz, CDCl₃) δ ppm: 144,1; 141,1; 137,4; 129,3; 128,6; 127,6; 126,7; 126,6; 76,2; 21,3.

Página 77

1-fenilpropano-2-ol (27b)

RMN ^{13}C (50 MHz, CDCl_3) δ ppm: 138,3; 129,1; 128,2; 126,2; 68,6; 45,5; 22,5.

3) Na página 81 substituem-se as Referências Bibliográficas pelas seguintes:

7. Referências Bibliográficas

ALMARSSON, O.; KARAMAN, R.; BRUICE, T. C. Kinetic Importance of Conformations of Nicotinamide Adenine Dinucleotide in the Reactions of Dehydrogenases Enzymes *J. Am. Chem. Soc.* **1992**, *114*, 8702-8704.

ALTSCHUL, S. F.; GISH, W.; MILLER, W.; MYERS, E. W.; LIPMAN, D. J. Basic local alignment search tool. *Journal of Molecular Biology.* **1990**, *215*, 403-410.

ANDRADE, L. H.; BARCELLOS, T. Lipase-Catalyzed Highly Enantioselective Kinetic Resolution of Boron-Containing Chiral Alcohols. *Organic Letters.* **2009**, *11*, 3052-3055.

BENDER, M. L. Mechanisms of Homogeneous Catalysis from Protons to Proteins. *Wiley-Interscience.* New York, **1971**.

BORMAN, S. Beta-peptides: nature improved? *Chem. Eng. News*, **1997**, *75*, 32-35.

BROWN, A. J. Enzyme Action. *Journal of the Chemical Society (Trans)*, **1902**, *81*, 373-388.

BÜCHNER, E. Alkoholische Gärung ohne Hefezellen. *Berichte der Deutschen Chemischen Gesellschaft*, **1897**, *30*, 117-124.

CLAYDEN, J.; GREEVES, N.; WARREN, S.; WOTHERS, P. Organic Chemistry. *Oxford University Press.* New York, **2001**.

COLE, J. R.; CHAI, B.; MARSH, T. L.; FARRIS, R. J.; WANG, Q.; KULAM-SYED-MOHIDEEN, A. S.; CHANDRA, S.; MCGARREL, D. M.; SCHMIDT, T. M.; GARRITY, G. M.; TIEDJE, J. M. The Ribosomal Database Project (RDP-II): previewing a new autoaligner that allows regular updates and the new prokaryotic taxonomy. *Nucleic Acids Research*. **2003**, *31*, 442-443.

COLE, J. R.; CHAI, B.; FARRIS, R. J.; WANG, Q.; KULAM-SYED-MOHIDEEN, A. S.; MCGARREL, D. M.; BANDELA, A. M.; CARDENAS, E.; GARRITY, G. M.; TIEDJE, J. M. The ribosomal database project (RDP-II): introducing myRDP space and quality controlled public data. *Nucleic Acids Research*. **2007**, *35*(Database Iss), D169-D172.

COMASSETO, J. V.; OMORI, A. T.; ANDRADE, L. H.; PORTO, A. L. M. Bioreduction of fluoroacetophenones by the fungi *Aspergillus terreus* and *Rhizopus oryzae*. *Tetrahedron: Asymmetry*. **2003**, *14*, 711-715.

COREY, E. J.; BAKSHI, R. K.; SHIBATA, S. Highly enantioselective borane reduction of ketones catalyzed by chiral oxazaborolidines. Mechanism and synthetic implications. *J. Am. Chem. Soc.* **1987**, *109*, 5551-5553.

COREY, E. J.; HELAL, C. J. Reduction of Carbonyl Compounds with Chiral Oxazaborolidine Catalysts: A New Paradigm for Enantioselective Catalysis and a Powerful New Synthetic Method. *Angew. Chem. Int. Ed.* **1998**, *37*, 1986-2012.

DUETZ, W. A.; RÜEDI, L.; HERMANN, R.; O'CONNOR, K.; BÜCHS, J.; WITHOLT, B. Methods for intense aeration, growth, storage, and replication of bacterial strains in microtiter plates. *Applied and Environmental Microbiology*, **2000**, *66*, 2641-2646.

DUETZ, W. A.; WITHOLT, B. Effectiveness of orbital shaking for the aeration of suspended bacterial cultures in square-deepwell microtiter plates. *Biochemical Engineering Journal*. **2001**, *7*, 113-115.

Camila Rodrigues da Silva

FABER, K. Non-sequential Processes for the transformation of a racemate into a single stereoisomeric product: Proposal for Stereochemical Classification. *Chem. Eur. J.* **2001**, *7*, 5004-5010.

FABER, K. Biotransformations in Organic Chemistry. 5^o ed. *Springer-Verlag*. New York, **2004**.

FDA - *Food and Drug Administration*. Development of New Stereoisomeric Drugs. <http://www.fda.gov/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/ucm122883.htm> (acessado em 02/2009).

GEUEKE, B.; RIEBEL, B.; HUMMEL, W. NADH oxidase from *Lactobacillus brevis*: a new catalyst for the regeneration of NAD. *Enzyme and Microbial Technol.* **2003**, *32*, 205-211.

GHANEM, A.; SCHURIG, V. Lipase-Catalyzed Irreversible Transesterification of 1-(2-Furyl)ethanol Using Isopropenyl Acetate. *Chirality*, **2001**, *13*, 118-123.

GRUBER, C. C.; LAVANDERA, I.; FABER, K.; KROUTIL, W. From a racemate to a single enantiomer: Deracemization by stereoinversion. *Adv. Synth. Catal.* **2006**, *348*, 1789-1805.

HALDANE, J. B. S. Enzymes. Longmans, *Green and Co.* London, **1930**.

HENRI, V. General Theory of Action of Certain Hydrolases. *Compt. Rend. Hebd. Acad. Sci.*, Paris, **1902**, *135*, 916-919.

HUERTA, F. F.; MINIDIS, A. B. E.; BÄCKVALL, J. E. Racemisation in asymmetric synthesis. Dynamic kinetic resolution and related processes in enzyme and metal catalysis. *Chem. Soc. Rev.*, **2001**, *30*, 321-331.

ISMAIEL, A. A.; ZHU, C. X.; COLBY, G. D.; CHEN, J. S. Purification and characterization of a primary-secondary alcohol dehydrogenase from two strains of *Clostridium beijerinckii*. *J Bacteriol.* **1993**, *175*, 5097-5105.9

ITSUNO, S.; HIRAO, A.; NAKAMURA, S.; YAMAZAKI, N. J. Asymmetric Synthesis Using Chirally Modified Borohydrides. Part I. Enantioselective Reduction of Aromatic Ketones with the Reagent Prepared from Borane and (*S*)-Valinol. *J. Chem. Soc. Perkin Trans. I.* **1983**, *8*, 1673-1676.

KALLBERG, Y.; PERSSON, B. Prediction of coenzyme specificity in dehydrogenases/reductases. A hidden Markov model-based method and its application on complete genomes. *Febs J.* **2006**, *273*, 1177-1184.

KROUTIL, W.; FABER, K. Deracemization of compounds possessing a *sec*-alcohol or -amino group through a cyclic oxidation-reduction sequence: a kinetic treatment. *Tetrahedron: Asymmetry.* **1998**, *9*, 2901-2913.

KROUTIL, W.; MANG, H.; EDEGGER, K.; FABER, K. Biocatalytic Oxidation of Primary and Secondary Alcohols. *Adv. Synth. Catal.* **2004**, *346*, 125-142.

KROUTIL, W.; MANG, H.; EDEGGER, K.; FABER, K. Recent advances in the biocatalytic reduction of ketones and oxidation of *sec*-alcohols. *Cur. Op. Chem. Biol.* **2004**, *8*, 120-126.

LERESCHE, J. E.; MEYER, H. Chemocatalysis and Biocatalysis (Biotransformation): Some Thoughts of a Chemist and of a Biotechnologist. *Org. Proc. Res. Dev.* **2006**, *10*, 572-580.

MANUAL DIFCO. Dehydrated Culture Media and Reagents for Microbiology. 10th Edition. *Difco Laboratories*. Detroit Michigan, **1984**.

MARTIN-MATUTE, B.; EDIN, M.; BOGAR, K.; KAYNAK, B.; BÄCKVALL, J. Combined Ruthenium(II) and Lipase Catalysis for Efficient Dynamic Kinetic Resolution of Secondary Alcohols. Insight into the Racemization Mechanism. *J. Am. Chem. Soc.* **2005**, *127*, 8817-8825.

MATSUDA, T.; NAKAJIMA, Y.; HARADA, T.; NAKAMURA, K. Asymmetric reduction of simple aliphatic ketones with dried cells of *Geotrichum candidum*. *Tetrahedron: Asymmetry*, **2002**, *13*, 971-974.

MAY, O.; VERSECK, S.; BOMMARIUS, A.; DRAUZ, K. Development of Dynamic Kinetic Resolution Processes for Biocatalytic Production of Natural and Nonnatural L-Amino Acids. *Org. Proc. Res. Dev.* **2002**, *6*, 452-457.

MINAS, W.; BAILEY, J. E.; DUETZ, W. Streptomycetes in micro-cultures: Growth, production of secondary metabolites, and storage and retrieval in the 96-well format. *Antonie van Leeuwenhoek*, **2000**, *78*, 297-305.

MIYAMOTO, K.; HIRANO, J.; OHTA, H. Efficient oxidation of alcohol by a 2-phenylethanol-degrading *Brevibacterium* sp. *Biotechnology Letters*. **2004**, *26*, 1385-1388.

MOORE, J. C.; POLLARD, D. J.; KOSJEK, B. DEVINE, P. N. Advances in the Enzymatic Reduction of Ketones. *Acc. Chem. Res.* **2007**, *40*, 1412-1419.

MUELLER, J. A.; JENSEN, D. R.; SIGMAN, M. S. Dual Role of (-)-Sparteine in the Palladium-Catalyzed Aerobic Oxidative Kinetic Resolution of Secondary Alcohols. *J. Am. Chem. Soc.* **2002**, *124*, 8202-8203.

NAEMURA, K.; MURATA, M.; TANAKA, R.; YANO, M.; HIROSE, K.; TOBE, Y. Enantioselective Acylation of Primary and Secondary Alcohols Catalyzed by Lipase QL from *Alcaligenes* sp.: A Predictive Active Site Model for Lipase QL to Identify which Enantiomer of an Alcohol Reacts Faster in this Acylation. *Tetrahedron: Asymmetry*. **1996**, *7*, 3285-3294.

Camila Rodrigues da Silva

NAKAMURA, K.; KAWAI, Y.; OHNO, A. Stereochemical Control of Microbial Reduction. Method for controlling the enantioselectivity of reduction with baker's yeast. *J. Org. Chem.* **1991**, *56*, 4778-4783.

NIE, Y.; XU, Y.; MU, X. Q.; WANG, H. Y.; YANG, M.; XIAO, R. Purification, Characterization, Gene Cloning, and Expression of a Novel Alcohol Dehydrogenase with Anti-Prelog Stereospecificity from *Candida parapsilosis*. *Appl. Environ. Microbiol.* **2007**, *73*, 3759-3764.

PÉREZ, H. I.; LUNA, H.; MANJARREZ, N.; SOLÍS, A.; NUÑEZ, M. A. Enantioselective oxidation of diaryl carbinols by *Nocardia coralina* B-276. *Tetrahedron: Asymmetry.* **2000**, *11*, 4263-4268.

PERRIN, D. D.; ARMAREGO, W. L. F. Purification of Laboratory Chemicals. 4th Edition. *Butterworth-Heinemann*. Oxford, **1996**.

PORTO, A. L. M.; COMASSETO, J. V.; OMORI, A. T.; ANDRADE, L. H.; ASSIS, L. F. Deracemization of Aryl Ethanol and Reduction of Acetophenones by Whole Fungal Cells of *Aspergillus terreus* CCT 4083, *Aspergillus terreus* CCT 3320 and *Rhizopus oryzae* CCT 4964. *Journal of Molecular Catalysis B: Enzymatic.* **2004**, *29*, 55-61.

ROUHI, A. M. Chiral Chemistry. *Chem. Eng. News.* **2002**, *80*, 43-50.

RIBAS, P. L.; ATRIAN, S.; GONZALEZ-DUARTE, R.; FORTHERGILL-GILMORE, L. A.; KELLY, S. M.; PRICE, N. C. Structural properties of long- and short-chain alcohol dehydrogenases. Contribution of NAD⁺ to stability. *Biochemical Journal.* **1991**, *276*, 433-438.

SAKAI, K.; HAMADA, N.; WATANABE, Y. Degradation Mechanism of Poly(vinyl alcohol) by Successive Reactions of Secondary Alcohol Oxidase and β -Diketone Hydrolase from *Pseudomonas* sp. *Agric. Biol. Chem.* **1986**, *50*, 989-996.

SILVERMAN, R. B. *The Organic Chemistry of Enzyme-Catalyzed Reactions*. Academic Press. London, **2000**.

STAMPFER, W.; KOSJEK, B.; FABER, K.; KROUTIL, W. Biocatalytic oxidative kinetic resolution of *sec*-alcohols: stereocontrol through substrate-modification. *Tetrahedron: Asymmetry*. **2003**, *14*, 275-280.

STINSON, S. ACS Award for Creative Research in Homogeneous or Heterogeneous Catalysis. *Chem. Eng. News*. **2001**, *79*, 34-35.

STRAATHOF, A. Quantitative Analysis of Industrial Biotransformations. *Industrial Biotransformations* (2nd Edition). **2006**, 515-520.

STRAUSS, U. T.; FELFER, U.; FABER, K. Biocatalytic transformation of racemates into chiral building blocks in 100% chemical yield and 100% enantiomeric excess. *Tetrahedron: Asymmetry*, **1999**, *10*, 107-117.

VOSS, C. V.; GRUBER, C. C.; KROUTIL, W. A biocatalytic one-pot oxidation/reduction sequence for the deracemisation of a *sec*-alcohol. *Tetrahedron: Asymmetry*. **2007**, *18*, 276-281.

VOSS, C. V.; GRUBER, C. C.; KROUTIL, W. Deracemization of Secondary Alcohols through a Concurrent Tandem Biocatalytic Oxidation and Reduction. *Angew. Chem. Int. Ed.* **2008**, *47*, 741-745.

WARSHEL, A.; AAQVIST, J.; CREIGHTON, S. Enzymes work by solvation substitution rather than by desolvation. *Proc. Natl. Acad. Sci.* **1989**, *86*, 5820-5824.

WELLS, A. What is in a Biocatalyst? *Org. Proc. Res. Dev.* **2006**, *10*, 678-681.

YADAV, J. S.; NANDA, S.; REDDY, P. T.; RAO, A. B. Efficient Enantioselective Reduction of Ketones with *Daucus carota* Root. *J. Org. Chem.* **2002**, *67*, 3900-3903.