

9. REFERÊNCIAS BIBLIOGRÁFICAS

1. Kaposi M. Idiopatisches multiples pigmentsarkom der haut. *Arch. Dermatol. Syphil.* 1872; 4: 742-749.
2. Hengge UR, Ruzicka T, Tying SK, Stuschke M, Roggendorf M, Schwartz RA, Seeber S. Update on Kaposi's sarcoma and other HHV8 associated diseases. Part 1: epidemiology, environmental predispositions, clinical manifestations, and therapy. *Lancet Infect Dis.* 2002; 2: 281-92.
3. Monini P, De Lellis L, Fabris M, Rigolin F, Cassai E. Kaposi's sarcoma-associated herpesvirus DNA sequences in prostate tissue and human semen. *N. Engl. J. Med.* 1996; 334: 1168-72.
4. Schultz ER, Rankin Jr GW, Blanc MP, Raden BW, Tsai CC, Rose TM. Characterization of Two Divergent Lineages of Macaque Rhadinoviruses Related to Kaposi's Sarcoma-Associated Herpesvirus. *J Virol.* 2000; 74 (10): 4919-28.
5. Lisitsyn N, Lisitsyn N, Wigler M. Cloning the differences between two complex genomes. *Science.* 1993; 259: 946-51.
6. Chang Y, Cesarman E, Pessin MS, Lee F, Culpepper J, Knowles DM, Moore PS. Identification of herpesvirus-like DNA sequences in AIDS-associated Kaposi's sarcoma. *Science.* 1994; 266: 1865-69.
7. Noel JC, Hermans P, Burny A. Herpesvirus-like DNA Sequences and Kaposi's Sarcoma. *Cancer.* 1996; 77: 2132-6.

8. Weiss RA, Whitby D, Talbot S, Kellam P, Boshoff C. Human Herpesvirus Type 8 and Kaposi's Sarcoma. *J. Nat. Cancer Inst. Monographs*. 1998; 23: 51-4.
9. Su IJ, Hsu YS, Chang YC, Wang IW. Herpesvirus-like DNA sequence in Kaposi's sarcoma from AIDS and non-AIDS patients in Taiwan. *Lancet*. 1995; 345: 722-3.
10. Roizman B. Herpesviridae. In: Fields, Knipe, Howley. *Fields Virology*, Ed. Philadelphia, 1996. p. 2221-30.
11. Mesri EA, Cesarman E, Arvanitakis L, Rafil S, Moore MAS, Posnett DN, Knowles DM, Asch AS. Human herpesvirus-8/Kaposi's sarcoma-associated herpesvirus is a new transmissible virus that infects B cells. *J. Exp. Med*. 1996; 183: 2385-90.
12. Lennette ET, Blackbourn DJ, Levy JA. Antibodies to human herpesvirus type 8 in the general population and in Kaposi's sarcoma patients. *Lancet*. 1996; 348: 858-61.
13. Cesarman E, Chang Y, Moore RS, Said JW, Knowles DM. Kaposi's sarcoma-associated herpesvirus-like DNA sequences in AIDS-related body-cavity-based lymphomas. *N. Engl. Med*. 1995; 332: 1186-91.
14. Huang YQ, Li JJ, Kaplan MH, Poiesz BJ, Zhang WC, Feiner D, Katabira E, Friedman-Kien AE. Herpesvirus-like nucleic acid in various forms of Kaposi's sarcoma. *Lancet*. 1995; 345: 759-61.
15. Rettig MB, Ma HJ, Vescio RA, Pold M, Schiller G, Belson D, Savage A, Nishikubo C, Wu C, Fraser J, Said JW, Berenson JR. Kaposi's sarcoma-associated herpesvirus infection of bone marrow dendritic

- cells from multiple myeloma patients. *Science*. 1997; 276 (5320):1851-4.
16. Soulier J, Grollet L, Oksenhendler E, Cacoub P, Cazals-Hatem D, Babinet P, d'Agay MF, Clauvel JP, Raphael M, Degos L, et al. Kaposi's sarcoma-associated herpesvirus-like DNA sequences in multicentric Castleman's disease. *Blood*. 1995; 86(4):1276-80.
17. Antinori A, Izzi I, Ammassari A, Camilli G, Murri R, Tamburrini E. Evaluation of different staging systems for Kaposi's sarcoma in HIV-infected patients. *J Cancer Res Clin Oncol*. 1992;118:635-6.
18. Krown SE, Metroka C, Wernz JC. Kaposi's sarcoma in the acquired immune deficiency syndrome: a proposal for uniform evaluation, response, and staging criteria. AIDS Clinical Trials Group Oncology Committee. *J Clin Oncol*. 1989;7:1201-7.
19. Kedes DH, Ganem D. Sensitivity of Kaposi's sarcoma-associated herpesvirus replication to antiviral drugs. Implications for potential therapy. *J Clin Invest*. 1997; 99:2082-6.
20. Sgadari C, Barillai G, Toschi E, Carlei D, Bacigalupo I, Bacarini S, Palladio C, Leone P, Bugarini R, Malavasi L, Cefaro A, Falchi M, Valdembri D, Rezza G, Bussolino F, Monini P, Ensoli B. HIV protease inhibitors are potent anti-angiogenic molecules and promote regression of Kaposi sarcoma. *Nat Med*. 2002; 8:225-32.
21. Lunardi-Iskandar Y, Bryant JL, Zernan RA, Lam VH, Samaniego F, Besnier JM, Hermans P, Thierry AR, Giel P, Gallo RC. Tumorigenesis and metastasis of neoplastic Kaposi's sarcoma cell line in

- immunodeficient mice blocked by a human pregnancy hormone. *Nature*. 1995; 375:65-8.
22. Marchell N, Alster TS. Successful treatment of cutaneous Kaposi's sarcoma by the 585-nm pulsed dye laser. *Dermatol Surg*. 1997; 23:973-5.
23. Epstein JB, Lazada-Nur F, Mcleod WA, Spinelli J. Oral Kaposi's sarcoma in acquired immunodeficiency syndrome. Review of management and report of the efficacy of intralesional vinblastine. *Cancer*. 1989; 64:2424-30.
24. Renne R, Zhong W, Herndier B, McGrath M, Abbey N, Kedes D, Ganem D. Lytic growth of Kaposi's sarcoma-associated herpesvirus (human herpesvirus 8) in culture. *Nat Med*. 1996; 2: 342-6.
25. Said JW, Chien K, Takeuchi S, Tasaka T, Asou H, Cho SK, de Vos S, Cesarman E, Knowles DM, Koeffler HP. Kaposi's sarcoma-associated herpesvirus (KSHV or HHV-8) in primary effusion lymphoma: ultrastructural demonstration of herpesvirus in lymphoma cells. *Blood*. 1996; 87: 4937-43.
26. Arvanitakis L, Mesri EA, Nador RG, Said JW, Asch AS, Knowles DM, Cesarman E. Establishment and characterization of a primary effusion (body cavity-based) lymphoma cell line (BC-3) harboring Kaposi's sarcoma-associated herpesvirus (KSHV/HHV-8) in the absence of Epstein-Barr virus. *Blood*. 1996; 88: 2648-54.
27. Sharp TV, Boshoff C. Kaposi's sarcoma-associated herpesvirus: from cell biology to pathogenesis. *IUBMB Life*. 2000; 49(2):97-104.

28. Specter S, Hodinka RL, Stephen A. Clinical virology. 3rd ed. Washington Library of Congress Cataloging-in-Publication Data. p.458,2000.
29. Russo JJ, Bohenzky RA, Chien MC, Chen J, Yan M, Maddalena D, Parry JP, Peruzzi D, Edelman IS, Chang Y, Moore PS. Nucleotide sequence of the Kaposi sarcoma-associated herpesvirus (HHV8). *Proc Natl Acad Sci U S A.* 1996;93(25):14862-7.
30. Neipel F, Albrecht JC, Fleckenstein B. Cell-homologous genes in the Kaposi's sarcoma-associated rhadinovirus human herpesvirus 8. Determinants of its pathogenicity? *J Virol.* 1997; 71:4187-92.
31. Moore PS, Gao SJ, Dominguez G, Cesarman E, Lungu O, Knowles DM, Garber R, Pellett PE, McGeoch DJ, Chang Y. Primary characterization of a herpesvirus agent associated with Kaposi's sarcomae. *J Virol.* 1996;70(1):549-58.
32. Zong JC, Metroka C, Reitz MS, Nicholas J, Hayward GS. Strain variability among Kaposi sarcoma-associated herpesvirus (human herpesvirus 8) genomes: evidence that a large cohort of United States AIDS patients may have been infected by a single common isolate. *J Virol.* 1997; 71(3): 2505-11.
33. Poole LJ, Zong JC, Ciufu DM, Alcendor DJ, Cannon JS, Ambinder R, Orenstein JM, Reitz MS, Hayward GS. Comparison of genetic variability at multiple loci across the genomes of the major subtypes of Kaposi's sarcoma-associated herpesvirus reveals evidence for

- recombination and for two distinct types of open reading frame K15 alleles at the right-hand end. *J Virol.* 1999; 73(8): 6646-60.
34. Zong JC, Ciufu DM, Alcendor DJ, Wan X, Nicholas J, Browning PJ, Rady PL, Tyring SK, Orenstein JM, Rabkin CS, Su IJ, Powell KF, Croxson M, Foreman KE, Nickoloff BJ, Alkan S, Hayward GS. High-level variability in the ORF-K1 membrane protein gene at the left end of the Kaposi's sarcoma-associated herpesvirus genome defines four major virus subtypes and multiple variants or clades in different human populations. *J Virol.* 1999; 73(5): 4156-70.
35. Cook RD, Hodgson TA, Waugh AC, Molyneux EM, Borgstein E, Sherry A, Teo CG, Porter SR. Mixed patterns of transmission of human herpesvirus-8 (Kaposi's sarcoma-associated herpesvirus) in Malawian families. *J Gen Virol.* 2002; 83: 1613-9.
36. Caterino-de-Araujo A. Human herpesvirus 8 group B and C variants circulating in São Paulo, Brazil (Correspondence). *J Infect Dis.* 1998; 177(4): 1136-7.
37. Di Alberti L, Piattelli A, Artese L, Favia G, Patel S, Saunders N, Porter SR, Scully CM, Ngui SL, Teo CG. Human herpesvirus 8 variants in sarcoid tissues. *Lancet.* 1997; 350(9092): 1655-61.
38. Biggar RJ, Whitby D, Marshall V, Linhares AC, Black F. Human herpesvirus 8 in Brazilian Amerindians: a hyperendemic population with a new subtype. *J Infect Dis.* 2000; 181(5): 1562-8.
39. Nascimento MC, Wilder N, Pannuti CS, Weiss HA, Mayaud P. Molecular characterization of Kaposi's sarcoma associated

- herpesvirus (KSHV) from patients with AIDS-associated Kaposi's sarcoma in São Paulo, Brazil. *J Clin Virol.* 2005; 33 (2005): 52-9.
40. Brielmeier M, Mautner J, Laux G, Hammerschmidt W. The latent membrane protein 2 gene of Epstein-Barr virus is important for efficient B cell immortalization. *J Gen Virol.* 1996; 77 (Pt 11): 2807-18.
41. Lacoste V, Judde JG, Briere J, Tulliez M, Garin B, Kassa-Kelembho E, Morvan J, Couppe P, Clyti E, Forteza Vila J, Rio B, Delmer A, Mauclere P, Gessain A. Molecular epidemiology of human herpesvirus 8 in Africa: both B and A5 K1 genotypes, as well as the M and P genotypes of K14.1/K15 loci, are frequent and widespread. *Virology.* 2000; 278(1):60-74.
42. Kedes DH, Ganem D. Sensitivity of Kaposi's sarcoma associated herpesvirus replication to antiviral drugs: implications for potential therapy. *J Clin Invest.* 1997; 9:2082.
43. Moore PS, Boshoff C, Weiss RA, Chang Y. Molecular mimicry of human cytokine and cytokine response pathway genes by KSHV. *Science.* 1996; 274(5293): 1739-44.
44. Hengge UR, Ruzicka T, Tyring SK, Stuschke M, Roggendorf M, Schwartz RA, Seeber S. Update on Kaposi's sarcoma and other HHV8 associated diseases. Part 2: pathogenesis, Castleman's disease, and pleural effusion lymphoma. *Lancet Infect Dis.* 2002;2(6):344-52.
45. Arvanitakis L, Geras-Raaka E, Varma A, Gershengorn MC, Cesarman E. Human herpesvirus KSHV encodes a constitutively active G-

- protein-coupled receptor linked to cell proliferation. *Nature*. 1997; 385:347-50.
46. Nicholas J, Ruvolo VR, Burns WH, Sandford G, Wan X, Ciuffo D, Hendrickson SB, Guo HG, Hayward GS, Reitz MS. Kaposi's sarcoma-associated human herpesvirus-8 encodes homologues of macrophage inflammatory protein-1 and interleukin-6. *Nat Med*. 1997;3(3):287-92.
47. Ensoli B, Nakamura S, Salahuddin SZ, Biberfeld P, Larsson L, Beaver B, Wong-Staal F, Gallo RC. AIDS-Kaposi's sarcoma-derived cells express cytokines with autocrine and paracrine growth effects. *Science*. 1989; 243(4888): 223-6.
48. Samaniego F, Markham PD, Gendelman R, Watanabe Y, Kao V, Kowalski K, Sonnabend JA, Pintus A, Gallo RC, Ensoli B. Vascular endothelial growth factor and basic fibroblast growth factor present in Kaposi's sarcoma (KS) are induced by inflammatory cytokines and synergize to promote vascular permeability and KS lesion development. *Am J Pathol*. 1998 Jun; 152(6): 1433-43.
49. Sturzl M, Ensoli B. Big but wak: how many pathogenic genes does human herpesvirus-8 need to cause Kaposi's sarcoma? (Review) *Int J Oncol*. 1999; 14:287-89.
50. Mesri EA. Inflammatory reactivation and angiogenicity of Kaposi's sarcoma-associated herpesvirus/HHV-8: a missing link in the pathogenesis of acquired immunodeficiency syndrome-associated Kaposi's sarcoma. *Blood*. 1999; 93:4031-33.

51. Cai J, Zheng T, Lotz M, Zhang Y, Masood R, Gill P. Glucocorticoids induce Kaposi's sarcoma cell proliferation through the regulation of transforming growth factor-beta. *Blood*. 1997; 89:1491-500.
52. Miles SA, Martinez-Maza O, Rezai A, Magpantay L, Kishimoto T, Nakamura S, Radka SF, Linsley PS. Oncostatin M as a potent mitogen for AIDS-Kaposi's sarcoma-derived cells. *Science*. 1992; 255(5050): 1432-4.
53. Lagunoff M, Bechtel J, Venetsanakos E, Roy AM, Abbey N, Herndier B, McMahon M, Ganem D. De novo infection and serial transmission of Kaposi's sarcoma-associated herpesvirus in cultured endothelial cells. *J Virol*. 2002; 76(5): 2440-8.
54. Skobe M, Brown LF, Tognazzi K, Ganju RK, Dezube BJ, Alitalo K, Detmar M. Vascular endothelial growth factor-C (VEGF-C) and its receptors KDR and flt-4 are expressed in AIDS-associated Kaposi's sarcoma. *J Invest Dermatol*. 1999; 113(6): 1047-53.
55. Roizman B. Herpesviridae. In: Fields Virology, 3^o ed. Fields, Knipe, Howley. Ed. Philadelphia. 1996;p:2221-30.
56. Kedes DH, Operskalski E, Busch M, Kohn R, Flood J, Ganem D. The seroepidemiology of human herpesvirus 8 (Kaposi's sarcoma-associated herpesvirus): distribution of infection in KS risk groups and evidence for sexual transmission. *Nat Med*. 1996;2(8):918-24.
57. Decker LL, Shankar P, Khan G, Freeman RB, Dezube BJ, Lieberman J, Thorley-Lawson DA. The Kaposi sarcoma-associated herpesvirus (KSHV) is present as an intact latent genome in KS tissue but

- replicates in the peripheral blood mononuclear cells of KS patients. *J Exp Med.* 1996 Jul 1;184(1):283-8.
58. Friborg J Jr, Kong W, Hottiger MO, Nabel GJ. p53 inhibition by the LANA protein of KSHV protects against cell death. *Nature.* 1999; 402(6764): 889-94.
59. Chang Y, Moore PS, Talhot SJ, Boshoff CH, Zarkowska T, Golden K, Paterson H, Weiss RA, Mittnacht S. Cyclin encoded by KS herpesvirus. *Nature.* 1996; 382:410.
60. Rainbow L, Platt GM, Simpson GR, Sarid R, Gao SJ, Stoiber H, Herrington CS, Moore PS, Schulz TF. The 222- to 234-kilodalton latent nuclear protein (LNA) of Kaposi's sarcoma-associated herpesvirus (human herpesvirus 8) is encoded by orf73 and is a component of the latency-associated nuclear antigen. *J Virol.* 1997; 71(8): 5915-21.
61. Cesarman E, Nador RG, Bai F, Bohenzky RA, Russo JJ, Moore PS, Chang Y, Knowles DM. Kaposi's sarcoma-associated herpesvirus contains G protein-coupled receptor and cyclin D homologs which are expressed in Kaposi's sarcoma and malignant lymphoma. *J Virol.* 1996; 70(11): 8218-23.
62. Sarid R, Sato T, Bohenzky RA, Russo JJ, Chang Y. Kaposi's sarcoma-associated herpesvirus encodes a functional bcl-2 homologue. *Nat Med.* 1997; 3(3): 293-8.
63. Thome M, Schneider P, Hofmann K, Fickenscher H, Meinel E, Neipel F, Mattmann C, Burns K, Bodmer JL, Schroter M, Scaffidi C, Krammer

- PH, Peter ME, Tschopp J. Viral FLICE-inhibitory proteins (FLIPs) prevent apoptosis induced by death receptors. *Nature*. 1997; 386(6624): 517-21.
64. Staskus KA, Zhong W, Gebhard K, Herndier B, Wang H, Renne R, Beneke J, Pudney J, Anderson DJ, Ganem D, Haase AT. Kaposi's sarcoma-associated herpesvirus gene expression in endothelial (spindle) tumor cells. *J Virol*. 1997; 71(1): 715-9.
65. Neipel F, Fleckenstein B. The role of HHV 8 in Kaposi's sarcoma. *Semin Cancer Biol*. 1999; 9:151-64.
66. Hong A, Lee CS. Timely topic. The emerging role of the human herpesvirus 8 (HHV-8) in human neoplasia. *Pathology*. 2001; 33:461-8.
67. Leao JC, Caterino-De-Araujo A, Porter SR, Scully C. Human herpesvirus 8 (HHV-8) and the etiopathogenesis of Kaposi's sarcoma. *Rev Hosp Clin Fac Med Sao Paulo*. 2002; 57(4): 175-86.
68. Aluigi MG, Albini A, Carlone S, Repetto L, Demarchi R, Icardi A, Moro M, Noonan D, Benelli R. KSHV sequences in biopsies and cultured spindle cells of epidemic, iatrogenic and mediterranean forms of Kaposi's sarcoma. *Res Virol*. 1996; 147:267-75.
69. Renwick N, Halaby T, Weverling GJ, Dukers NH, Simpson GR, Coutinho RA, Lange JM, Schulz TF, Goudsmit J. Seroconversion for human herpesvirus 8 during HIV infection is highly predictive of Kaposi's sarcoma. *AIDS*. 1998; 12(18): 2481-8.

70. Gao SJ, Kingsley L, Li M, Zheng W, Parravicini C, Ziegler J, Newton R, Rinaldo CR, Saah A, Phair J, Detels R, Chang Y, Moore PS. KSHV antibodies among Americans, Italians and Ugandans with and without Kaposi's sarcoma. *Nat Med*. 1996; 2(8): 925-8.
71. Martin JN, Ganem DE, Osmond DH, Page-Shafer KA, Mocrae D, Kedes DH. Sexual transmission and the natural history of human herpesvirus 8 infection. *N Engl J Med*. 1998; 338(14): 948-54.
72. Pauk J, Huang ML, Brodie SJ, Wald A, Koelle DM, Schacker T, Celum C, Selke S, Corey L. Mucosal shedding of human herpesvirus 8 in men. *N Engl J Med*. 2000; 343(19): 1369-77.
73. Dukers NH, Renwick N, Prins N, Geskus RB, Schulz TF, Weverling GJ, Coutinho RA, Goudsmit J. Risk factors for human herpesvirus 8 seropositivity and seroconversion in a cohort of homosexual men. *Am J Epidemiol*. 2000; 151(3): 213-24.
74. Vitale F, Viviano E, Perna AM, Bonura F, Mazzola G, Ajello F, Romano N. Serological and virological evidence of non-sexual transmission of human herpesvirus type 8 (HHV8). *Epidemiol Infect*. 2000; 125(3): 671-5.
75. Whitby D, Luppi M, Sabin C, Barozzi P, Di Biase AR, Balli F, Cucci F, Weiss RA, Boshoff C, Torelli G. Detection of antibodies to human herpesvirus 8 in Italian children: evidence for horizontal transmission. *Br J Cancer*. 1996; 65: 200-3.

76. Ziegler JL, Katongole-Mbidde E. Kaposi's sarcoma in childhood: An analysis of 100 cases from Uganda and relationship to HIV infection. *Int J Cancer*. 1996; 177: 1715-18.
77. Angeloni A, Heston L, Uccini S, Sirianni MC, Cottoni F, Masala MV, Cerimele D, Lin SF, Sun R, Rigsby M, Faggioni A, Miller G. High Prevalence of Antibodies to Human Herpesvirus 8 in Relatives of Patients with Classic Kaposi's Sarcoma from Sardinia. *J Infect Dis*. 1998; 177: 1715-8.
78. Lyall EG, Patton GS, Sheldon J, Stainsby C, Mullen J, O'Shea S, Smith NA, De Ruiter A, McClure MO, Schulz TF. Evidence for horizontal and not vertical transmission of human herpesvirus 8 in children born to human immunodeficiency virus-infected mothers. *Pediatr Infect Dis J*. 1999; 18(9): 795-9.
79. Beral V, Bull D, Darby S, Weller I, Carne C, Beecham M, Jaffe H. Risk of Kaposi's sarcoma and sexual practices associated with faecal contact in homosexual or bisexual men with AIDS. *Lancet*. 1992; 339(8794): 632-5.
80. Corey L, Brodie S, Huang ML, Koelle DM, Wald A. HHV-8 infection: a model for reactivation and transmission. *Med Virol*. 2002; 12: 47-63.
81. MacCarthy GA, Kampmann B, Novelli V, Miller RF, Mercey DE. Vertical transmission of Kaposi's sarcoma. *Arch Dis Child*. 1996; 74: 455-7.
82. Gessain A, Mauclore P, van Beveren M, Plancoulaine S, Ayouba A, Essame-Oyono JL, Martin PM, de The G. Human herpesvirus 8

- primary infection occurs during childhood in Cameroon, Central Africa. *Int J Cancer*. 1999; 81(2): 189-92.
83. Olsen SJ, Chang Y, Moore PS, Biggar RJ, Melbye M. Increasing Kaposi's sarcoma-associated herpesvirus seroprevalence with age in a highly Kaposi's sarcoma endemic region, Zambia in 1985. *AIDS*. 1998; 12(14): 1921-5.
84. Andreoni M, El-Sawaf G, Rezza G, Ensoli B, Nicastri E, Ventura L, Ercoli L, Sarmati L, Rocchi G. High seroprevalence of antibodies to human herpesvirus-8 in Egyptian children: evidence of nonsexual transmission. *J Natl Cancer Inst*. 1999; 91(5): 465-9.
85. Plancoulaine S, Abel L, van Beveren M, Tregouet DA, Joubert M, Tortevoeye P, de The G, Gessain A. Human herpesvirus 8 transmission from mother to child and between siblings in an endemic population. *Lancet*. 2000;356(9235):1062-5.
86. Rezza G, Dorrucchi M, Serraino D, Andreoni M, Giuliani M, Zerboni R, Sarmati L, Colangeli V, Salassa B, Monini P, Ensoli B, Pezzotti P. Incidence of Kaposi's sarcoma and HHV-8 seroprevalence among homosexual men with known dates of HIV seroconversion. Italian Seroconversion Study. *AIDS*. 2000; 14(11): 1647-53.
87. Wilkinson DJ, Sheldon J, Gilks CF, Shulz TF. Prevalence of infection with human herpesvirus 8 /Kaposi's sarcoma-associated herpesvirus in rural South Africa. *S Afr Med J*. 1999; 89(5): 554-7.
88. Bourbolia D, Whitby D, Boshoff C, Newton R, Beral V, Carrara H, Lane A, Sitas F. Serologic evidence for mother-to-child transmission of

- Kaposi's sarcoma-associated herpesvirus infection. *JAMA*. 1998; 280(1): 31-2.
89. He J, Bhat G, Kankasa C, Chintu C, Mitchell C, Duan W, Wood C. Seroprevalence of human herpesvirus 8 among Zambian women of childbearing age without Kaposi's sarcoma (KS) and mother-child pairs with KS. *J Infect Dis*. 1998; 178:1787-90.
90. Mantina H, Kankasa C, Klaskala W, Brayfield B, Campbell J, Du Q, Bhat G, Kasolo F, Mitchell C, Wood C. Vertical transmission of Kaposi's sarcoma-associated herpesvirus. *Int J Cancer*. 2001; 94(5): 749-52.
91. Lyall EG, Patton GS, Sheldon J, Stainsby C, Mullen J, O'Shea S, Smith NA, De Ruiter A, McClure MO, Schulz TF. Evidence for horizontal and not vertical transmission of human herpesvirus 8 in children born to human immunodeficiency virus-infected mothers. *Pediatr Infect Dis J*. 1999; 18(9): 795-9.
92. Kedes DH, Ganem D, Amelin N, Bacchetti P, Greenblatt R. The prevalence of serum antibody to human herpesvirus 8 (Kaposi's sarcoma-associated herpesvirus) among HIV-seropositive and high-risk HIV-seronegative women. *JAMA*. 1997a; 277(6): 478-81.
93. Calabro ML, Fiore JR, Favero A, Lepera A, Saracino A, Angarano G, Shulz TF, Chieco-Bianchi. Detection of human herpesvirus 8 in cervicovaginal secretion and seroprevalence in human immunodeficiency virus type 1-seropositive and-seronegative women. *J Infect Dis*. 1999; 179: 1534-7.

94. Whitby D, Smith NA, Matthews S, O'Shea S, Sabin CA, Kula Segarom R, Boshoff C, Weiss RA, Ruiter A, Best JM. Human herpesvirus 8: Seroepidemiology among women and detection in the genital tract of seropositive women. *J Infect Dis.* 1999; 179(1): 234-6.
95. Dollard SC, Neelson KE, Ness PM, Stambolis V, Kuehnert MJ, Pellet PE, Cannon MJ. Possible transmission of human herpesvirus-8 by blood transfusion in a historical United States cohort. *Transfusion.* 2005; 45: 500-3.
96. Cannon M, Cesarman E. Kaposi's sarcoma-associated herpes virus and acquired immunodeficiency syndrome-related malignancy. *Semin Oncol.* 2000 Aug; 27(4): 409-19.
97. Frances C, Mouquet C, Marcelin AG, Barete S, Agher R, Charron D, Benalia H, Dupin N, Piette JC, Bitker MO, Calvez V. Outcome of kidney transplant recipients with previous human herpesvirus-8 infection. *Transplantation.* 2000; 69(9): 1776-9.
98. Parravicini C, Olsen SJ, Capra M, Poli F, Sirchia G, Gao SJ, Berti E, Nocera A, Rossi E, Bestetti G, Pizzuto M, Galli M, Moroni M, Moore PS, Corbellino M. Risk of Kaposi's sarcoma-associated herpes virus transmission from donor allografts among Italian posttransplant Kaposi's sarcoma patients. *Blood.* 1997; 90(7): 2826-9.
99. Regamey N, Tamm M, Wernli M, Witschi A, Thiel G, Cathomas G, Erb P. Transmission of human herpesvirus 8 infection from renal-transplant donors to recipients. *N Engl J Med.* 1998; 339(19): 1358-63.

100. Nocera A, Corbellino M, Valente U, Barocci S, Torre F, De Palma R, Sementa A, Traverso GB, Icardi A, Fontana I, Arcuri V, Poli F, Cagetti P, Moore P, Parravicini C. Posttransplant human herpes virus 8 infection and seroconversion in a Kaposi's sarcoma affected kidney recipient transplanted from a human herpes virus 8 positive living related donor. *Transplant Proc.* 1998; 30(5): 2095-6.
101. Cattani P, Capuano M, Graffeo R, Ricci R, Cerimele F, Cerimele D, Nanni G, Fadda G. Kaposi's sarcoma associated with previous human herpesvirus 8 infection in kidney transplant recipients. *J Clin Microbiol.* 2001; 39(2): 506-8.
102. Frances C, Mouquet C, Calvez V. Human herpesvirus 8 and renal transplantation. *N Engl J Med.* 1999; 340:1045-6.
103. Luppi M, Barozzi P, Schulz TF, Setti G, Staskus K, Trovato R, Narni F, Donelli A, Maiorana A, Marasca R, Sandrini S, Torelli G. Bone marrow failure associated with human herpesvirus 8 infection after transplantation. *N Engl J Med.* 2000; 343(19): 1378-85.
104. Milliancourt C, Barete S, Marcelin AG, Mouquet C, Dupin N, Frances C, Agut H, Bitker MO, Calvez V. Human herpesvirus-8 seroconversions after renal transplantation. *Transplantation.* 2001; 72(7): 1319-20.
105. Almuneef M, Nimjee S, Khoshnood K, Miller G, Rigsby MO. Prevalence of antibodies to human herpesvirus 8 (HHV-8) in Saudi Arabian patients with and without renal failure. *Transplantation.* 2001; 71(8): 1120-4.

106. Schulz TF, Moore PS. Kaposi's sarcoma-associated herpesvirus: a new human tumor virus, but how? *Trends Microbiol.* 1999; 7:196-200.
107. Pellett PE, Wright DJ, Engels EA, Ablashi DV, Dollard SC, Forghani B, Glynn SA, Goedert JJ, Jenkins FJ, Lee TH, Neipel F, Todd DS, Whitby D, Nemo GJ, Busch MP; Retrovirus Epidemiology Donor Study. *Transfusion.* 2003; 43(9): 1260-8.
108. Chatlynne LG, Lapps W, Handy M, Huang YQ, Masood R, Hamilton AS, Said JW, Koeffler HP, Kaplan MH, Friedman-Kien A, Gill PS, Whitman JE, Ablashi DV. Detection and titration of human herpesvirus-8-specific antibodies in sera from blood donors, acquired immunodeficiency syndrome patients, and Kaposi's sarcoma patients using a whole virus enzyme-linked immunosorbent assay. *Blood.* 1998; 92(1): 53-8.
109. Hudnall SD, Chen T, Rady P, Tyring S, Allison P. Human herpesvirus 8 seroprevalence and viral load in healthy adult blood donors. *Transfusion.* 2003; 43(1): 85-90.
110. Baillargeon J, Deng JH, Hettler E, Harrison C, Grady JJ, Korte LG, Alexander J, Montalvo E, Jenson HB, Gao SJ. Seroprevalence of Kaposi's sarcoma-associated herpesvirus infection among blood donors from Texas. *Ann Epidemiol.* 2001; 11(7): 512-8.

111. Blackbourn DJ, Ambroziak J, Lennette ET, Adams M, Ramachadran B, Jay a Levy JA. Infectious human herpesvirus 8 in a helthy North American blood donor. *Lancet*. 1997; 349: 609-11.
112. Simpson GR, Schulz TF, Whitby D, Cook PM, Boshoff C, Rainbow L, Howard MR, Gao SJ, Bohenzky RA, Simmonds P, Lee C, Ruitter A, Hatzakis A, Tedder RS, Weller IVD, Weiss RA, Moore PS. Prevalence of Kaposi's sarcoma associated herpesvirus infection measured by antibodies to recombinant capsid protein and latent immunofluorescence antigen. *Lancet*. 1996; 349: 1133-8.
113. Juhasz A, Remenyik E, Konya J, Veress G, Begany A, Andirko I, Medgyessy I, Hunyadi J, Gergely L. Prevalence and age distribution of human herpesvirus-8 specific antibodies in Hungarian blood donors. *J Med Virol*. 2001; 64(4): 526-30.
114. Regamey N, Cathomas G, Schwager M, Wernli M, Harr T, Erb P. High Human Herpesvirus 8 Seroprevalence in the Homosexual Population in Switzerland. *J Clin Microbiol*. 1998; 24: 1784-6.
115. Gambús G, Bourboulia D, Esteve A, Lahoz R, Rodrigues C, Bolao F, Sirera G, Muga R, Del Romero J, Boshoff C, Whitby D, Casabona J. Prevalence and distribution of HHV-8 in different subpopulations, with and without HIV infection, in Spain. *AIDS*. 2001; 15: 1167-74.
116. Withby D, Luppi M, Barozzi P, Boshoff C, Weiss RA, Torelli G. Human Herpesvirus 8 Seroprevalence in Blood Donors and

- Lymphoma Patients From Different Regions of Italy. *J Natl Cancer Inst.* 1998; 4(5): 395-7.
117. Kouri V, Eng SM, Rodrigues ME, Resik S, Orraca O, Moore PS, Chang Y. Seroprevalence of Kaposi's sarcoma-associated herpesvirus in various populations in Cuba. *Rev Panam Salud Publica.* 2004; 15(5): 320-5.
118. Kozireva S, Nemceva G, Danilane I, Pavlova O, Blomberg J, Murovska M. Prevalence of blood-borne viral infections (cytomegalovirus, human herpesvirus-6, human herpesvirus-7, human herpesvirus-8, human T-cell lymphotropic virus-I/II, human retrovirus-5) among blood donors in Latvia. *Ann Hematol.* 2001; 80(11): 669-73.
119. Fujii T, Taguchi H, Katano H, Mori S, Nakamura T, Nojiri N, Nakajima K, Tadokodo K, Juji T, Iwamoto A. Seroprevalence of Human Herpesvirus 8 in Human Immunodeficiency Virus 1-Positive and Human Immunodeficiency Virus 1-Negative Populations in Japan. *J Med Virol.* 1999; 57: 159-62.
120. Enbom M, Urassa W, Massambu C, Thorstensson R, Mhalu F, Linde A. Detection of human herpesvirus 8 DNA in serum from blood donors with HHV-8 antibodies indicates possible bloodborne virus transmission. *J Med Virol.* 2002; 68(2): 264-7.
121. Bélec L, Cancré N, Hallouin MC, Morvan J, Si Mohamed A, Grésenguet G. High prevalence in Central África of blood donors who are potentially infectious for human herpesvirus 8. *Transfusion.* 1998; 38: 771-4.

122. Wang YF, Lee SB, Cheng LCW, Tai MH, Su IJ. Detection of serum antibodies to three different recombinant antigens of human herpesvirus 8 by immunoblotting: seroprevalence studies in Taiwan. *Clin Chimic Acta*. 2002; 320: 37-42.
123. Baillargeon J, Leach CT, Deng JH, Gao SJ, Jenson HB. High Prevalence of Human Herpesvirus 8 (HHV-8) Infection in South Texas Children. *J Med Virol*. 2002;67:542-8.
124. Sitas F, Newton R, Boshoff C. Increasing probability of mother-to-child transmission of HHV-8 with increasing maternal antibody titer for HHV-8. *N Engl J Med*. 1999; 340(24):1923.
125. Smith NA, Sabin CA, Gopal R, Bourboullia D, Labbet W, Boshoff C, Barlow D, Band B, Peters BS, de Ruiter A, Brown DW, Weiss RA, Best JM, Whitby D. Serologic evidence of human herpesvirus 8 transmission by homosexual but not heterosexual sex. *J Infect Dis*. 1999;180(3):600-6.
126. Preiser W, Szép NI, Lang D, Doerr HW, Rabenau HF. Kaposi's sarcoma-associated herpesvirus seroprevalence in selected German patients: evaluation by different test systems. *Med Microbiol Immunol*. 2001; 190:121-7.
127. Souza VAUF, Constantine N, Nascimento MC. Prevalence of antibodies to human herpesvirus type 8 (HHV-8) in high risk populations. *Virus Rev Res*. 1998;1(3)-115.
128. Zhang X, Fitzpatrick L, Campbell TB, Badaro R, Schechter M, Melo M, Brites C, Pedral-Sampaio D, Schooley RT. Comparison of the

- prevalence of antibodies to human herpesvirus 8 (Kaposi's sarcoma-associated herpesvirus) in Brazil and Colorado. *J Infect Dis.* 1998; 178(5): 1488-91
129. Caterino-de-Araujo A, Calabro ML, de los Santos-Fortuna E, Suleiman J, Chieco-Bianchi L. Searching for human herpesvirus 8 antibodies in serum samples from patients infected with human immunodeficiency virus type 1 and blood donors from São Paulo, Brazil. *J Infect Dis.* 1999; 179(6): 1591-2.
130. Carerino-de-Araujo A, Cibella SEL. Searching for antibodies to HHV-8 in children born to HIV-1 infected mothers from São Paulo, Brazil. Relationship to maternal infection. *J Trop Pediatr.* 2003; 49(4):247-50.
131. Machado DM, Sumita LM, Pannuti CS, Succi RCM, Moraes-Pinto MI, Souza VAUF. Seroprevalence of human herpesvirus 8 infection in children born to HIV-1-infected women in São Paulo, Brazil. *Braz J Med Biol Res.* 2005; 35: 237-40.
132. Caterino-de-Araujo A, Santos-Fortuna E, Carbone PHL, Cibella SEL, Moreira AA. Human Herpesvirus-8 Antibodies in Women From São Paulo, Brazil. Association With Behavioral Factors and Kaposi's Sarcoma. *Braz J Infect Dis.* 2003; 7(6): 395-401.
133. Freitas RB, Freitas MR, Linhares AC. Prevalence of Human Herpesvirus 8 antibodies in the Population of Belém, Pará, Brazil. *Rev Inst Med Trop São Paulo.* 2002; 44(6): 309-13.

134. Keller R, Zago A, Viana MC, Bourboulia D, Desgranges C, Casseb J, Moura WW, Dietze R, Collandre H. HHV-8 infection in patients with AIDS-related Kaposi's sarcoma in Brazil. *Braz J Med Biol Res.* 2001; 34(7): 879-86.
135. Caterino-de-Araujo A, Calabrò ML, Favero A, Santos-Fortuna E, Del Mistro A, Alves VAF, Chieco-Bianchi L. Detection of Herpes Virus (KSHV) DNA Sequences in Brazilian Patients With AIDS-Associated Kaposi's sarcoma. *Braz J Infect Dis.* 1997; 1(5): 256-59.
136. Souza VAUF, Sumita LM, Sato HK, Grandi JL, Pierrotti LC, Nascimento MC, Pannuti CS. Prevalence of antibodies to human herpesvirus-8 in populations with and without risk for infection in São Paulo State. *Braz J Med Biol Res.* 2004; 37:123-7.
137. Cunha A, Costa SC, Lima CSP, Ortega M, Costa FF. Low Incidence of Human Herpesvirus 8 in Bone Marrow Samples from Brazilian Patients with Multiple Myeloma. *Acta Haematol.* 2001; 105:247-8.
138. Pérez C, Tous M, Gallego S, Zala N, Rabinovich O, Garbiero S, Martínez MJ, Cunha AMG, Camino S, Cámara A, Costa SCB, Larrondo M, Francalancia V, Landreau F, Bartomioli MA. Seroprevalence of Human Herpesvirus-8 in Blood Donors From Different Geographical Regions of Argentina, Brazil, and Chile. *J Med Virol.* 2004; 72:661-7.
139. Pierrotti LC, Etzel A, Sumita LM, Braga PE, Eluf-Neto J, Souza VAUF, Segurado AAC. Human Herpesvirus 8 (HHV-8) Infection in

-
- HIV/AIDS Patients From Santos, Brazil: Seroprevalence and Associated Factors. *Sex Transm Dis.* 2005; 32 (1): 57-63.
140. Barete S, Calvez V, Mouquet C, Barrou B, Kreis H, Dantal J, Dorent R, Durand F, Dimitrov Y, Dupin N, Marcelin AG, Piette JC, Bitker MO, Frances C. Clinical features and contribution of virological findings to the management of Kaposi sarcoma in organ-allograft recipients. *Arch Dermatol.* 2000; 136(12): 1452-8.
141. Said JW, Rettig MR, Heppner K, Vescio RA, Schiller G, Ma HJ, Belson D, Savage A, Shintaku IP, Koeffler HP, Asou H, Pinkus G, Pinkus J, Schrage M, Green E, Berenson JR. Localization of Kaposi's sarcoma-associated herpesvirus in bone marrow biopsy samples from patients with multiple myeloma. *Blood.* 1997;90(11):4278-82.
142. Parravinci C, Corbellino M, Paulli M, Magrini U, Lazzarino M, Moore PS, Chang Y. Expression of a virus-derived cytokine, KSHV vIL-6, in HIV-seronegative Castleman's disease. *Am J Pathol.* 1997; 151(6): 1517-22.
143. Chauhan D, Bharti A, Raje N, Gustafson E, Pinkus GS, Pinkus JL, Teoh G, Hideshima T, Treon SP, Fingerroth JD, Anderson KC. Detection of Kaposi's sarcoma herpesvirus DNA sequences in multiple myeloma bone marrow stromal cells. *Blood.* 1999; 93(5): 1482-6.
144. MacKenzie J, Sheldon J, Morgan G, Cook G, Schulz TF, Jarrett RF. HHV-8 and multiple myeloma in the UK. *Lancet.* 1997; 350(9085): 1144-5.

145. Tisdale JF, Stewart AK, Dickstein B, Little RF, Dube I, Cappe D, Dunbar CE, Brown KE. Molecular and serological examination of the relationship of human herpesvirus 8 to multiple myeloma: orf 26 sequences in bone marrow stroma are not restricted to myeloma patients and other regions of the genome are not detected. *Blood*. 1998; 92(8): 2681-7.
146. Harwood AR, Osoba D, Hofstader SL, Goldstein MB, Cardella CJ, Holecek MJ, Kunynetz R, Giammarco RA. Kaposi's sarcoma in recipients of renal transplants. *Am J Med*. 1979;67(5):759-65.
147. Safai B, Mike V, Giraldo G, Beth E, Good RA. Association of Kaposi's sarcoma with second primary malignancies: possible citopathogenic implications. *Cancer*. 1980; 45:1472-9.
148. Kestens L, Melbye M, Biggar RJ, Stevens WJ, Piot P, De Muynck A, Taelman H, De Feyter M, Paluku L, Gigase PL. Endemic African Kaposi's sarcoma is not associated with immunodeficiency. *Int J Cancer*. 1985;36(1):49-54.
149. Beral V, Peterman TA, Berkelman RL, Jaffe HW. Kaposi's sarcoma among persons with AIDS: a sexually transmitted infection? *Lancet*. 1990; 335(8682): 123-8.
150. Haverkos HW, Drotman DP. Prevalence of Kaposi's sarcoma among patients with AIDS. *N Engl J Med*. 1985; 312:1518.
151. Silverman S Jr, Migliorati CA, Lozada-Nur F, Greenspan D, Conant MA. Oral findings in people with or at high risk for AIDS: a

- study of 375 homosexual males. *J Am Dent Assoc.* 1986; 112:187-92.
152. Shuler JD, Holland GN, Miles SA, Miller BJ, Grossman I. Kaposi sarcoma of the conjunctiva and cyclids associated with the acquired immunodeficiency syndrome. *Arch Ophthalmol.* 1989; 107:858-62.
153. Murphy M, Armstrong D, Sepkowitz KA, Ahkami RN, Myskowski PL. Regression of AIDS-related Kaposi's sarcoma following treatment with an HIV-1 protease inhibitor. *AIDS.* 1997; 11:261-2.
154. Aboulafia DM. Regression of acquired immunodeficiency syndrome-related pulmonary Kaposi's sarcoma after highly active antiretroviral therapy. *Mayo Clin Proc.* 1998; 73:439-43.
155. Penn I. The changing pattern of posttransplant malignancies. *Transplant Proc.* 1991;23:1101-3.
156. Penn I. Kaposi's sarcoma in transplants recipients. *Transplantation.* 1997; 64:669.
157. Farge D. Kaposi's sarcoma in organ transplant recipients: The collaborative Transplantation Research Group of Ile de France. *Eur J Med.* 1993; 2:339-43.
158. Frances C. "Clinical update" Kaposi's sarcoma after renal transplantation. *Nephrol Dial Transplant.* 1998; 13:2768.
159. Brooks JJ. Kaposi's sarcoma: a reversible hyperplasia. *Lancet.* 1986; 2:1309-11.
160. Brenner B, Rakowsky E, Katz A, Gutman H, Sulkes A, Schacter J, Fenig E. Tailoring treatment for classical Kaposi's

- sarcoma: comprehensive clinical guidelines. *Int J Oncol.* 1999;14:1097-1102.
161. Castleman B, Iverson L, Menendez V. Localized mediastinal lymphnode hyperplasia resembling thymoma. *Cancer.* 1956; 9:822.
162. Hsiao CJ, Hsu MM, Lee JY, Chen WC, Hsieh WC. Paraneoplastic pemphigus in association with a retroperitoneal Castleman's disease presenting with a lichen planus pemphigoides-like eruption. A case report and review of literature. *Br J Dermatol.* 2001; 144:372-6.
163. Oksenhendler E, Duarte M, Soulier J, Cacoub P, Welker Y, Cadranet J, Cazals-Hatem D, Autran B, Clauvel JP, Raphael M. Multicentric Castleman's disease in HIV infection: a clinical and pathological study of 20 patients. *AIDS.* 1996; 10(1):61-7.
164. Katano H, Sato Y, Kurata T, Mori S, Sata T. Expression and localization of human herpesvirus 8-encoded proteins in primary effusion lymphoma, Kaposi's sarcoma, and multicentric Castleman's disease. *Virology.* 2000; 269:335-44.
165. Dupin N, Fisher C, Kellam P, Ariad S, Tulliez M, Franck N, van Marck E, Salmon D, Gorin I, Escande JP, Weiss RA, Alitalo K, Boshoff C. Distribution of human herpesvirus-8 latently infected cells in Kaposi's sarcoma, multicentric Castleman's disease, and primary effusion lymphoma. *Proc Natl Acad Sci U S A.* 1999; 96(8): 4546-51.
166. Grandadam M, Dupin N, Calvez V, Gorin I, Blum L, Kernbaum S, Sicard D, Buisson Y, Agut H, Escande JP, Huraux JM.

Exacerbations of clinical symptoms in human immunodeficiency virus type 1-infected patients with multicentric Castleman's disease are associated with a high increase in Kaposi's sarcoma herpesvirus DNA load in peripheral blood mononuclear cells. *J Infect Dis.* 1997; 175(5): 1198-201.

167. Du MQ, Liu H, Diss TC, Ye H, Hamoudi RA, Dupin N, Meignin V, Oksenhendler E, Boshoff C, Isaacson PG. Kaposi sarcoma-associated herpesvirus infects monotypic (IgM lambda) but polyclonal naive B cells in Castleman disease and associated lymphoproliferative disorders. *Blood.* 2001;97(7):2130-6.
168. Parravicini C, Chandran B, Corbellino M, Berti E, Paulli M, Moore PS, Chang Y. Differential viral protein expression in Kaposi's sarcoma-associated herpesvirus-infected diseases: Kaposi's sarcoma, primary effusion lymphoma, and multicentric Castleman's disease. *Am J Pathol.* 2000; 156(3): 743-9.
169. Carbone A, Gloghini A, Vaccher E, Zagonel V, Pastore C, Dalla Palma P, Branz F, Saglio G, Volpe R, Tirelli U, Gaidano G. Kaposi's sarcoma-associated herpesvirus DNA sequences in AIDS-related and AIDS-unrelated lymphomatous effusions. *Br J Haematol.* 1996; 94(3): 533-43.
170. Said JW, Tasaka T, Takeuchi S, Asou H, de Vos S, Cesarman E, Knowles DM, Koeffler HP. Primary effusion lymphoma in women: report of two cases of Kaposi's sarcoma herpes virus-associated

- effusion-based lymphoma in human immunodeficiency virus-negative women. *Blood*. 1996; 88(8): 3124-8.
171. Karcher DS, Alkan S. Human herpesvirus-8-associated body cavity-based lymphoma in human immunodeficiency virus-infected: a unique B-cell neoplasm. *Hum Pathol*. 1997; 28:801-8.
172. Groves AK, Cotter MA, Subramanian C, Robertson ES. The latency-associated nuclear antigen encoded by Kaposi's sarcoma-associated herpesvirus activates two major essential Epstein-Bar virus latent promoters. *J Virol*. 2001; 75:9446.
173. Zong J, Ciuffo DM, Viscidi R, Alagiozoglou L, Tyring S, Rady P, Orenstein J, Boto W, Kalumbuja H, Romano N, Melbye M, Kang GH, Boshoff C, Hayward GS. Genotypic analysis at multiple loci across Kaposi's sarcoma herpesvirus (KSHV) DNA molecules: clustering patterns, novel variants and chimerism. *J Clin Virol*. 2002; 23(3): 119-48.
174. Chadburn A, Cesarman E, Knowles DM. Molecular pathology of posttransplantation lymphoproliferative disorders. *Semin Diagn Pathol*. 1997; 14:15-26.
175. Nador RG, Cesarman E, Chadburn A, Dawson DB, Ansari MQ, Sald J, Knowles DM. Primary effusion lymphoma: a distinct clinicopathologic entity associated with the Kaposi's sarcoma-associated herpes virus. *Blood*. 1996; 88(2): 645-56.
176. Matsushima AY, Strauchen JA, Lee G, Scigliano E, Hale EE, Weisse MT, Burstein D, Kamel O, Moore PS, Chang Y.

- Posttransplantation plasmacytic proliferations related to Kaposi's sarcoma-associated herpesvirus. *Am J Surg Pathol.* 1999; 23(11): 1393-400.
177. Beksac M, Ma M, Akyerli C, DerDanielian M, Zhang L, Liu J, Arat M, Konuk N, Koc H, Ozcelik T, Vescio R, Berenson JR. Frequent demonstration of human herpesvirus 8 (HHV-8) in bone marrow biopsy samples from Turkish patients with multiple myeloma (MM). *Leukemia.* 2001;15(8):1268-73.
178. Hsu HC, Lee YM, Yang CF, Hsiao KJ, Liu TT, Ho CK, Ho CH, Wang SY, Liu WT. Detection of Kaposi sarcoma-associated herpesvirus in bone marrow biopsy samples from patients with multiple myeloma. *Cancer.* 2001; 91(8): 1409-13.
179. Gyulai R, Kemeny L, Kiss M, Nagy S, Adam E, Nagy F, Dobozy A. Human herpesvirus 8 DNA sequences in angiosarcoma of the face. *Br J Dermatol.* 1997; 137(3): 467.
180. McDonagh DP, Liu J, Gaffey MJ, Layfield LJ, Azumi N, Traweek ST. Detection of Kaposi's sarcoma-associated herpesvirus-like DNA sequence in angiosarcoma. *Am J Pathol.* 1996; 149(4): 1363-8.
181. Remick SC, Patnaik M, Ziran NM, Liegmann KR, Dong J, Dowlati A, Yao Y, Abdul-Karim FW, Giam CZ. Human herpesvirus-8-associated disseminated angiosarcoma in an HIV-seronegative woman: report of a case and limited case-control virologic study in vascular tumors. *Am J Med.* 2000; 108(8): 660-4.

182. Steiner MC, Smith ME, Spitte MF. A patient with classical Kaposi's sarcoma and angiosarcoma: bad luck or a common aetiology? *Clin Oncol.* 1997; 9:186-8.
183. Lasota J, Miettinen M. Absence of Kaposi's sarcoma-associated virus (human herpesvirus-8) sequences in angiosarcoma. *Virchows Arch.* 1999; 434:51-6.
184. Di Alberti L, Piattelli A, Artese L, Favia G, Patel S, Saunders N, Porter SR, Scully CM, Ngui SL, Teo CG. Human herpesvirus 8 variants in sarcoid tissues. *Lancet.* 1997; 350(9092): 1655-61.
185. Sarid R, Olsen SJ, Moore PS. Kaposi's sarcoma-associated herpesvirus: epidemiology, virology, and molecular biology. *Adv Virus Res.* 1999; 52: 139-232.
186. Schulz TF. Kaposi's sarcoma-associated herpesvirus (human herpesvirus-8). *J Gen Virol.* 1998; 79 (Pt 7): 1573-91.
187. Schulz TF. Epidemiology of Kaposi's sarcoma-associated herpesvirus/human herpesvirus 8. *Adv Cancer Res.* 1999; 76: 121-60.
188. Raab MS, Albrecht JC, Birkmann A, Yaguboglu S, Lang D, Fleckenstein B, Neipel F. The immunogenic glycoprotein gp35-37 of human herpesvirus 8 is encoded by open reading frame K8.1. *J Virol.* 1998; 72(8): 6725-31.
189. Rabkin CS, Schulz TF, Whitby D, Lennette ET, Magpantay LI, Chatlynne L, Biggar RJ. Interassay correlation of human herpesvirus

- 8 serologic tests. HHV-8 Interlaboratory Collaborative Group. *J Infect Dis.* 1998; 178(2): 304-9.
190. Katano H, Iwasaki T, Baba N, Terai M, Mori S, Iwamoto A, Kurata T, Sata T. Identification of antigenic proteins encoded by human herpesvirus 8 and seroprevalence in the general population and among patients with and without Kaposi's sarcoma. *J Virol.* 2000; 74(8): 3478-85.
191. Gao SJ, Kingsley L, Hoover DR, Spira TJ, Rinaldo CR, Saah A, Phair J, Detels R, Parry P, Chang Y, Moore PS. Seroconversion to antibodies against Kaposi's sarcoma-associated herpesvirus-related latent nuclear antigens before the development of Kaposi's sarcoma. *N Engl J Med.* 1996; 335(4): 233-41.
192. Goedert JJ, Kedes DH, Ganem D. Antibodies to human herpesvirus 8 in women and infants born in Haiti and the USA. *The Lancet.* 1997; 349:1368.
193. Marcelin AG, Dupin N, Bossi P, Calvez V. Seroprevalence of human herpesvirus-8 in healthy subjects and patients with AIDS-associated and classical Kaposi's sarcoma in France. *AIDS.* 1998; 12(5): 539-40.
194. Gao SJ, Kingsley L, Hoover DR, Spira TJ, Rinaldo CR, Saah A, Phair J, Detels R, Parry P, Chang Y, Moore PS. Seroconversion to antibodies against Kaposi's sarcoma-associated herpesvirus-related latent nuclear antigens before the development of Kaposi's sarcoma. *N Engl J Med.* 1996; 335(4): 233-41.

195. Koelle DM, Huang ML, Chandran B, Vieira J, Piepkorn M, Corey L. Frequent detection of Kaposi's sarcoma-associated herpesvirus (human herpesvirus 8) DNA in saliva of human immunodeficiency virus-infected men: clinical and immunologic correlates. *J Infect Dis.* 1997; 176(1): 94-102.
196. Miller G, Rigsby MO, Heston L, Grogan E, Sun R, Metroka C, Levy JA, Gao SJ, Chang Y, Moore P. Antibodies to butyrate-inducible antigens of Kaposi's sarcoma-associated herpesvirus in patients with HIV-1 infection. *N Engl J Med.* 1996; 334(20): 1292-7.
197. Boshoff C, Weiss RA. Kaposi's sarcoma-associated herpesvirus. *Adv Cancer Res.* 1998; 75:57-86.
198. Katano H, Sata T, Suda T, Nakamura T, Tachikawa N, Nishizumi H, Sakurada S, Hayashi Y, Koike M, Iwamoto A, Kurata T, Mori S. Expression and antigenicity of human herpesvirus 8 encoded ORF59 protein in AIDS-associated Kaposi's sarcoma. *J Med Virol.* 1999 Nov; 59(3): 346-55.
199. Zhu L, Wang R, Sweat A, Goldstein E, Horvat R, Chandran B. Comparison of human sera reactivities in immunoblots with recombinant human herpesvirus (HHV)-8 proteins associated with the latent (ORF73) and lytic (ORFs 65, K8.1A, and K8.1B) replicative cycles and in immunofluorescence assays with HHV-8-infected BCBL-1 cells. *Virology.* 1999; 256(2): 381-92.
200. Enbom M, Sheldon J, Lennette E, Schulz T, Ablashi DV, Neipel F, Biberfeld P, Carlberg H, Ljungman P, Nilsson A, Soderstrom T,

- Wadstrom J, Linde A. Antibodies to human herpesvirus 8 latent and lytic antigens in blood donors and potential high-risk groups in Sweden: variable frequencies found in a multicenter serological study. *J Med Virol.* 2000; 62(4): 498-504.
201. Schatz O, Monini P, Bugarini R, Neipel F, Schulz TF, Andreoni M, Erb P, Eggers M, Haas J, Butto S, Lukwiya M, Bogner JR, Yaguboglu S, Sheldon J, Sarmati L, Goebel FD, Hintermaier R, Enders G, Regamey N, Wernli M, Sturzl M, Rezza G, Ensoli B. Kaposi's sarcoma-associated herpesvirus serology in Europe and Uganda: multicentre study with multiple and novel assays. *J Med Virol.* 2001; 65(1): 123-32.
202. Engels EA, Whitby D, Goebel PB, Stossel A, Waters D, Pintus A, Contu L, Biggar RJ, Goedert JJ. Identifying human herpesvirus 8 infection: performance characteristics of serologic assays. *J Acquir Immune Defic Syndr.* 2000; 23(4): 346-54.
203. Spira TJ, Lam L, Dollard SC, Meng YX, Pau CP, Black JB, Burns D, Cooper B, Hamid M, Huong J, Kite-Powell K, Pellett PE. Comparison of serologic assays and PCR for diagnosis of human herpesvirus 8 infection. *J Clin Microbiol.* 2000; 38(6): 2174-80.
204. Rezza G, Lennette ET, Giuliani M, Pezzotti P, Caprilli F, Monini P, Butto S, Lodi G, Di Carlo A, Levy JA, Ensoli B. Prevalence and determinants of anti-lytic and anti-latent antibodies to human herpesvirus-8 among Italian individuals at risk of sexually and parenterally transmitted infections. *Int J Cancer.* 1998; 77(3): 361-5.

205. Tedeschi R, De Paoli P, Schulz TF, Dillner J. Human serum antibodies to a major defined epitope of human herpesvirus 8 small viral capsid antigen. *J Infect Dis.* 1999; 179(4): 1016-20.
206. Martin JN, Amad Z, Cossen C, Lam PK, Kedes DH, Page-Shafer KA, Osmond DH, Forghani B. Use of epidemiologically well-defined subjects and existing immunofluorescence assays to calibrate a new enzyme immunoassay for human herpesvirus 8 antibodies. *J Clin Microbiol.* 2000; 38(2): 696-701.
207. Perna AM, Bonura F, Vitale F, Viviano E, Di Benedetto MA, Ajello F, Villafrate MR, Prestileo T, Mancuso S, Goedert JJ, Romano N. Antibodies to human herpes virus type 8 (HHV8) in general population and in individuals at risk for sexually transmitted diseases in Western Sicily. *Int J Epidemiol.* 2000; 29(1): 175-9.
208. Dupin N, Marcelin AG, Gorin I, Bossi P, Franck N, Weill B, Hureau JM, Escande JP, Calvez V. Prevalence of human herpesvirus 8 infection measured by antibodies to a latent nuclear antigen in patients with various dermatologic diseases. *Arch Dermatol.* 1998; 134(6): 700-2.
209. Melbye M, Cook PM, Hjalgrim H, Begtrup K, Simpson GR, Biggar RJ, Ebbesen P, Schulz TF. Risk factors for Kaposi's-sarcoma-associated herpesvirus (KSHV/HHV-8) seropositivity in a cohort of homosexual men, 1981-1996. *Int J Cancer.* 1998; 77(4): 543-8.
210. Whitby D, Luppi M, Barozzi P, Boshoff C, Weiss RA, Torelli G. Human herpesvirus 8 seroprevalence in blood donors and lymphoma

- patients from different regions of Italy. *J Natl Cancer Inst.* 1998; 90(5): 395-7.
211. Diamond C, Thiede H, Perdue T, MacKellar D, Valleroy LA, Corey L; Seattle Young Men's Survey Team. Seroepidemiology of human herpesvirus 8 among young men who have sex with men. *Sex Transm Dis.* 2001; 28(3): 176-83.
212. Davidovici B, Karakis I, Bourboulia D, Ariad S, Zong J, Benharroch D, Dupin N, Weiss R, Hayward G, Sarov B, Boshoff C. Seroepidemiology and molecular epidemiology of Kaposi's sarcoma-associated herpesvirus among Jewish population groups in Israel. *J Natl Cancer Inst.* 2001; 93(3): 194-202.
213. O'Neill E, Douglas JL, Chien ML, Garcia JV. Open reading frame 26 of human herpesvirus 8 encodes a tetradecanoyl phorbol acetate- and butyrate-inducible 32-kilodalton protein expressed in a body cavity-based lymphoma cell line. *J Virol.* 1997; 71(6): 4791-7.
214. Miller G, Heston L, Grogan E, Gradoville L, Rigsby M, Sun R, Shedd D, Kushnaryov VM, Grossberg S, Chang Y. Selective switch between latency and lytic replication of Kaposi's sarcoma herpesvirus and Epstein-Barr virus in dually infected body cavity lymphoma cells. *J Virol.* 1997; 71(1): 314-24.
215. Verbeek W, Frankel M, Miles S, Said J, Koeffler HP. Seroprevalence of HHV-8 antibodies in HIV-positive homosexual men without Kaposi's sarcoma and their clinical follow-up. *Am J Clin Pathol.* 1998; 109(6): 778-83.

216. Rezza G, Andreoni M, Dorrucchi M, Pezzotti P, Monini P, Zerboni R, Salassa B, Colangeli V, Sarmati L, Nicastrì E, Barbanera M, Pristera R, Aiuti F, Ortona L, Ensoli B. Human herpesvirus 8 seropositivity and risk of Kaposi's sarcoma and other acquired immunodeficiency syndrome-related diseases. *J Natl Cancer Inst.* 1999; 91(17): 1468-74.
217. Masini C, Abeni DD, Cattaruzza MS, Capuano M, Pedicelli C, Cerimele F, Pasquini P, Cerimele D, Fadda G, Cattani P. Antibodies against human herpesvirus 8 in subjects with non-venereal dermatological conditions. *Br J Dermatol.* 2000; 143(3): 484-90.
218. Santarelli R, De Marco R, Masala MV, Angeloni A, Uccini S, Pacchiarotti R, Montesu MA, Satta R, Cerimele D, Faggioni A, Cottoni F. Direct correlation between human herpesvirus-8 seroprevalence and classic Kaposi's sarcoma incidence in Northern Sardinia. *J Med Virol.* 2001; 65(2): 368-72.
219. Inoue N, Mar EC, Dollard SC, Pau CP, Zheng Q, Pellett PE. New immunofluorescence assays for detection of Human herpesvirus 8-specific antibodies. *Clin Diagn Lab Immunol.* 2000; 7(3): 427-35.
220. Blackbourn DJ, Osmond D, Levy JA, Lennette ET. Increased human herpesvirus 8 seroprevalence in young homosexual men who have multiple sex contacts with different partners. *J Infect Dis.* 1999; 179(1): 237-9.
221. Gao SJ, Alsina M, Deng JH, Harrison CR, Montalvo EA, Leach CT, Roodman GD, Jenson HB. Antibodies to Kaposi's sarcoma-

- associated herpesvirus (human herpesvirus 8) in patients with multiple myeloma. *J Infect Dis.* 1998; 178(3): 846-9.
222. Sosa C, Klaskala W, Chandran B, Soto R, Sieczkowski L, Wu MH, Baum M, Wood C. Human herpesvirus 8 as a potential sexually transmitted agent in Honduras. *J Infect Dis.* 1998; 178(2): 547-51.
223. Chandran B, Smith MS, Koelle DM, Corey L, Horvat R, Goldstein E. Reactivities of human sera with human herpesvirus-8-infected BCBL-1 cells and identification of HHV-8-specific proteins and glycoproteins and the encoding cDNAs. *Virology.* 1998; 243(1): 208-17.
224. Smith MS, Bloomer C, Horvat R, Goldstein E, Casparian JM, Chandran B. Detection of human herpesvirus 8 DNA in Kaposi's sarcoma lesions and peripheral blood of human immunodeficiency virus-positive patients and correlation with serologic measurements. *J Infect Dis.* 1997; 176(1): 84-93.
225. Chandran B, Bloomer C, Chan SR, Zhu L, Goldstein E, Horvat R. Human herpesvirus-8 ORF K8.1 gene encodes immunogenic glycoproteins generated by spliced transcripts. *Virology.* 1998; 249(1): 140-9.
226. Shimizu S, Katano H, Sata T, Chen KR, Tagami H, Hanabusa H, Shimizu H. Absence of anti-human herpesvirus 8 antibody in 32 Japanese hemophiliacs with advanced HIV infection. *Arch Dermatol Res.* 2001; 293(7): 380-1.

227. Pau CP, Lam LL, Spira TJ, Black JB, Stewart JA, Pellett PE, Respass RA. Mapping and serodiagnostic application of a dominant epitope within the human herpesvirus 8 ORF 65-encoded protein. *J Clin Microbiol.* 1998; 36(6): 1574-7.
228. Davis DA, Humphrey RW, Newcomb FM, O'Brien TR, Goedert JJ, Straus SE, Yarchoan R. Detection of serum antibodies to a Kaposi's sarcoma-associated herpesvirus-specific peptide. *J Infect Dis.* 1997; 175(5): 1071-9.
229. Zago A, Bourboulia D, Viana MC, Colladre H, Dietze R, Boshoff C, Keller R. Seroprevalence of human herpesvirus 8 and its association with Kaposi sarcoma in Brazil. *Sex Transm Dis.* 2000; 27(8): 468-72.