

REFERÊNCIAS

Achenbach TM, McConaughy SH, Howell CT. Child/adolescent behavioral and emotional problems: Implications of cross-informant correlations for situational specificity. *Psychol. Bull* 1987; 101 :213-232.

Achenbach TM., Rescorla LA. Manual for the ASEBA School-Age Forms & Profiles. Burlington, VT: University of Vermont, Research Center of Children, Youth, & families 2001.

Agerbo E, Byrne M, Eaton WW, Mortensen PB. Marital and Labor Market Status in Schizophrenia. *Arch Gen Psychiatr.* 2004; 61(1):28-33.

Aleman A, Kahn RS, Selten JP. Sex differences in the risk of schizophrenia: Evidence from Meta-analysis. *Arch Gen Psychiatr.* 2003; 60: 565-571.

Almeida Filho N. Estudo de prevalência de desordens mentais na infância em zona urbana de Salvador- Bahia. *J.Bras. Psiq.* 1982; 31(4): 225-236.

Almeida Filho N, Santana VS, Souza AL, Jacobina R.R.. Relações entre saúde mental dos pais e das crianças em uma população urbana de Salvador. *Acta Psiquiát. Psicol. Amér. Lat.* 1985; 31:211-221.

Almeida Filho N, Mari J de J, Coutinho E, Franca JF, Fernandes J, Andreoli SB, Busnello ED. Brazilian multicentric study of psychiatric morbidity. Methodological features and prevalence estimates. *Br J Psychiatr.* 1997; 171:524-529.

Amminger GP, Pape S., Rock D, Roberts SA, Ott SL, Squires-Wheeler E., Kestenbaum C, Erlenmeyer-Kimling, L. Relationship Between Childhood Behavioral Disturbance and Later Schizophrenia in the New York High-Risk Project. *Am J Psychiatr.* 1999; 156: 525-530.

American Psychiatry association Diagnostic and statistical manual of mental disorders: DSM-IV, 4 th ed. Washington (DC): American Psychiatric Association, 1994.

Andrade LH, Walters EE, Gentil V, Laurenti R. Prevalence of ICD-10 mental disorders in a catchment area in the city of São Paulo, Brasil. *Soc Psychiatr Psychiatr Epidemiol.* 2002; 37(7):316-25.

Arseneault L, Cannon M, Witton J, Murray RM. Causal association between Cannabis and psychosis: examination of the evidence. *Br J Psychiatr.* 2004; 184: 110-117

Associação Nacional de Empresas de Pesquisa (ANEP). Critérios de classificação econômica Brasil. Mural ANEP, 1997

Aylward E, Walker E, Batters B. Intelligence and schizophrenia: meta analysis of the research. *Schizophr Bull.* 1984; 10:430-459.

Badener JA, Gershon ES. Meta-analysis of whole-genome linkage scans of bipolar disorder and schizophrenia. *Mol. Psychiatr.* 2002; 7(4):405-11.

Bassett AS, Hodkinson K, Chow EW, Correia S, Scutt LE, Weksberg R. 22q11 deletion syndrome in adults with schizophrenia. *Am J Med Genet.* 1988; 81 (4):328-37.

Bergman AJ, Wolfson MA, Walker EF. Neuromotor Functioning and Behavior Problems in Children at Risk for Psychopathology. *J Abnorm Child Psychol.* 1997; 25 (3): 229-237.

Berg-Nielsen TS, Vika A, Dahl A. When adolescents disagree with their mothers: CBCL-YSR discrepancies related to maternal depression and adolescent self-esteem. *Child Care Health Dev.* 2003; 29 (3): 207-213.

Bird HR, Canino G, Rubio-Stipec M, Gould MS, Ribera J, Sesman M, Woodbury M, Huertas S, Pagan A, Sanchez-Lacay A, Moscoso M. Estimates of the prevalence of childhood maladjustment in a community survey in Porto Rico. *Arch Gen Psychiatr.* 1988; 45:1120-26.

Blennow G, Mcneil T. Neurological deviations in new-borns at psychiatric high risk. *Acta Psychiatr Scand.* 1991; 84:179-184.

Bordin IAS, Mari JJ, Caeiro, MF. Validação da versão brasileira do "Child Behavior Checklist"(CBCL) (Inventário de comportamentos da infância e adolescência); dados preliminares. *Revista ABP- APAL.* 1995; 17(2): 55-66.

Boydell J, van Os J, McKenzie K, Allardyce J, Goel R, McCreadie RG, Murray RM. Incidence of schizophrenia in ethnic minorities in London: ecological study into interactions with environment. *Br Med J.* 2001; 323:1-4.

Bressnahan M, Susser E. Investigating socioenvironmental influences in schizophrenia: conceptual and design issues. In Murray RM, Jones PB, Susser E, van Os J, Cannon M *The Epidemiology of Schizophrenia.* Cambridge University Press, Cambridge, 2003; pp 5-17.

Brooks-Gunn J, Duncan GJ, Maritato N. Poor families, poor outcomes: the well-being of children and youth. In: G.J. Duncan; J. Brooks-Gunn *Consequences of Growing Up Poor*, Russell Sage Foundation, New York.1997 pp.1-17, apud Friedman, R.J.; Chase-Lansdale, L. *Chronic Adversities*. In Rutter, M.; Taylor, E.. *Child and Adolescent Psychiatry*. Fourth Edition, Blackwell Science, UK, 2002.; pp:261-276.

Brown AS, Cohen P, Harkavy-Friedman J, Babulas V. Prenatal rubella, premorbid abnormalities, and adult schizophrenia. *Biol. Psychiatr.* 2001; 49:473-486.

Brown AS, Begg MD, Gravestien S. Serologic evidence of prenatal influenza in the etiology of schizophrenia. *Arch Gen Pstchiatr.* 2004; 61:774-780.

Buzlaff RL, Hooley JM. Expressed emotion and psychiatry relapse. *Arch Gen Psychiatr.* 1988; 55(6):547-552.

Byrne M, Hodges A, Grant E, Owens D, Johnstone E. Neuropsychological assessment of young people at high genetic risk for developing schizophrenia compared with controls: preliminary findings of the Edinburgh High Risk Study. *Psychol. Med.* 1999; 29:1161-1173.

Cancro R. Schizophrenia. *Treatments of Psychiatric Disorders: A Task Force Report of the American Psychiatric Association*. American Psychiatric Association, Washington, DC, pp 3068, 1989. apud Walker E, Kestler L, Bollini A, Hochman KM. Schizophrenia: Etiology and Course. *Ann. Rev. Psychol.* 2004; 55:401-30.

Cannon TD. On the nature and mechanisms of obstetrics influences in schizophrenia: a review and synthesis of epidemiologic studies. *Int J Psychiatry.* 1997; 9(4):387-397.

Cannon TD, Mednick SA. The schizophrenia high-risk project in Copenhagen: three decades of progress. *Acta Psychiatr. Scand.* 1993; suppl 370: 33-47.

Cannon M, Jones PB, Murray RM. Obstetrics complications and schizophrenia: historic and meta-analytic review. *Am J Psychiatr.* 2002; 159:1080-92.

Cantor-Graae E, Selten JP. Schizophrenia and Migration: A Meta-Analysis and Review. *Am J Psychiatr.* 2005; 162:12-24.

Cavalcanti AMTS. Aspectos epidemiológicos da esquizofrenia em adultos internados no hospital Ulysses Pernambucano da cidade do Recife. [dissertação]. João Pessoa: Centro de Ciências da Saúde, Universidade Federal da Paraíba.; 2000.

Chaves A.-Diferenças entre os sexos na esquizofrenia. *Rev.Bras.Psiquiatr.* 2000; 22(suppl 1):21-2.

Compton MT. Considering Schizophrenia from a Prevention Perspective. *Am J Prev Med.* 2004; 26 (2):178-185.

Craddock N, O'Donovan MC, Owen MJ. The Genetics of schizophrenia and bipolar disorder: Dissecting psychosis. *J Med Genet.* 2005; 42:193-204.

Dalman C, Allebeck P, Cullberg J, Grunewald C, Koester M. Obstetric complications and the risk of Schizophrenia: a longitudinal study of a national birth cohort. *Arch Gen Psychiatr.* 1999; 56(3): 234-240.

Davies A., Mc Ivor RJ, Kumar RC. Impact of childbirth on a series of schizophrenic mothers: a comment on the possible influence of estrogen on schizophrenia. *Schizophr Res.* 1995; 16:25-31.

De Paula CS. Prevalência de Problemas de Saúde Mental em Crianças e Adolescentes da Periferia de São Paulo e Implicações para a Saúde Pública local. [Tese]. São Paulo: Universidade Federal de São Paulo- Escola Paulista de Medicina; 2005.

Done DJ, Crow TJ, Johnstone EC, Sacker A. Childhood antecedents of schizophrenia and affective illness: social adjustment at ages 7 and 11. *Br Med J.* 1994; 309: 699-703.

Degenhardt L, Hall W. Cannabis and psychosis. *Curr Psychiatry Rep.* 2002; 4(3): 191-6.

Dohrenwend BP, Levav I, Shrout PE, Schwartz S, Naveh G, Link BG, Skodol AE, Stueve A. Socioeconomic Status and Psychiatric Disorders: The Causation-Selection Issue. *Science* 1992; 255:946-952.

Dworkin RH, Bernstein G, Kaplansky LM, Lipsitz JD, Rinaldi A, Slater SL, Cornblatt BA, Erlenmeyer-Kimling, L. Social Competence and Positive and

Negative Symptoms: A longitudinal Study of Children and Adolescents at Risk for Schizophrenia and Affective Disorder. *Am J Psychiatr.* 1991; 148:1182-1188.

Dworkin RH, Lewis JA, Cornblatt BA, Erlenmeyer-Kimling, L. Social Competence in Adolescents at Risk for Schizophrenia. *J Nerv Ment Dis.* 1994; 182:103-108.

El-Islam MF. Rehabilitation of schizophrenics by the extended family. *Acta Psychiatr Scand.* 1982; 65:112-119.

Erlenmeyer-Kimling L, Cornblatt BA. A summary of attentional findings in the New York high risk project. *J. Psychiatr Res.* 1992; 26: 405-426.

Erlenmeyer-Kimling L, Squires-Wheeler E, Adamo UH, Basset AS, Cornblatt BA, Kestenbaum C, Rock D, Roberts SA, Gottesman II. The New York High-Risk Project. Psychoses and Cluster A Personality Disorders in Offspring of Schizophrenic Parents at 23 years of Follow-up. *Arch Gen Psychiatr* 1995; 52: 857-865.

Erlenmeyer-Kimling L, Adamo UH, Rock D, Roberts SA, Basset AS, Squires-Wheeler E, Cornblatt BA, Endicott J, Pape S, Gottesman II. The New York High-Risk Project. Prevalence and Comorbidity of Axis I Disorders in Offspring of Schizophrenic Parents at a 25-Year Follow-up. *Arch. Gen. Psychiatr.* 1997; 54: 1096-1102.

Erlenmeyer-Kimling L. Neurobehavioral deficits in offspring of schizophrenic parents: Liability indicators and predictors of illness. *Am J. Med. Genet.* 2000; 97:65-71.

Erlenmeyer-Kimling L, Rock D, Roberts SA, Janal M, Kestenbaum C, Cornblatt BA, Adamo UH, Gottesman II. Attention, memory, and motor skills as childhood

predictors of schizophrenia-related psychoses: The New York High –Risk Project. *Am J Psychiatr.* 2000; 157:1416-1422.

Fañanás L, Bertranpetit J. Reproductive rates in families of schizophrenic patients in a case-control study. *Acta Psychiatr. Scand.* 1995; 91:202-204.

First MB, Spitzer RL, Gibbon M, Williams J. Structured Clinical Interview for DSM-IV Axis I Disorders Patient Edition (SCID-I/P, Version 2.0). New York: Biometrics Research Department, New York State Psychiatric Institute; 1996.

Fish B, Marcus J, Hans S, Auerbach J, Perdue S. Infants at risk for schizophrenia: sequelae of a genetic neurointegrative defect. *Arch Gen Psychiatr.* 1992; 49:221-235.

Fleitlich-Bilyk B, Goodman R. Social factors associated with child mental health problems in Brazil: Cross sectional survey. *Br Med J.* 2001; 323:599-600.

Flyckt L, Wiesel F, Borg J, Edman G, Ansved T. Neuromuscular and psychomotor abnormalities in patients with schizophrenia and their first-degree relatives. *J. Psychiatr. Res.* 2000; 134(4-5):355-364.

Friedman RJ, Chase-Lansdale L. Chronic Adversities. In Rutter M., Taylor E. (eds). *Child and Adolescent Psychiatry. Fourth Edition*, Blackwell Science, UK, 2002; pp:261-276.

Garnezi N, Rutter M. Acute reactions to stress. In: *Child and Adolescent Psychiatry, 2nd edition* (eds M. Rutter & L. Hersov) pp 152-176. Blackwell Scientific Publications, Oxford; 1985.

Goodman SH. Emory University Project on children of disturbed parents. *Schizophr Bull.* 1987; 13(3): 411-423.

Gorwood P, Leboyer M, Jay M, Payan C, Feingold J. Gender and Age at Onset in Schizophrenia: Impact of Family History. *Am. J. Psychiatr.* 1995; 152: 208-212.

Gottesman II, Bertelsen A. Confirming unexpressed genotypes for schizophrenia: Risks in the offspring of Fisher's Danish identical and fraternal discordant twins. *Arch Gen Psychiatr.* 1989; 46(10):867-72.

Gottesman II *Psychiatric genesis: The origins of madness.* New York, Freeman. pp 296; 1991.

Green Mf, Nuechterlein KH, Breitmeyer B, Mintz J. Backward masking in unmedicated schizophrenic patients in psychotic remission: possible reflection of aberrant cortical oscillation. *Am J Psychiatr.* 1999; 156(9):1367-73.

Green MF, Kern RS, Braff DL, Mintz J. Neurocognitive deficits and functional outcome in schizophrenia: Are we measuring the "right stuff"? *Schizophr Bull.* 2000; 26(1): 119-136.

Hafner H, Heiden W. Epidemiology of schizophrenia. *Can J Psychiatr.* 1997; 42(2):139-51.

Hafner H, Maurer K, Löffler W, an der Heiden W, Stein A, Könnecke R, Hambrecht M. Onset and Prodromal Phase as Determinants of the Course. In: Gattaz WF e Häfner H. *Search For The Causes of schizophrenia, Vol. IV* Berlin, Steinkopff, 1999a; pp 34-58.

Hafner H, Löfler W, Maurer K, Hambrecht M, Heiden W. Depression, negative symptoms, social stagnation and social decline in the early course of schizophrenia. *Acta Psyquiatr Scand.* 1999b; 100: 105-108.

Hans SL, Marcus J, Nuechterlein K, Asarnow JR, Styr B, Auerbach JG. Neurobehavioral deficits at adolescence in children at risk for schizophrenia: the Jerusalem Infant Development Study. *Arch Gen Psychiatr.* 1999; 56: 741-748

Hans SL, Auerbach JG, Asarnow JR, Styr B, Marcus J. Social Adjustment of Adolescents at Risk for Schizophrenia: The Jerusalem Infant Development Study. *J. Am. Acad. Child Adolesc. Psychiatr.* 2000; 39(11): 1406-1414.

Haukka J, Suvisaari J, Lönqvist J. Fertility of patients with schizophrenia, their siblings, and the general population: a cohort study from 1950 to 1959 in Finland. *Am J. Psychiatr.* 2003; 160: 460-463.

Helston LL. Psychiatric disorders in foster home reared children of schizophrenic mothers. *Br. J. Psychiatr.* 1966; 112:819-25.

Henriksson KM, Mcneil TF. Health and development in the first 4 years of life in offspring of women with schizophrenia and affective psychoses: Well-Baby Clinic information. *Schizophr Res.* 2004; 70: 39-48.

Hickling FW, McKenzie K, Mullen R, Murray R. A Jamaican psychiatrist evaluates diagnosis at London Psychiatric Hospital. *Br J Psychiatr.* 1999; 175: 283-285.

Howes OD, McDonald C, Cannon M., Arseneault L, Boydell J, Murray RM. Pathways to schizophrenia: the impact of environmental factors. *Int J Neuropsychopharmacology.* 2004; 7 suppl. 1: S7-S13.

Hulley SB, Cummings SR. *Designing Clinical Research an Epidemiological Approach.* Ed Willians and Wilkins, 1988; pp 216.

- Huttunen M. Maternal stress during pregnancy and the behavior of the offspring. In: Doxiadis S, Stewart S. Early Influences Shaping the Individual. New York, 1989, pp 168-62; apud Walker E, Kestler L, Bollini A, Hochman KM. Schizophrenia: Etiology and Course. *Ann. Rev. Psychol.* 2004; 55:401-30.
- IBGE. Instituto Brasileiro de Geografia e Estatística. Dados do censo de 2000. Disponível em URL: <http://www.ibge.gov.br/> [janeiro de 2005].
- Isohanni I, Järvelin MR, Nieminen P. School Performance as a predictor of psychiatric hospitalization in adult life. A 28 year follow up in the Finnish 1966 Birth Cohort. *Psychol Med.* 1998; 28:967-74.
- Jablensky A, Sartorius N, Ernberg G, Anker M, Korten A, Cooper JE, Day R, Bertelsen A. Schizophrenia Manifestations, Incidence and Course in Different Cultures: A World Health Organization Ten-Country Study. *Psychol Med Monogr.* 1992; Suppl 20:1-97
- Jablensky AV, Kalaydjieva LV. Genetic Epidemiology of Schizophrenia: Phenotypes, Risk Factors, and Reproductive Behavior. *Am J. Psychiatr.* 2003; 160:425-429.
- Johnson JG, Cohen P, Kasen S, Smailes E, Brook JS. Association of Maladaptive Parental Behavior With Psychiatric Disorder Among Parents and Their Offspring. *Arch. Gen. Psychiatr.* 2001; 58:453-460.
- Jones PB, Rodgers B, Murray RM, Marmot MG. Child developmental risk factors for adult schizophrenia in the British 1946 birth cohort. *Lancet.* 1994; 344:1398-1402.

Jones PB. Longitudinal Approaches to the Search for the Causes of Schizophrenia: Past, Present and Future.. In: Search for Causes of Schizophrenia Vol IV (eds Gattaz e Häfner). Steinkopff, Berlin, 1999; pp 91-119.

Jorge MR. Diagnóstico e classificação em psiquiatria. In: Almeida OP, Dratco L, Laranjeira R (eds) Manual de Psiquiatria. Ed Guanabara Koogan S. A, Rio de Janeiro- RJ, 1996; pp:22-31.

Kety SS. Schizophrenic illness in the families of schizophrenic adoptees: findings from the Danish national sample. Schizophr Bull. 1988; 14; 217-22.

Krieger S, Lis S, Gllhofer B. Cognitive subprocesses and schizophrenia: a reaction-time decomposition. Acta Psychiatr Scand Suppl. 2001; 104(408):18-27.

Kumar RC, Marks M, Platz C, Yoshida K. Clinical survey of psychiatric mother and baby unit: characteristics of 100 consecutives admissions. J Affect Disord. 1995; 33: 11-22.

Kuperberg G, Heckers S. Schizophrenia and cognitive function. Curr Opin Neurobiol. 2000; 10(2): 205-210.

Laucht M, Esser G, Schmidt MH. Vulnerability and resilience in the development of children at risk: the role of early mother-child interaction. Rev. Psiqu. Clin. 2002; 29 (1): 20-27.

Loeber R, Hay D. Key issues in the development of aggression and violence from childhood to early adulthood. *Ann Rev Psychol.* 1997; 48: 371-410. apud De Paula CS. Prevalência de Problemas de Saúde Mental em Crianças e Adolescentes da Periferia de São Paulo e Implicações para a Saúde Pública local. [Tese]. São Paulo: Universidade Federal de São Paulo- Escola Paulista de medicina; 2005.

Lieberman JA, Perkins D, Belger A, Chakos M, Jarscog F. The early stages of schizophrenia: speculations on pathogenesis, pathophysiology, and therapeutic approaches. *Biol Psychiatr.* 2001; 50(11):884-97.

Mäki P, Veijola J, Jones PB, Murray GK, Koponen H, Tienari P, Miettunen J, Tanskanen P, Wahlberg K, Koskinen J, Lauronen E, Isohanni M. Predictors of Schizophrenia - a review. *Br. Med. Bull.* 2005; 73:1-15.

Marcus J, Hans SL, Auerbach JG, Auerbach AG. Children at Risk for Schizophrenia: The Jerusalem Infant Development Study. II- Neurobehavioral Deficits at School Age. *Arch Gen. Psychiatr.* 1993; 50: 797-809.

Mari JJ, Leitão RJ. A epidemiologia da esquizofrenia. *Rev. Bras. Psiquitr.* 2000; 22 (supl 1):15-7.

Mc Evoy JP, Hatcher A, Appelbaum PS, Abernethy V. Chronic Schizophrenic Women's Attitudes Toward Sex, Pregnancy, Birth Control, and Childrearing. *Hosp Community Psychiatry.* 1983; 34(6): 536-539.

Mcgrath JJ, Hearle J, Plant K, Drummond A, Barkla JM. The fertility and fecundity of patients with psychoses. *Acta Psychiatr Scand.* 1999; 99: 441-446.

Mcgrath JJ, Saha S, Welham J, El Saadi O, Maccauley C, Chant D. A systematic review of the incidence of schizophrenia: The distribution of rates and the influence of sex, urbanicity, migrant status, and methodology. *BMC: Med.* 2004; 2:13.

Mcneil TF, Cantor-Graae E, Weinberg DR. Relationship of obstetric complications and differences in size of brain structures in monozygotic twin pairs discordant for schizophrenia. *Am J Psychiatr.* 2000; 157(2): 203-12.

Mcneil TF, Cantor-Graae E, Blennow G. Mental correlates of neuromotoric deviation in 6-years-olds at heightened risk for schizophrenia. *Schizophr Res.* 2003; 60:219-228.

Menezes PR. Prognóstico da esquizofrenia. *Rev Bras Psiquiatr.* 2000; 22 (Supl I): 18-20.

Metsänen M, Wahlberg K, Saarento O, Tarvainen T, Miettunen J, Koistinen P, Läsky K, Tienari, P. Early presence of thought disorder as a prospective sign of mental disorder. *Psychiatr Res.* 2004; 125:193-203.

Miller LJ, Finnerty M. Sexuality, pregnancy, and childrearing among women with schizophrenia-spectrum disorders. *Psychiatr Serv.* 1996; 47:502-506.

Miller LJ. Sexuality, Reproduction, and Family Planning in women with schizophrenia. *Schizophr Bull.* 1997; 23(4): 623-635.

Miller TJ, McGlashan TH, Rosen JL, Somjee L, Markovich PJ. Prospective diagnosis of the initial prodrome for schizophrenia based on Structured Interview for Prodromal Syndromes: preliminary evidence of interrater reliability and predictive validity. *Am J Psychiatr.* 2002; 159(5): 863-65.

Miranda MPM. Fatores psicossociais associados à saúde mental de crianças no início da escolarização - Um estudo sobre escolares de baixa renda. [dissertação] São Paulo: Universidade Federal de São Paulo- Escola Paulista de Medicina; 1996.

Mirsky A, Kugelmass S, Ingraham L, Frenkel E, Nathan M. Overview and summary: twenty-five-year follow up of High-Risk children. *Schizophr Bull.* 1995; 21:227-239.

Mowry BJ, Nancarrow DJ. Molecular genetics of schizophrenia. *Clin Exp Pharmacol. Physiol.* 2001; 28: 66-69.

Mueser KT, McGurk SR. Schizophrenia. *Lancet* 2004; 363: 2063-72.

Murray RM, Jones PB, O'Callaghan E, Takei N. Genes, viruses and neurodevelopmental schizophrenia. *J Psychiatr Res.* 1992; 26: 225-35.

Organização Mundial da Saúde. Relatório sobre a saúde no mundo- Saúde Mental: Nova concepção, Nova esperança. WHO, Geneve, Suíça, 2001; pp 45-75

Ott SL, Roberts S, Rock D, Allen J, Erlenmeyer-Kimling L. Positive and negative thought disorder and psychopathology in childhood among subjects with adulthood schizophrenia. *Schizophr Res.* 2002; 58 :231-239.

Owen MJ. Searching for Susceptibility Genes in Schizophrenia. In: Gattaz WF, Hafner H. Search for the Causes of Schizophrenia, Balance of the Century. Vol. IV Berlin, Steinkopff, 1999; pp 169-180.

Parnas J, Cannon TD, Jacobsen B, Schulsinger H, Schulsinger F, Mednick A. Lifetime DSM- III- R diagnostic outcomes in the offspring of schizophrenic mothers. *Arch. Gen. Psychiatr.* 1993; 50: 707-714.

Penn DL, Corrigan PW, Bentall RP, Racenstein JM, Newman L. Social cognition in schizophrenia. *Psychol Bull.* 1997; 121(1): 114-32.

Ramsay R, Welch S, Youard E. Needs of women patients with mental illness. *Advances in Psychiatric Treatment.* 2001; 7: 85-92.

Rantakallio P, Jones P, Moring J, Von Wendt L. Association between central nervous system infections during childhood and adult onset schizophrenia and other psychoses: A 28 year follow-up. *Internat J Epidemiol.* 1997; 26:837-843.

Razzouk D, Shirakawa I. A Evolução dos Critérios Diagnósticos da Esquizofrenia. In: Shirakawa I, Chaves AC, Mari JJ.(eds) *O Desafio da Esquizofrenia.* Lemos Editorial, São Paulo, 2001; pp:15-24.

Rossi A, Pollice R, Danelluzzo E, Marinangeli MG, Stratta P. Behavioral neurodevelopment abnormalities and schizophrenic disorder: a retrospective evaluation with the Childhood Behavior Checklist (CBCL). *Schizophr Res.* 2000; 44:121-128.

Saha S, Chant D, Welham J, Mcgrath J. A Sitematic Review of the Prevalence of Schizophrenia. *PLoS Med.* 2005 2 (5): 413-427.

Sameroff A, Seifer R, Zax M, Barocas R. Early Indicators of Developmental Risk: Rochester Longitudinal Study. *Schizophr Bull.* 1987; 13(3):383-394.

Sameroff A, Seifer R, Baldwin A, Baldwin C. Stability of intelligence from preschool to adolescence: the influence of social and family risk factors. *Child Dev.* 1993; 64:80-97.

Silverman MM. Children of Psychiatrically ill parents: a prevention perspective. *Hosp and Community Psychiatry.* 1989; 40 (12): 1257-64.

Suvisaari J, Mautemps N, Haukka J, Hovi T, Lönnqvist J. Childhood central nervous system viral infections and adult schizophrenia. *Am J. Psychiatr.* 2003; 160:1183-5.

Tienari P, Sorri A, Lahti I, Naarala M, Wahlberg KE, Pohjola J, Moring J. Interaction of Genetic and Psychosocial Factors in Schizophrenia. *Acta Psychiatr. Scand.* 1985; 319 (71 suppl): 19-30.

Tienari P, Wynne LC, Moring J, Läksy K, Nieminen P, Sorri A, Lahti I, Wahlberg KE, Naarala M, Kurki-Suonio K, Saarento A, Koistinen P, Tarvainen T, Hakko H, Miettunen J. Finnish adoptive family study: sample selection and adoptee DSM-III- R diagnoses. *Acta Psychiatr. Scand.* 2000; 101:433-443.

Tienari P, Wynne LC, Sorri A, Lahti I, Läksy K, Moring J, Naarala M, Nieminen P, Wahlberg KE. Genotype-environment in schizophrenia-spectrum disorder. Long-term follow up study of Finnish adoptees. *Br J Psychiatr.* 2004; 184:216-222.

Torrey EF, Miller J, Rawlings R, Yolken RH. Seasonality of births in schizophrenia and bipolar disorder: a review of the literature. *Schizophr Res.* 1997; 28:1-38.

Vallada-Filho H.P, Samaia H. Esquizofrenia: aspectos genéticos e estudos de fatores de risco. *Rev Bras Psiquiatr.* 2000; 22 (Supl 1):2-4.

van Os J, Selten J. Prenatal exposure to maternal stress and subsequent schizophrenia: the May 1940 invasion of the Netherlands. *Br J Psychiatr.* 1998; 172:324-326.

van Os J, Hanssen M, Bak M, Bijl RV, Vollebergh W. Do urbanicity and familial liability coparticipate in causing psychosis? *Am J Psychiatry.* 2003; 160:477-482.

Ventura J, Nuechterlein KH, Hardesty JP, Gitlin M. Life events and schizophrenic relapse after withdrawn of medication. *Br J Psychiatr.* 1992; 161:615-620.

Wahlberg KE, Wynne LC, Oja H, Keskitalo P, Pykäläinen L, Lahti I, Moring J, Naarala M, Sorri A, Seitamaa M, Läksy K, Kolassa J, Tienari P. Gene-environment interaction in vulnerability to schizophrenia: findings from the Finnish Adoptive Family Study of Schizophrenia. *Am. J. Psychiatr.* 1997; 154 (3): 355-62.

Wahlberg KE, Wynne LC, Oja H, Keskitalo P, Anais-Tanner H, Koistinen P, Tarvainen T, Hakko H, Lahti I, Moring J, Naarala M, Sorri A, Tienari P. Thought Disorder Index of Finnish adoptees and communication deviance of their adoptive parents. *Psychol Med.* 2000; 30: 127-136.

Walker E, Cudeck R, Mednick SA, Schulsinger F. Effects of parental absence and institutionalization on the development of clinical symptoms in high-risk children. *Acta Psychiatr Scand.* 1981; 63(2): 95-109.

Walker E, Downey G, Bergman A. The effects of parental psychopathology and maltreatment on child behavior: a test of the diathesis-stress model. *Child Dev.* 1989; 60(1): 15-24.

Walker E., Grimes K, Davis D, Smith A. Childhood precursors of schizophrenia, facial expressions of emotion. *Am J Psychiatr.* 1993; 150: 1645-60.

Walker E, Kestler L, Bollini A, Hochman KM. Schizophrenia: etiology and course. *Ann. Rev. Psychol.* 2004 55:401-30.

Weintraub S. Risk Factors in Schizophrenia: The Stony Brook High-Risk Project. *Schizophr Bull.* 1987; 13 (3): 439-450.

Weinstock M. Does prenatal stress impair coping and regulation of hipotalamic-pituitary-adrenal axis? *Neurosci Biobehav Rev.* 1996; 21: 1-10.

Yoshida K, Marks MN, Craggs M, Smith B, Kumar R. Sensorimotor and cognitive development of infants of mothers with schizophrenia. *Br. J. Psychiatr.* 1999; 175: 380-387.