

## CAPÍTULO VI

### REFERÊNCIAS BIBLIOGRÁFICAS

ATMADJA, G.; BRYANT, R. W. Some factors influencing the depth of cure of visible light-activated composite resins. Aust. Dental J., v.35, n.3, p.213-18, 1990.

BAHARAV, H; ABRAHAM, D; CARDASH, H. S.; HELFT, M. Effect of exposure time on the depth of polymerization of a visible light cured composite resin. J. Oral Rehabilitation, v.15, p.167-172, 1988.

BASSIOUNY, A. G.; YATES, J. L.; NEWMAN, S. M. Ultraviolet light and ultraviolet light-activated composite resins. J. Prosth. Dent., v.46, n.2, p.167-170, 1981.

BLANKENAU, R. J.; KELSEY, W. P.; CAVEL, W. T.; BLANKENAU, P. Weavelength and intensity of seven systems for visible light-curing composite resins: a comparison study. JADA, v.106, n.4, p.471-74, 1983.

BEYER, W. H. Handbook of Mathematical Sciences. 6.ed. Flórida, CRC Press, 1978. p.712.

BOWEN, R. L. Use of epoxy resins in restorative materials. J. Dental

Res., v.35, n.3, p.360-9, 1956.

COOK, W. D. Spectral distributions of dental photopolymerization materials. J. Dental Res., v.61, n.12, p.1436-8, 1982.

COOK, W. D.; STANDISH, P. M. Cure of resin based restorative materials. II. White light photopolymerized resins. Aust. Dental J., v.28, n.5, p.307-11, 1983.

COUNCIL ON DENTAL MATERIALS, INSTRUMENTS AND EQUIPMENT. Visible light-cured composites and activating units. JADA, v.110, p.100-3, 1985.

FAN, P. L.; WOZNIAK, W. T.; REYES, W. D.; STANFORD, J. W. Irradiance of visible light-curing units and voltage variation effects. JADA, v.115, p.442-5, 1987.

FERRACANE, J. L. Using posterior composites appropriately. JADA, v.123, p.53-8, 1992.

FORSTEN, L. Curing depth of visible light-activated composites. Acta Odontol. Scand., v.42, p. 23-8, 1984.

FRIEDMAN, J.; HASSAN, R. Comparison study of visible curing lights and hardness of light-cured restorative materials. J. Prost. Dentistry, v.52, n.4, p.504-6, 1984.

GARLIPP, O. A.; CARVALHO, J. C. Compósitos: constituição e propriedades. Parte I - matriz e substrato. Ars Cvrandi em Odontologia, v.5, n.4, p.4-15, 1978.

GARLIPP, O. A. ; CARVALHO, J. C. Compósitos: constituição e propriedades. Parte II-agentes de união da matriz ao substrato. Ars Cvrandi em Odontologia, v.5, n.5, p.10-5, 1978.

GREENER, E. H.; GREENER, C. S.; MOSER, J. B. The hardness of composites as a function of temperature. J. Oral Rehabilitation, v.11, p.335-40, 1984.

HANSEN, E. K. After-polymerization of visible light activated resins. Surface hardness vs. light source. Scand. J. Dental Res., v.91, p.406-10, 1983.

JOHNS, H. E.; CUNNINGHAM, J. R. The physics of radiology. 4 d. Illinois, Charles C. Thomas Publiser, p.134-7.

LANGE, C. de; BAUSCH, J. B.; DAVIDSON, C. L. The curing pattern of photo-initiated dental composites. J. Oral Rehabilitation, v.7, p.369-77, 1980.

LEUNG, R. L.; FAN, P. L.; JOHNSTON, W. M. Post-irradiation of visible light-activated composite resin. J. Dental Res., v.62, n.3, p.363-5, 1983.

McCABE, J. F.; CARRICK, T. E. Output from visible-light activation units and depth of cure of light-activated composites. J. Dental Res., v.68, n.11, p.1534-9, 1989.

McLEAN, J. W. Some physical properties of a new cross-linked plastic filling material. Br. Dental J., v.110, n.11, p.375-80, 1961.

MURRAY, A. B.; YATES, J. L.; NEWMAN, S. M. Ultraviolet light and ultraviolet light-activated composite resins. J. Prost. Dentistry, v.46, n.2, p.167-70, 1981.

NEWMAN, S. M.; MURRAY, A.; YATES, J. L. Visible light and visible light-activated composite resins. J. Prost. Dentistry, v.50, n.1, p.31-5, 1983.

PATHAK, M. A.; STRATTON, K. In biological effects of ultra-violet radiation. Oxford, Edit. F. Urbach. Pergamon Press, 1969. p.207-22.

POLLACK, B. F.; BLITZER, M. H. The advantages of visible light curing resins. NYS Dental J., n. 4, p.228-30, 1982.

PRÈVOST, A. P.; DESAUTELS, P.; BENOTI, C. A.; RAICHE, D. Polymerization: ability of 15 visible light curing generators. J. Canad. Dental Assoc., v.3, p.221-5, 1985.

RUYTER, I. E.; OYSAED, H. Conversion in different depths of ultraviolet and visible light activated composite materials. Acta Odont. Scand., v.40, n.3, p.179-92, 1982.

SAKAGUCHI, R. L.; DOUGLAS, W. H.; PETERS, M. C. R. B. Curing light performance and polymerization of composite restorative materials. J. Dentistry, v.20, p.183-8, 1992.

SILBERMANN, M. R. Resinas fotopolimerizáveis. Revista Odonto-Ciência, v.2, n.3, p.50-60, 1987.

STANFORD, C. M.; FAN, P. L.; LEUNG, R. L.; KNOEPPPEL, R.; STANFORD, J. W. Polymerization of composites by sequential and continuous irradiation with visible light. Oper. Dentistry, v.11, p.51-4, 1986.

STRANG, R.; McDONALD, I.; O'HAGAN, S.; MURRAY, J.; STEPHEN, K. W. Variations in performance of curing light units by determination of composite resin setting time. British Dental J., v.162, p.63-5, 1987.

SWARTZ, M. L.; PHILLIPS, R. W.; RHODES, B. Visible light-activated resins - depth of cure. JADA, v.106, p.634-7, 1983.

TAKAMIZU, M.; MOORE, B. K.; SETCOS, J. C.; PHILLIPS, R. W. Efficacy of visible-light generators with changes in voltage. Oper. Dentistry, v.13, p.173-80, 1988.

WATTS, D. C.; AMER, O.; COMBE, E. C. Characteristics of visible-light-activated composite systems. British Dental J., v.156, p.209 - 15, 1984.

WATTS, D. C.; McNAUGHTON, V.; GRANT, A. A. The development of surface hardness in visible light-cured posterior composites. J.Dentistry, v.14, p.169-74, 1986.

WEAST, R. C. Handbook of chemistry and physics. 56.ed. Flórida, CRC Press, 1975, p.E246.

YEARN, J. A. Factor affecting cure of visible light activated composites. Int. Dental J., v.35, n.3, p.218-25, 1985.