

7. REFERÊNCIAS BIBLIOGRÁFICAS

ABRAHÃO-NETO, J.; INFANTI, P.; VITOLO, M. Hexoquinase production from *Saccharomyces Cerevisiae*. **Appl. Biochem. Biotechnol.**, 57/58: 407-412, 1996.

ABRAHÃO-NETO, J.; INFANTI, P.; VITOLO, M. Influence of pH, temperature and dissolved oxygen concentration on the production of glucose-6-phosphate dehydrogenase and invertase by *Saccharomyces Cerevisiae*. **Braz. J. Chem. Eng.**, 14 (1): 89-94, 1997.

AGUERO, J.M.Z. **Estudo da inativação da glicoamilase e da influência de fosfatos na produção da enzima em cultivos de *Aspergillus awamorii***. São Paulo, 1998. 142p. Tese de Doutorado - Faculdade de Ciências Farmaceuticas - Universidade de São Paulo.

AIBA, S.; NAGAI, S. Fed-batch culture of *Saccharomyces cerevisiae*: a perspective of computer control to enhance the productivity in baker's yeast cultivation. **Biotechnology and Bioengineering**. V.18, p.1001-16, 1976.

AIBA, S.; OKABE, M.; OKADA, M. Modified complex method as applied to an optimization of aeration and agitation in fermentation. **J. Ferment. Technol.**, 51 (8): 594-605, 1973.

ANDREWS, B.J.; HERSKOWITZ, I. Regulation of cell cycle-dependent gene expression in yeast. **J. Biol. Chem.** Baltimore, 265 (10): 14057-14060, 1990.

AU, S.W.N.; GOVER, S.; LAM, V.M.S.; ADAMS, M.J. Human glucose-6-phosphate dehydrogenase: the crystal structure reveals a structural NADP⁺ molecule and provides insights into enzyme deficiency. **Structure**, London, 8 (3): 293-303, 2000.

- BAILEY, J.E.; OLLIS, D.F. **Biochemical Engineering**. New York: McGraw Hill, 1986. 984p.
- BALAGUER, P.; TÉROUANNE, B.; ELIAOU, J.-F.; HUMBERT, M.; BOUSSIOUX, A.-M.; NICOLAS, J.C. Use of glucose-6-phosphate dehydrogenase as a new label for nucleic acid hybridization reactions. **Analytical Biochemistry**, 180: 50-54, 1989.
- BARBOSA, H. R.; TORRES, B.B. Metabolismo. In: _____, eds. **Microbiologia básica**. São Paulo: Atheneu, 1999. p.75-87.
- BARWALD, G.; FISCHER, A. Crabtree effect in aerobic fermentations using grape juice for the production of Alcohol Reduced Wine. **Biotechnology Letters**, 18 (10): p.1187-1192, 1996.
- BASSI, A.S.; TANG, D.Q.; BERGOUGNOU, M.A. Mediated, amperometric biosensor for glucose-6-phosphate monitoring based on entrapped glucose-6-phosphate dehydrogenase, Mg⁺² ions, tetracyanoquinodimethane, and nicotinamide adenine dinucleotide phosphate in carbon paste. **Anal. Biochem.**, Orlando, 268 (2): 223-228, 1999.
- BAZUA, C.D.; WILKE, C.R. Ethanol effects on the kinetics of a continuous fermentation with *Saccharomyces cerevisiae*. **Biotechnol. Bioeng. Symposium**. 7: 105-118, Suppl. YM 1977.
- BERGMAYER, H.U. **Methods of enzymatic analysis**. 3.ed. Weinheim: Verlag Chemie, 1983. v.2, 539p.
- BISSON, L.F. High-affinity glucose transport in *Saccharomyces cerevisiae* is under general glucose repression control. *J.Bacteriol.* Baltimore, V170, N10, p. 4838-45, 1988.

- ~~BOROSS, L.; SIMON, M.; KOTORMAN, M.; SZAJANI, B. Characterization and analytical application of glycolytic enzymes immobilized covalently on 'Akrilex' carriers. **Eur. Congr. Biotechnol.**, v.2, p.331, 1987.~~
- BORZANI, W. Ethanol Yields during the feeding phase in fed-batch fermentation of sugar-cane blackstrap molasses. **World Journal of Microbiology and Biotechnology**. 12 (4): 415-416, 1996. [SHORT NOTE].
- BROWN, J.A.; SEGAL, H.L.; MALEY, F.; TRIMBLE, R.B.; CHU, F. Effect of deglycosylation of yeast invertase on its uptake and digestion in rat yolk sacs. **J. Biol. Chem.**, Baltimore, 254 (10): 3689-3691, 1979.
- BUCKLAND, B.C.; LILLY, M.D. Fermentation: an overview. In: REHM, H.J.; REED, G. **Biotechnology**. Weinheim: VCH, 1993. v.3, p.7-22.
- BYERS, B. Cytology of the yeast life cycle. In: STRATHERN, J.N., JONES, E.W., BROACH, J.R., eds. **The molecular biology of the yeast *saccharomyces* life cycle and inheritance**. Cold Spring Harbor: Cold Spring Harbor Laboratory, 1981. part. A, p.59-96.
- CALAZANS, G.M.T.; RIOS, E.M.; Effect of glucose concentration, initial pH and temperature on the alcoholic fermentation by *Zymomonas mobilis* **Arquivos de biologia e tecnologia**, 33 (2): 439-455, 1990.
- CARIDIS, K.A.; CHRISTAKOPOULOS, P.; MACRIS, B.J. Simultaneous production of glucose oxidase and catalase by *Alternaria alternata*. **Appl. Microbiol. Biotechnol.**, 34 (6): 794, 1991.
- CAUBET, R.; GUERIN, B.; GUERIN, M. Comparative studies on the glycolytic and hexose monophosphate pathways in *C.parapsilosis* and *S.cerevisiae*. **Arch. Microbiol.**, Berlin, 149 (4): 324-29, 1988.

- CERTIK, M.; MEGOVA, J.; HORENITZKY, R.; Effect of nitrogen sources on the activities of lipogenic enzymes in oleaginous fungus *Cunninghamella echinulata*. **J. Gen. Appl. Microbiol.**, 45: 289-293, 1999.
- CHATEL, S.; VOIRIN, A.; LUCIANI, A.; ARTAUD, J. Starch identification and determination in sweetened fruit preparations. **J. Agric. Food Chem.**, 44 (2): 502-506, 1996.
- CHUNG, B.H.; SEO, D.J.; NAM, S.W.; NA, J.G.; CHANG, Y.K. Optimization of feeding strategy for overproduction of human lipocortin-I in *Saccharomyces cerevisiae* controlled by the GAL10 promoter. **J. Ferment. Bioengineering**, 84 (5): 466-470, 1997.
- CIRIACY, M.; REINFENBERGER, E. Hexose transport. In: ZIMMERMANN, F.K.; ENTIAN, K.D., eds. Yeasts sugar metabolism: biochemistry, genetics, biotechnology and applications. **Lancaster. Technomic.**, 45-65, 1997. Description: xviii, 567p.
- COSGROVE, M. S.; NAYLOR, C.; PALUDAN, S.; ADAMS, M. J.; LEVY, H. R. On the mechanism of the reaction catalyzed by glucose-6-phosphate dehydrogenase. **Biochemistry**, 37:2759-2767, 1998.
- CURRIE, J.A.; DUNNILL, P.; LILLY, M.D. Release of Protein from Baker's yeast (*Saccharomyces cerevisiae*) by Disruption in an Industrial Agitator Mill. **Biotechnology and Bioengineering**. XIV: 725-736, 1972.
- DE MORAIS, S. M. F.; **Tolerância alcoólica, atividade fermentativa e permeabilidade celular em *Saccharomyces cerevisiae***. São Paulo, 1984. 109p. Dissertação de Mestrado da Universidade de São Paulo.
- DIFCO MANUAL : Yeast Media, p. 578-580.

- DOES, A.L.; BISSON, L.F. Comparison of glucose uptake kinetics in different yeasts. **J.Bacteriol.**, Baltimore, 171: (3): 1303-1308, 1989.
- DUMITRU, I.F.; NECHIFOR, M.T. Effects of free radicals on Glucose-6-Phosphate Dehydrogenase, Superoxide Dismutase and Catalase activities in Yeast. **Rev. Roumanie de Biochem.** 32 (3-4): 113-120, 1995.
- DURANTI, M.A. **Estabelecimento de condições de cultivo para produção de células de *Saccharomyces cerevisiae* ricas em invertase por processo descontínuo e processo descontínuo alimentado.** São Paulo, 1991. 198p. Dissertação de Mestrado da Universidade de São Paulo.
- ECHEGARAY, O.F.; CARVALHO, J.C.M.; FERNANDES, A.N.R.; SATO, S.; AQUARONE, E.; VITOLO, M. Fed-Batch culture of *Saccharomyces cerevisiae* in Sugar-Cane blackstrap molasses: invertase activity of intact cells in ethanol fermentation. **Biomass and Bioenergy** Kidlington, 19: 39-50, 2000.
- ENTIAN, K. D. Sugar Phosphorylation in yeast. In: ZIMMERMANN, F. K. ENTIAN, K. D., eds. *Yeast sugar Metabolism: Biochemistry, Genetics, Biotechnology and Applications.* **Lancaster: Technomic**, p.67-79, 1997.
- FIESCHKO, J.; HUMPHREY, A.E.; CLARE, J.J.; Effects of temperature and ethanol concentration on the maintenance and yield coefficient of *Zymomonas mobilis* **Biotechnol. Bioeng.** 25 (6): 1655-1660, 1983.
- FRANÇOIS, J.; ERASO, P.; GANCEDO, C. Changes in the concentration of cAMP, fructose 2,6-biphosphatase and related metabolites and enzymes in *Saccharomyces cerevisiae* during growth on glucose. *Eur. J. Biochem.*, Berlin, 164: 369-373, 1987.

~~FRANÇOIS, J.; PARROU, J.L. Reserve carbohydrates metabolism in the yeast~~
Saaccharomyces cerevisiae. **FEMS Microbiology Review** (25): 125-145, 2000.

FREY, S.D.; ELLIOTT, E.T.; PAUSTIAN, K. Application of the hexokinase-glucose-6-phosphate dehydrogenase enzymatic assay for measurement of glucose in amended soil. **Soil Biology and Biochemistry**, Kidington, 31(6):933-935, 1999.

FLORES, C.L.; RODRIGUEZ, C.; PETIT, T.; GANCEDO, C.; Carbohydrate and energy-yielding metabolism in non-conventional yeasts. **FEMS Microbiology Reviews**. 24: 507-529, 2000.

GANCEDO, J. M.; Carbon catabolite repression in yeast. **Eur. J. Biochem**. 206: 297-313, 1992.

GARCIA, A. D.; **Definição das condições iniciais para a produção de 2,3-Butanodiol em sistema descontínuo-alimentado**. Lorena, SP, 1999. 74p. Tese de Mestrado da Faculdade de Engenharia Química de Lorena.

HALL, G.M. **Methods of Testing Protein Functionality**. London: Chapman & Hall, 1996. 265p. **Handbook of enzyme biotechnology**. Editor: Alan Wiseman. *Edição* 2nd ed. *Imprenta* Chichester [West Sussex] : E. Horwood ; Chichester [West Sussex] ; New York : Halsted Press, 1985. *Descr Fís* 457 p. : *Notas* Ellis horwood series in enzyme biotechnology

HOFVENDAHL, K.; HAHN-HÄGERDAL, B.; Factors affecting the fermentative lactic acid production from renewable resources. **Enzyme and Microbial Tecnology**, Amsterdam, 26: 87-107, 2000

HORAK, J. Yeast nutrient transporters. *Biochim. Biophys. Acta*, Amsterdam, 1331 (1): 41-79, 1997.

- HUA, Q.; SHIMIZU, K. Effect of dissolved oxygen concentration on the intracellular flux distribution for pyruvate fermentation. **J. Biotechnol.**, Amsterdam, v.68, p.135-147, 1999.
- HULL, C.R. Yeast physiology – a micro synopsis. **Bioprocess Engineering**, 6: 195-203, 1991.
- ISHAQUE, A.; MILLHAUSEN, M.; LEVY, H. On the absence of cysteine in glucose-phosphate dehydrogenase from *Leuconostoc mesenteroides*. **Biochem. Biophys. Res. Commun.**, Orlando, v.59, p.894, 1974.
- IZAWA, S.; MAEDA, K.; MIKI, T.; MANO, J.; INOUE, Y.; KIMURA, A. Importance of glucose-6-phosphate dehydrogenase in the adaptive response to hydrogen peroxide in *Saccharomyces cerevisiae*. **Biochem. J.**, London, 330: 811-817, 1998.
- JIN, S.; YE, K.; SHIMIZU, K. Metabolic flux distributions in recombinant *Saccharomyces cerevisiae* during foreign protein production. **J. Biotechnol.**, Amsterdam, 54: 161-174, 1997.
- JOHANNES, P.; VAN DIJKEN, R.A.; PRONK, J.T. Kinetics of growth and sugar consumption in yeasts. **Antonie van Leeuwenhoek**, Dordrecht, 63 (3 – 4): 343-352, 1993. **Kluwer Academic Publishers**.
- KAPAT, A.; JUNG, J.; PARK, Y. Improvement of extracellular recombinant glucose oxidase production in fed-batch culture of *Saccharomyces cerevisiae*: effect of different feeding strategies. **Biotechnol. Lett.**, Dordrecht, 20 (3): 319-323, 1998.
- KAPAT, A.; JUNG, J.; PARK, Y. Enhancement of extracellular glucose oxidase production in pH-stat feed-back controlled fed-batch culture of recombinant *Saccharomyces cerevisiae*. **Biotechnol. Lett.**, Dordrecht, 20 (7): 683-686, 1997.

- KING, F.G.; HOSSAIN, M.A. The effect of temperature, pH and initial glucose concentration on the kinetics of ethanol production by *Zymomonas mobilis* in batch fermentation. **Biotechnol. Lett.**, Dordrecht, 4 (8): 531-536, 1982.
- KOO; J.H.; KIM, S.-Y.; PARK, Y.-C.; HAN, N.S.; SEO, J.-H. Invertase production by fed-batch fermentations of recombinant *Saccharomyces cerevisiae*. **J. Microbiol. Biotechnol.**, Seoul, 8 (3): 203-207, 1998.
- KRAUTER, M.; AQUARONE, E.; SATO, S.; PEREGO Jr, L.; BORZANI, W. Influence of linearly decreasing feeding rates on fed-batch ethanol fermentation of sugar cane blackstrap molasses. **Biotechnology Letters**. 9: 647-50, 1987.
- LANG, C.; GÖLLNITZ, C.; POPOVIC, M.; STAHL, U. Optimization of fungal polygalacturonase synthesis by *Saccharomyces cerevisiae* in fed-batch culture. **Chem. Eng. J.**, Amsterdam, 65: 219-226, 1997.
- LARSSON, G.; TORNKVIST, M. Rapid sampling, cell inactivation and evaluation of low extracellular glucose concentrations during fed-batch cultivation. **J. Biotechnol.**, Amsterdam, v.49, p.69-82, 1996.
- LAWFORD, H.; HOLLOWAY, P.; RUGGIERO, A. Effect of pH on growth and ethanol production by *Zymomonas*. **Biotechnol. Lett.**, Dordrecht, 10 (11): 809-814, 1988.
- LEDUY, A.; ZAJIC, J.E. A geometrical approach for differentiation of an experimental function at a point: applied to growth and product formation. **Biotechnol. Bioeng.**, New York, v.15, n.4, p.805-810, 1973.
- LEE, S.S.; ROBINSON, F.M.; WANG, H.Y. Rapid determination of yeast viability. **Biotechnol. Bioeng.**, New York, v.11, p.641-649, 1981.

- LEE, C.-K.; SANDLER, S.I. Vancomycin partitioning in aqueous two-phase systems: effects of pH, salts, and an affinity ligand. **Biotechnol. Bioeng.**, New York, v.35, p.408-416, 1990.
- LEHNINGER, A.L.; NELSON, D.L.; COX, M.M. Enzimas. **Princípios de Bioquímica**. New York: Ed. Sarvier. 1995.
- LEITE, A. A. **Determinação das atividades da glicose-6-fosfato-desidrogenase e 6-fosfogliconato desidrogenase em neutrófilos de eqüinos adultos puro sangue inglês**. Dissertação de Mestrado da Faculdade de Ciências Farmacêuticas da USP, 1989.
- LEVY, H.R. 1988. Glucose 6-Phosphate Dehydrogenase from *Leuconostoc mesenteroids*. **Biochem. Soc. Trans.** 17:313-315.
- LIEVENSE, J.C.; LIM, H.C. The growth and dynamics of *Saccharomyces cerevisiae*. **Annu. Rep. Ferm. Processes**. New York, V 5, p. 211-62, 1982.
- LILLIE, S.H.; PRINGLE, J.R. reserve carbohydrate metabolism in *Saccharomyces cerevisiae*: responses to nutritional limitation. **J.Bacteriol.**, Baltimore, V143, p. 1384-94, 1980.
- LILLY, M.D. Production of intracellular Microbial Enzymes. In: **Lemuel B. Wingard, Ichiro Chibata** eds. **Applied Biochemistry and Bioengineering**. New York: Academic Press, v.2, 1979.
- LIMA, L.P.C. Elementos de Microbiologia. In: LIMA, U.A; AQUARONE, E.; BORZANI, W. eds. **Tecnologia das Fermentações**. São Paulo: Edgar Blücher, 1975.
- LIMA, URGEL DE ALMEIDA; AQUARONE, EUGÊNIO; BORZANI, WALTER; SCHMIDELL, WILLIBALDO, coords. **Biotecnologia industrial**. São Paulo: Edgard Blücher, 2001. Carvalho, João Carlos Monteiro de *Título Fermentação*

- descontínua.** *Imprensa* São Paulo : Edgard Blücher, 2001. *Descr Fís* v. 2 cap.9 p. 193-204.
- LIMA, URGEL DE ALMEIDA; AQUARONE, EUGÊNIO; BORZANI, WALTER; SCHMIDELL, WILLIBALDO, coords. **Biotecnologia industrial.** São Paulo: Edgard Blücher, 2001. Carvalho, João Carlos Monteiro de *Título Fermentação descontínua alimentada.* *Imprensa* São Paulo : Edgard Blücher, 2001. *Descr Fís* v. 2 cap.10 p. 205-218.
- LIN, H.Y.; NEUBAUER, P. Influence of controlled glucose oscillations on a fed-batch process of recombinant *Escherichia coli*. **J. Biotechnol.** V.79, p. 27-37, 2000.
- LOJUDICE, F.H.; SILVA, D.P.; ZANCHIW, N.I.T.; OLIVEIRA, C.C.; PESSOA JUNIOR, A. Overexpression of glucose-6-phosphate dehydrogenase in Genetically modified *Saccharomyces cerevisiae*. **Applied Biotechnology and Biotechnology.** (in press), 2001.
- LOVITT, R.W.; JONES, M.; COLLINS, S.E.; COSS, G.M.; YAU, C.P.; ATTOUCH, C. Disruption of Bakers' yeast using a disrupter of simple and novel geometry. **Process Biochem.**, Amsterdam, v.36, n.5, p.415-421, 2000.
- LOWRY, O.H.; ROSEBROUGH, N.J.; FARR, A.L.; RANDALL, R.J. Protein measurement with the folin phenol reagent. **J. Biol. Chem.**, Birmingham, v.193, n.1, p.265-275, 1951.
- LUCERO, P.; MORENO, E.; LAGUNAS, R. Catabolite inactivation of the sugar transporters in *Saccharomyces cerevisiae* is inhibited by the presence of a nitrogen source. **FEMS Yeast Res.**, Amsterdam, v.1, p.307-314, 2002.

- MARFFY, F.; KULA, M.R. Enzyme yields from cells of brewer's yeast disrupted by treatment in a horizontal disintegrator. **Biotechnol. Bioeng.**, New York, v.16, p.623-634, 1974.
- MARZZOCO, A.; TORRES, B.B. **Bioquímica Básica**. Rio de Janeiro: Guanabara Koogan. 2 ed. 1999.
- MEIJER, M.M.C.; BOONSTRA, J.; VERKLEIJ, A.J.; VERRIPS, C.T. Glucose repression in *Saccharomyces cerevisiae* is related to the glucose concentration rather than the glucose flux. *J. Biol. Chem.*, Birmingham, v.273, n.37, p.24102-24107, 1998. *Microbial enzymes and biotechnology*. Edited by WILLIAM M. FOGARTY. *Imprenta* London ; New York : Applied Science Publishers ; New York, NY, USA : Sole distributor in the USA and Canada, Elsevier Science Pub. Co., c1983. *Descr Fís* xiii, 382 p.
- MORI, H.; ISHIDA, M.; OKAMOTO, S. Glucose determination using a flow system with enzyme reactor and application to analysis of glucose content in beverages. **J. Health Sci.**, Tokyo, v.45, n.3, p.126-129, 1999.
- NAVARRO, J.M.; DURAND G. Fermentation alcoolique: influence de la température sur l'accumulation d'alcool dans les cellules de levure. **Ann. Microbiol.** Paris, V129b, p. 215-24, 1978.
- NIGAM, J.N. Continuous ethanol production from pineapple cannery waste. **J. Biotechnol.**, Amsterdam, v.72, p.97-202, 1999.
- NIGAM, J.N. Continuous ethanol production from pineapple cannery waste using immobilized yeast cells. **J. Biotechnol.**, Amsterdam, v.80, p.189-193, 2000.

- O'KENNEDY, R.; HOUGHTON, C.J. Effects of growth environment on recombinant plasmid stability in *Saccharomyces cerevisiae* grown in continuous culture. **Appl. Microbiol. Biotechnol.**, Berlin, v.44, p.126-132, 1995.
- OLIVE, C.; LEVY, H. Glucose-6-phosphate dehydrogenase from leuconostoc mesenteroids. **Methods Enzymol.**, San Diego, v.XLI, Pt B (Wood., ed.) Academic Press, NY, 196, 1975.
- OOSTERHUIS, N.M.G.; KOSSEN, N.W.F.; OKADA, M. Dissolved oxygen concentration profiles in a production scale biorreactor. **Biotechnol. Bioeng.**, New York, v.26, n.5, p.546-550, 1984.
- OURA, E. Effect of aeration intensity on the biochemical composition of Baker's yeast. I. Factors affecting the type of metabolism. **Biotechnol. Bioeng.**, New York, v.16, p.1197-1212, 1974.
- OURA, E. Effect of aeration intensity on the biochemical composition of Baker's yeast: activities of enzymes of the glycolytic and pentose phosphate pathways. **Biotechnol. Bioeng.**, New York, v.18, p.415-420, 1976.
- PAALME, T.; ELKEN, R.; KORHOLA, M. Growth efficiency of *Saccharomyces cerevisiae* on glucose/ethanol media with a smooth change in dilution rate (A – Stat). **Enzyme Microb. Technol.**, Amsterdam, v.20, p.174-181, 1997.
- PARK, Y.K. Produção de enzimas. In: LIMA, U.A.; AQUARONE, E.; BORZANI, W. eds. **Tecnologia das fermentações**. São Paulo: Edgar Blücher, 1975. 285p.
- PETERSON, G.L. Review of the foline phenol protein quantitation method of Lowry, Rosebrough, Farr and Randall. **Anal. Biochem.**, Orlando, v.100, n.2, p.201-220, 1979.

- PESSOA Jr., A.; VITOLO, M.; HUSTEDT, H. Use of K_La as a criterion for scaling up the inulinse fermentation process. **Appl. Biochem. Biotechnol.**, Totowa, v.57/58, p.699-709, 1996.
- PINHEIRO, R.; BELO, I.; MOTA, M. Physiological behavior of *Saccharomyces cerevisiae* under increased air and oxygen pressures. **Biotechnol. Lett.**, Dordrecht, v.19, n.7, p.703-708, 1997.
- POSTMA, E.; VERDUYN, C.; SCHEFFERS, A.; VAN DIJKEN, J.P. Enzymic Analysis of Crabtree Effect in Glucose-Limited Chemostat Cultures of *Saccharomyces cerevisiae*. **Appl. Environ. Microbiol.**, Washington, v.55, n.2, p.468-477, 1989.
- PRONK, J.T.; STEENSMA, H.Y.; VAN DIJKEN, J.P. Pyruvate Metabolism in *Saccharomyces cerevisiae*. **Yeast**, Bognor Regis, v.12, p.1607-1633, 1996.
- REHACEK, J.; SCHAEFER, J. Disintegration of Microorganisms in an industrial horizontal mill of novel design. **Biotechnol. Bioeng.**, New York, v.19, p.1523-1534, 1977.
- REIFENBERGER, E.; BOLES, E.; CIRIACY, M. Kinetic characterization of individual hexose transporters of *Saccharomyces cerevisiae* and their relation to the triggering mechanisms of glucose repression. **Eur. J. Biochem.**, Berlin, v.245, n.2, p.324-333, 1997.
- REILLY, K.E.; ALLRED, J.B. Glucose-6-phosphate dehydrogenase from *Saccharomyces cerevisiae* is a glycoprotein. **Biochem. Biophys. Res. Commun.**, Orlando, v.216, n.3, p.993-998, 1995.
- ROHR, C.; KUBICEK, J.; KOMINEK, J.; Citric Acid. In: REHM, H.J.; REED, G. eds. **Biotechnology**. Weinheim: Verlag Chemie, 1983. v.3, p.455-465.

- ROMANOS, M.A.; SCORER, C.A.; CLARE, J.J. Foreign gene expression in yeast: a review. **Yeast**, Bognor Regis, v.8, n.6, p.423-488, 1992.
- RONNE, H. Glucose repression in fungi. **Trends Genet.**, Amsterdam, v.11, n.1, p.12-17, 1995.
- RONNOW, B.; OLSSON, L.; NIELSEN, J.; MIKKELSEN, J.D. Derepression of galactose metabolism in melibiase producing baker's and distillers' yeasts. **J. Biotechnol.**, Amsterdam, v.72, p.213-228, 1999.
- ROSSI, F.G. **Obtenção da enzima Glicose-6-Fosfato Desidrogenase por processo fermentativo da levedura *Saccharomyces cerevisiae* geneticamente modificada (W303-181)**. São Paulo: FCF/USP, 2002. (Dissertação de Mestrado).
- ROUSSELET, G.; SIMON, M.; RIPOCHE, P.; BUHLER, J.M. A second nitrogen permease regulator in *Saccharomyces cerevisiae*. **FEBS Lett.**, Amsterdam, V 359, p. 215-219, 1995.
- ROWLAND, P.; BASAK, A.K.; GOVER, S.; LEVY, H.R.; ADAMS, M.J. The three-dimensional structure of glucose-6-phosphate dehydrogenase from *Leuconostoc mesenteroids* refined at 2.0 Å resolution. **Structure**, Philadelphia, v.2, n.11, p.1073-1087, 1994.
- RUKLISHA, M.; PAEGLE, L. Metabolic fluxes and L-lysine synthesis by *Corynebacterium glutamicum* in relation to cellular total reducing activity. **Process Biochem.**, Amsterdam, v.36, p.1233-1240, 2001.
- SAMBROOK, JOSEPH. Molecular cloning :a laboratory manual. Joseph Sambrook, Edward F. Fritsch, Thomas Maniatis. 2nd. Ed. **Plainview : Cold Spring Harbor Laboratory**, 1989. 3 v.

SANTHANAM, K. J. **Ferment. Bioeng.** V.73, n.3, p.241-243, 1992.

SEGEL, I.H. **Bioquímica: Teoria e Problemas.** Rio de Janeiro: Livros Técnicos e Científicos, 1979. 525p.

SENE, L.; VITOLO, M.; FELIPE, M.G.A.; SILVA, S.S. Effects of environmental conditions on xylose reductase and xylitol dehydrogenase production by *Candida quilliermondi*. **Appl. Biochem. Biotechnol.**, Totowa, v.84/86, p.371-380, 2000.

SREENATH, H.K.; SANTHANAM, K. The use of commercial enzymes in white grape juice clarification. **J. Ferment. Bioeng.**, Amsterdam, v.73, n.3, p.241-243, 1992.

SEVERO, L. G. **Determinação da atividade da glicose-6-fosfato desidrogenase (G-6-PD) em eritrócitos humanos.** São Paulo: FCF/USP, 1979. 68p. (Dissertação de Mestrado).

SHENE C., MIR N., ANDREWS, B.A., ASENJO J.A. **Effect of the growth conditions on the synthesis of a recombinant beta-1,4-endoglucanase in continuous and fed-batch culture.** *Enzyme and microbial technology*, 27 (3-5): 248-253 AUG 2000.

SHERMAN, F.; FINK, G.R.; HICKS, J.B. **Laboratory Course Manual for Methods in Yeast Genetics.** Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY. 1986.

SILVA, D. P.. **Obtenção das Enzimas Hexoquinase e Glicose-6-fosfato Desidrogenase utilizando *Saccharomyces cerevisiae*.** São Paulo: FCF/USP, 2000. 165p. (Dissertação de Mestrado).

- SILVA, D.P.; PESSOA Jr., A.; ROBERTO, I.C.; VITOLO, M. Effect of agitation and aeration on production of hexokinase by *Saccharomyces cerevisiae*. **Appl. Biochem. Biotechnol.**, Totowa, v.91, n.3, p.605-613, 2001.
- SILVA, D.P.; PESSOA Jr., A.; ROBERTO, I.C.; VITOLO, M. Effect of $k_L a$ on the production of glucose-6-phosphate dehydrogenase from *Saccharomyces cerevisiae* grown by fermentation process. **Appl. Biochem. Biotechnol.**, Totowa, v.98, 100, p.205-213, 2002.
- SILVA, M.E.R. **Estudo da influência de diferentes fontes de nitrogênio no meio de cultivo visando à obtenção de hexoquinase (EC2.7.1.1) e glicose-6- fosfato. desidrogenase (EC1.1.1.49) em *Saccharomyces cerevisiae***. São Paulo, 1998. 85p. Dissertação de Mestrado - Faculdade de Ciências Farmacêuticas - Universidade de São Paulo.
- SILVA, M.E.R.; VITOLO, M.; ABRAHÃO-NETO, J. Protein and glucose-6-phosphate dehydrogenase releasing from baker's yeast cells disrupted by a vertical bead mill. **Process Biochem.**, Amsterdam, v.35, n.8, p.831-835, 2000.
- SILVA, S.S.; VITOLO, M.; PESSOA Jr, A.; FELIPE, M.G.A. Xylose reductase and xylitol dehydrogenase activities of D-xylose-xylitol-fermenting *Candida guilliermondii*. **J. Basic Microbiol.**, Weinheim, v.36, n.3, p.187-191, 1996.
- SOMOGYI, M. Notes on sugar determination. **J. Biol. Chem.**, Birmingham, v.153, p.375-380, 1944.
- SOUZA, M.A.; RIBEIRO, M.Z.; SILVA, D.P.; PESSOA Jr.; A.; VITOLO, M. Effect of pH on the stability of hexoquinase and glucose-6-phosphate dehydrogenase. **Appl. Biochem. Biotechnol.**, Totowa, v.98/100, p.265–272, 2000.

- STARR P.R.; PARKS, L.W. Some factors affecting sterol formation in *Saccharomyces cerevisiae*. **J. Bacteriol.**, Baltimore, V83, p. 1042-46, 1962.
- STRYER, L. **Bioquímica**. 3.ed. Rio de Janeiro: Guanabara Koogan, 1992. 881p.
- TACIRO, M.K. **Estudo da influência de diferentes condições de transferência de oxigênio no cultivo de *Azospirillum brasilense***. São Paulo: USP/Escola Politécnica, 1992. 209p. (Dissertação de Mestrado).
- TAUBERT, J.; KRINGS, U.; BERGER, R.G. A comparative study on the disintegration of filamentous fungi. **J. Microbiol. Methods**, Shannon, v.42, p.225-232, 2000.
- TEROUANNE, B.; BENCHEICK, M., BALAGUER, P.; BOUSSIOUX, A.M.; NICOLAS, I.C. Bioluminescent assays using glucose-6-phosphate dehydrogenase - Application to biotin and streptavidin detection. **Anal. Biochem.** 180(1):43-49, 1989.
- TONG, G.E.; INLOES, D.S. Making more. **CHEMTECH** v.1,n.9, p.567-573, 1990.
- TORRES, E.F; BARATTI, J. The effect of pH, temperature and sucrose concentration on high productivity continuous ethanol fermentation using *Zymomonas mobilis*. **Appl. Microbiol. Biotechnol.**, Berlin, v.27, p.121-128. 1987.
- TREVISAN, H.C. **Desenvolvimento de um método de produção de sílica de porosidade controlada e sua utilização na imobilização de proteínas**. Campinas, 1993. 205p. Tese de Doutorado - Faculdade de Engenharia Química - Universidade Estadual de Campinas.

- VAN DORN, J.; SCHOLTE, E.M.; POSTMA, P.W. VAN DRIEL, R.;VAN DAM, K. Regulation of trehalose activity during the cell cycle of *S.cerevisiae*. **J. Gen. Microbiol.**, London, V134, p. 785-90, 1988.
- VAN HOEK, P.; VAN DJIKEN, P.; PRONK, J.T. Regulation of fermentative capacity and levels of glycolytic enzymes in chemostat cultures of *Saccharomyces cerevisiae*. **Enzyme Microb. Technol.**, Amsterdam, v.26, p.724-736, 2000.
- VIKARI, L. Pulp and the enviroment. **Pap. Puu**, Helsinki, v.73, n.5, p.384-389, 1991.
- VITOLLO, M. **Efeito do pH e da aeração sobre a atividade invertásica de células intactas de levedura (*S. cerevisiae*) obtidas por cultivo descontínuo**. São Paulo,1989. 140p. Tese de Livre-Docência - Faculdade de Ciências Farmacêuticas - Universidade São Paulo.
- VITOLLO, M. Production of ethanol and invertase by *S.cerevisiae* grown in blackstrap molasses. In: Chartier, P.; Ferrero, G.L.; Henius, U.M.; Hultberg, S.; Sachau, J.; Wiinblad, M., eds. **Biomass for energy and the environment**. Oxford: Pergamon, 1996, V3, p. 1477-1481 [Proceedings of the 9th European Bioenergy Conference].
- VITOLLO, M.; DURANTI, M.A.; PELLEGRIM, M.B. Effect of pH, aeration and sucrose feeding on the invertase activity of intact *S.cerevisiae* cells grown in sugarcane blackstrap molasses. **J. Ind. Microbiol.**, Amsterdam, V15, p. 75-79, 1995.
- VITOLLO, M. **Atividade invertásica de células intactas de levedura *S.cerevisiae* obtidas por cultivo contínuo**. São Paulo,1983. Tese de Doutorado do Instituto de Química da USP.
- VITOLLO, M.; ROCHA-FILHO, J.A. **Enzimas no contexto da síntese orgânica**. Fundação Biblioteca Nacional: registro n° 139972, 1998.

- WANG, D.I.C.; COONEY, C.L.; DEMAIN, A.L.; DUNNILL, P.; HUMPHREY, A.E.; LILLY, M. D. **Fermentation and Enzyme Technology**. New York: John Wiley & Sons, 374p, 1979.
- WARD, O.P. **Biología de la fermentación: principios, procesos y productos**. Zaragoza: Acribia, 1989. 274p.
- WHITAKER, J.R. **Food Enzymology**. Edited by P.F.Fox. London; New York: Elsevier, c1991. 2v.
- WHITE, D. C₁ metabolism. In: _____. **The physiology and biochemistry of prokaryotes**. 2.ed. New York: Oxford University Press, 1999. p.338-360.
- WIAME, J.D.; GRENSON, M.; ARST Jr., H.N. Nitrogen catabolite repression in yeasts and filamentous fungi. **Adv. Microbiol. Physiol.**, London, V26, p. 1-87, 1985.
- WIN, S.S.; IMPOOLSUP, A.; NOOMHORM, A. **Growth kinetics of *Saccharomyces cerevisiae* in batch and fed-batch cultivation using sugarcane molasses and glucose syrup from cassava starch**. J. Ind. Microbiol., Amsterdam, v.16, p.117-123, 1996.
- WISE, W.S. The measurement of the aeration of culture media. **J. Gen. Microbiol.**, Reading, v.5, p.167-177, 1951.
- YANG, S.F.; JLAO, X.Z.; YIP, W.K. Dependence of *in vivo* ethylene production-rate on 1-aminocyclopropane-1-carboxylic acid content and oxygen concentrations. **Plant. Physiol.**, Rockville, v.88, n.3, p.553-558, 1988.
- YAMANE, T., SHIMIZU, S. Fed-batch techniques in microbial processes. **Advances in biochemical engineering and biotechnology**, V30, p. 148-94, 1984.

- YOON, S.K.; KANG, W.K. Fed-batch operation of recombinant *Escherichia coli* containing trt promoter with controlled specific growth rate. **Biotechnology and Bioengineering**. V43, p. 995-9,1994.
- YOSHIDA, F.; YAMANE, T.; NAKAMOTO, K.I. Fed-batch hydrocarbon fermentation or with colloidal emulsion feed. **Biotechnology and Bioengineering**. V15, p. 257-70,1973.
- ZANÃO, D. F.; **Estudo da vazão mássica de adição de substrato para o processo de produção de 2,3-Butanodiol em sistema descontínuo-alimentado**. Lorena, SP, 2001. 71p. Tese de Mestrado da Faculdade de Engenharia Química de Lorena.
- ZECHENDORF, B. Sustainable development: how can biotechnology contribute? **Trends Biotechnol.**, Amsterdam, v.17, n.6, p.219-225; 1999.