

## 6. Referências Bibliográficas

AMARANENI, S. R., Distribution of pesticides, PAHs and heavy metals in prawn ponds near Kolleru lake wetland, India *Environment International* 32 294 – 302, 2006.

ASLAN, M., OZBEN, T., Transduction pathways. *Antioxid. Redox. Signal.* 5 (6), 781–788, 2003.

ASADA, S., SASAKI, K., TANAKA, N., TAKEDA, N., HAYASHI, M., UMEDA, M., Detection of initiating as well as promoting activity of chemicals by a novel cell transformation assay using v-Ha-ras-transfected BALB/c 3T3 cells (Bhas 42 cells) *Mutation Research* 588 7–21, 2005.

AWADA, M. E DEDON, P.C. Formation of the 1,N2-glyoxal adduct of deoxyguanosine by phosphoglycolaldehyde, a product of 3'-deoxyribose oxidation in DNA. *Chem. Res. Toxicol.* 14, 1247-1253, 2001.

AUGUSTO, O. Radicais livres, bons, maus e naturais. Editora Oficina de textos, 1ª ed, 120 p, 2006.

BEISCHLAG, V. T., WANG, S., ROSE, D. R., TORCHIA, J. T., REISZ-PORSZASZ, S., MUHAMMAD, K., NELSON, W. E., PROBST, M. R., ROSENFELD, M. G., AND HANKINSON, O., Recruitment of the NCoA/SRC-1/p160 Family of Transcriptional Coactivators by the Aryl Hydrocarbon Receptor/Aryl Hydrocarbon Receptor Nuclear Translocator complex molecular and cellular biology, p. 4319–4333, 2002.

BELAND, F. A.,M, CHURCHWELL, M. I., VON TUNGELN, L. S., CHEN, S., FU, P. P., CULP, S. J., SCHOKET, B., RFFY, E. G., ROVITS, J. M., POIRIER, M. C., BOWMAN, E. D., WESTON, A., AND DOERGE, D. R., High-Performance Liquid Chromatography Electrospray Ionization Tandem Mass Spectrometry for the Detection and Quantitation of enzo[a]pyrene-DNA Adducts *Chem. Res. Toxicol.*, 18, 1306-1315, 2005.

BHATTACHARYA, S., BARBACCI, D.C., SHEN, M., LIU, J.N., CASALE, G.P. Extraction and Purification of Depurinated Benzo[a]pyrene-Adducted DNA Bases from Human Urine by Immunoaffinity Chromatography Coupled with HPLC and Analysis by LC/Quadrupole Ion-Trap MS. *Chem Res Toxicol.* 16, 479-486, 2003.

BIGGER, C.A., PONTEN, I., PAGE, J.E., DIPPLE, A. Mutational spectra for polycyclic aromatic hydrocarbons in the supF target gene. *Mutat Res.* 450, 75-93, 2000.

BRADFORD, M. M. a rapid e sensitive method for quantification of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochen.* 72, 248-254, 1976.

BRANDON, E. F. A., BOSCH, T. M., DEENEN, M. J., LEVINK, R., VAN DER WAL, E., MEERVELD, J. B. M. V., BIJL, M., BEIJNEN., J. H., SCHELLENS, J. H. M., MEIJERMAN, I., Validation of in vitro cell models used in drug metabolism and transportv studies; genotyping of cytochromeP450, phase II enzymes and drug transporter polymorphisms in the human hepatoma (HepG2), ovarian carcinoma (IGROV-1) and coloncarcinoma (CaCo-2,LS180) cell lines *Toxicology and Applied Pharmacology* 211, 1–10, 2006.

BRANDON, E.F.A., RAAP, C.D., MEIJERMAN, I., BEIJNEN, J.H., SCHELLENS, J.H.M., 2003. An update on in vitro test methods in human hepatic drug biotransformation research: pros and cons. *Toxicol. Appl. Pharmacol.* 189, 233–246, 2003.

BRAUN, S., APPEL, L. G. SCHMAL, M. . A Poluição Gerada por Máquinas de Combustão Interna Movidas a Diesel - A Questão dos Particulados. Estratégias Atuais para a Redução e Controle das Emissões e Tendências Futuras. *Química Nova*, São Paulo, v. 27, n. 03, p. 472-482, 2004.

BOCSKAY, K.A., TANG. D., ORJUELA, M.A, LIU, X., WARBURTON, D.P., PERERA, F.P., Chromosomal aberrations in cord blood are associated with

prenatal exposure to carcinogenic polycyclic aromatic hydrocarbons. *Cancer epidemiology, Biomarkers & prevention*, 14(2): 506-511, 2005.

CAMARGO, R. C. M., VERDIANI, S. A. T., VITORINO, S. H. P. V., MENEGÁRIO, T. F., TOLEDO, M. C. F., Determinação de hidrocarbonetos policíclicos aromáticos (HPAs) em guaraná em pó (*Paullinia cupana*) *Ciênc. Tecnol. Aliment.*, Campinas, 26(1): 230-234, 2006.

CAMPOS, E. B. P., YOSHIDA, W. B., O papel dos radicais livres na fisiopatologia da isquemia e reperfusão em retalhos cutâneos: modelos experimentais e estratégias de tratamento. *Jornal vascular brasileiro*; 3 (4): 357-366, 2004.

CARRILHO, E., FORMENTON-CATAI A. P., LANÇASA, F. M., PEREIRAB, D. M., dGMP-BPDE DNA Adduct Investigation in Environmentally Exposed Rural Workers by Capillary Electrophoresis with Laser-Induced Fluorescence Detection, *J. Braz. Chem. Soc.*, Vol. 16, No. 2, 220-226, 2005.

CAVALIERI, E.L. E ROGAN, E.G. (1995) Central role of radical cations in metabolic activation of polycyclic aromatic hydrocarbons. *Xenobiotica* 25, 677-688, 1995.

CHANG, H.F., HUFFER, D.M., CHIARELLI, M.P., BLANKENSHIP, L.R., CULP, S.J., CHO, B.P. Characterization of DNA adducts derived from syn-benzo[ghi]fluoranthene-3,4-dihydrodiol-5,5a-epoxide and comparative DNA binding studies with structurally-related anti-diolepoxides of benzo[ghi]fluoranthene and benzo[c]phenanthrene. *Chem Res Toxicol.* 15, 198-208, 2002b.

CHARI, R., LONERGAN, K. M., RAYMOND, T.N., MACAULAY, C., LAM, W.L., E LAM, S. Effect of active smoking on the human bronchial epithelium transcriptome. *BMC Genomic*, 8:297/1471-2164-8-29, 2007.

CHI, X., BESNARD, C., THORSMOLLE, V. K., BUTKO, V. Y., TAYLOR, A. J., SIEGRIST, T., AND RAMIREZ, A. P., Structure and Transport Properties of the Charge-Transfer Salt Coronene-TCNQ *Chem. Mater.* 16, 5751-5755. 2004.

CHO, H., e HARVEY, R.G., Synthesis of hydroquinones Diacetates from Polycyclic Aromatic quinones J. C. s. Perkin I 836-839, 1975.

CHO, H., e HARVEY, R.G., Synthesis of "K-region" quinines and arene oxides of policiclic aromatic hydrocarbons, Tetrahedron Letters nº 16, 1491-1994, 1974.

CIGANEK, A. M., NECA, J., ADAMEC, V., JANOSEK, J., MACHALA, M., A Combined chemical and bioassay analysis of traffic-emitted polycyclic aromatic hydrocarbons Science of the Total Environment 334– 335 141–148. 2004.

CLANCY, L., GOODMAN, P., SINCLAIR, H., DOCKERY, D.W., Effect of air-pollution control on death rates in Dublin, Ireland: an intervention study. *Lancet*, 360:1210-1214, 2002.

COOKE, M. S.; EVANS, M. D.; HERBERT, K. E.; LUNEC, J. Urinary 8-oxo-2\_-deoxyguanosine: source significance and supplements. *Free Radic. Res.* 32:381–397, 2000.

COUNTWAY R.E., DICKHOUT R.M., CANUEL E.A. Polycyclic aromatic Hydrocarbon (PAH) distributions e associations with organic matter in surface water of the York River, VA Estuary. *Org. Geochem.*, Oxford v. 34, p 209-224, 2003.

DE BONT, R. and VAN LAREBEKE, N. Endogenous DNA damage in humans: a review of quantitative data. *Mutagenesis*, v. 19, p. 169-185, 2004.

DE BUCK, S. S., BOUCHE, F. B., BRANDENBURGER<sup>1</sup>, A., MULLER, C. P., Modulation of the metabolism and adverse effects of benzo[a]pyrene by a specific antibody: a novel host factor in environmental. *Carcinogenesis* vol.26 no.4 pp. 835-844, 2005

DE MARTINIS, B.S., OKAMOTO, R.A., KADO, N.Y., GUNDEL, L.A., CARVALHO, L.R.F. Polycyclic aromatic hydrocarbons in a bioassay-fractionated extract of PM10 collected in São Paulo, Brazil. *Atmospheric Environment* 36, 307-314, 2002.

DEBERNARDI S, LILLINGTON D, YOUNG BD. Understanding cancer at the chromosome level: 40 years of progress. *Eur J Cancer*. 40(13):1960-1967, 2004.

DELEUZE, M. S., Valence One-Electron and Shake-Up Ionization Bands of Polycyclic Aromatic Hydrocarbons. III. Coronene, 1,2,6,7-Dibenzopyrene, 1,12-enzoperylene, Anthanthrene *J. Phys. Chem. A*, 108, 9244-9259, 2004.

DENISON, M.S., NAGY, S.R., Activation of the aryl hydrocarbon receptor by structurally diverse exogenous and endogenous chemicals. *Annu. Rev. Pharmacol. Toxicol.* 43, 309–334, 2003

DIETERT, R. R., AND PIEPENBRINK, M. S., Perinatal Immunotoxicity: Why Adult Exposure Assessment Fails to Predict Risk. *Environmental Health Perspectives V.* 114, 4. 477-483, 2006.

DU FOUR, V. A. JANSSEN, C.R., BRITS, E., VAN LAREBEKE, N., Genotoxic and mutagenic activity of environmental air samples from different rural, urban and industrial sites in Flanders, Belgium *Mutation Research* 588 106–117, 2005.

EASTERBROOK, J., FACKETT, D., LI, A. P., A comparison of aroclor 1254-induced and uninduced rat liver microsomes to human liver microsomes in phenytoin *O*-deethylation, coumarin 7-hydroxylation, tolbutamide 4-hydroxylation, *S*-mephenytoin 4-hydroxylation, chloroxazone 6-hydroxylation and testosterone 6-hydroxylation. *Chemico-Biological Interactions* 134, 243–249, 2001.

FALLONE, F., VILLARD, P. H., DECOMEB, L., SEREE, L., MEO, M., CHACON, C., DURAND, A., BARRA, Y., LACARELLE, B., PPAR activation potentiates AhR-induced CYP1A1 expression *Toxicology* 216 122–128, 2005.

FETT-CONTE. A. C., VENDRAME-GOLONI. C. B., HOMSI. C. M., LEILA N.B., BORIM., ZOLA. P. A., RICCI. O., Estudo cromossômico no sangue periférico de pacientes com diferentes tipos de leucemia do Hospital de Base, São José do Rio Preto – SP., *Rev.bras.hematol.hemoter.*,22(3): 374-386, 2000.

FRANK, E. G., SAYER, J. M., KROTH, H., OHASHI, E., OHMORI, H., JERINA, D. M., AND WOODGATE, R., Translesion replication of benzo[a]pyrene and benzo[c]phenanthrene diol epoxide adducts of deoxyadenosine and deoxyguanosine by human DNA polymerase  $\eta$  Nucleic Acids Research, Vol. 30, No. 23, 5284-5292, 2002.

GHANEM, M. M., BATTELLI, L. A, MERCER, R. R., SCABILLONI, J. F., KASHON, M. L., MA, J. Y. C., NATH, J. AND HUBBS, A. F., Apoptosis and Bax Expression are Increased by Coal Dust in the Polycyclic Aromatic Hydrocarbon-Exposed Lung Environmental Health Perspectives.V 114, 9, 1367 – 1373, 2006.

GIODA, A., NETO, F. R. A. Comments on studies of industrial and non-industrial environments in Brazil: a comparative approach Cad. Saúde Pública, Rio de Janeiro, 19(5):1389-1397, 2003.

GLASSNER, B. J., RASMUSSEN, L. J., NAJARIAN, M. T., POSNICK, L. M., AND SAMSON, L. D., Generation of a strong mutator phenotype in yeast by imbalanced base excision repair. Genetics. Vol. 95, p. 9997–10002, 1998.

GOODSEL, D. S., The Molecular Perspective:Polycyclic Aromatic Hydrocarbons STEMCELLS;22:873–874, 2004.

HALLIWELL, B., GUTTERIDGE, J. M. C., Free Radicals in Biology and Medicine, University Press, 22-27, 1999.

HAZRA, T. K.; IZUMI, T.; MAIDT, L.; FLOYD, R. A.; MITRA, S., The presence of two distinct 8-oxoguanine repair enzymes in human cells, their potential complementary role in preventing mutation. *Nucl. Acids Res.* 26:5116–5122; 1998.

HELBOCK, J. H., BECKMAN, K. B., SHIGENAGA, M. K., WALTER, P. B., WOODALL, A. A., YEO, H. C., E AMES, B. M., DNA oxidation matters: The HPLC-electrochemical detection assay of 8-oxo-deoxyguanosine and 8-oxo-guanine. *PNAS*;95:288-293, 1998.

HERMES-LIMA, M., Oxidative stress and medical sciences, Functional Metabolism: Regulation and Adaptation, edited by Kenneth B. Storey, 369-381, 2004.

HERRENO-SAENZ D, XIA Q, CHIU LT, FU PP. UVA photoirradiation of halogenated-polycyclic aromatic hydrocarbons leading to induction of lipid peroxidation. : Int J Environ Res Public Health.;3(2):191-5, 2006.

HIROYUKI, N., E NAKANISHI,M., DNA damage checkpoints in mammals, Mutagenesis, 1-7, 2005.

HU, S. W., CHEN, C. H., KUO, C. Y., LIN, W. H. Y, LIN, P., Increased cytochrome P4501B1 gene expression in peripheral leukocytes of municipal waste incinerator workers Toxicology Letters 160, 112–120, 2006

HUKKANEN, J., VAISANEN, T., LASSILA, A., PIIPARI, R., ANTTILA, S., PELKONEN, O., RAUNIO, H and HAKKOLA, J., Regulation of CYP3A5 by Glucocorticoids and Cigarette Smoke in Human Lung-Derived Cells. The journal of pharmacology and experimental therapeutics vol. 304, No. 2. 2003.

HURTIG, A. K., SEBASTIÁN, S. M., Incidence of Childhood Leukemia and Oil Exploitation in the Amazon Basin of Ecuador INT J OCCUP ENVIRON HEALTH;10:245–250, 2004

HYLLAND K., Polycyclic aromatic hydrocarbon (PAH) ecotoxicology in marine ecosystems. J environ Health A. 69 (1-2) p. 109-123, 2006.

IARC (1983) IARC Monographs on the evaluation of carcinogenic risk of chemicals to humans, Polynuclear aromatic compounds, Part 1, chemical, environmental and experimental data, Vol. 32. International Agency for Research on Cancer, Lyon, France, 1983.

INAMI, K., AND MOCHIZUKI, M., Chemical models for cytochrome P450 as a biomimetic metabolic activation system in mutation assays *Mutation Research* 519, 133–140. 2002.

JOHNSEN, R. A., LIPTHAY, J. R., SØRENSEN, J. S., EKELUND, F., CHRISTENSEN, P., ANDERSEN, O., KARLSON, U AND JACOBSEN, C. S., Microbial degradation of street dust polycyclic aromatic hydrocarbons in microcosms simulating diffuse pollution of urban soil *Environmental Microbiology* 8 (3), 535–545. 2006.

JONGENEELLEN, J. F. Benchmark Guideline for Urinary 1-Hydroxypyrene as Biomarker of Occupational Exposure to Polycyclic Aromatic Hydrocarbons *British Occupational Hygiene Society* Vol. 45, No. 1, pp. 3–13, 2001.

KASTAN, B. M., & BARTEK, J., Cell-cycle checkpoints and cancer, *Nature*, vol 432, 316-323, 2004.

KOMIYA, K., TSUKINO, E. H., KURODA, H. N. Y., IMAI, H., KATOH, T., Human glutathione S-transferase A1, T1, M1, and P1 polymorphisms and susceptibility to prostate cancer in the Japanese population *J Cancer Res Clin Oncol* , 131: 238–242, 2005.

KRIVOBOK, S., KUONY, S., MEYER, C. LOUWAGIE, M., WILLISON, C.J., AND JOUANNEAU, Y., Identification of Pyrene-Induced Proteins in *Mycobacterium* sp. Strain 6PY1: Evidence for Two Ring-Hydroxylating Dioxygenases *JOURNAL OF BACTERIOLOGY*, p. 3828–384, 2003.

KWAN ML, BUFFLER PA, WIEMELS JL, METAYER C, SELVIN S, DUCORE JM, BLOCK G. Breastfeeding patterns and risk of childhood acute lymphoblastic leukaemia. *Br J Cancer*. 8;93(3):379-84, 2005.

LI, C., FU, J., SHENG, G., BI, X., HAO, Y., WANG, X., MAI, B., Vertical distribution of PAHs in the indoor and outdoor PM<sub>2.5</sub> in Guangzhou, China *Building and Environment* 40 329–341, 2005.



Liu, X. W., Chen, J. L., Lin, X. M., Tao, S., Distribution and characteristics of organic micropollutants in surface sediments from Bohai Sea Environmental Pollution 140 4-8, 2006.

LOUREIRO, A.P.M. Caracterização e detecção de adutos entre 2'-desoxiguanosina e trans,trans-2,4-decadial. Tese de Doutorado apresentada ao Departamento de Bioquímica do Instituto de Química da Universidade de São Paulo, Brasil. 2000.

LOWE, S. W.; CEPERO, E.; EVAN, G., Intrinsic tumor supresor. Nature. Vol 432. p 307-315. 2004.

LUNEC, J., HOLLOWAY, K I., COOKE, S M., FAUX, S O O., GRIFFITHS, H R., EVANS, M D., Urinary 8-oxo-2\_-deoxyguanosine: redox regulation of dna repair in vivo? Free Radical Biology & Medicine, Vol. 33, No. 7, pp. 875–885, 2002.

MACE, K., AGUILAR, F. E., WANG, J. S., VAUTRAVERS, P., FRANK, M. G., GONZALEZ, G., GROOPMAN, J., HARRIS, C. C., AND PFEIFER, A. M. A., Aflatoxin B1-induced DNA adduct formation and p53 mutations in CYP450-expressing human liver cell lines Carcinogenesis vol.18 no.7 pp.1291–1297, 1997.

MARNETT, L. J. E PLASTARAS, J . P., Endogenous DNA damage and mutation. *Trends Genet.* 17, 214-221. 2001.

MARTINEZ C, GARCIA-MARTIN E, LDERO JM, Association of CYP2C9 genotypes leading to high enzyme activity and colorectal cancer risk. *Carcinogenesis* , 22, 1323–1326, 2001.

MCCOULL, D. K., RINDGEN, D., BLAIR,I. A., AND PENNING, T. M., Synthesis and Characterization of Polycyclic AromaticHydrocarbon o-Quinone Depurinating N7-Guanine Adducts† *Chem. Res. Toxicol.* 12, 237-246. 1999.

Mersch-Sundermann, V., Mochayedi, S., Kevekordes, S., Kern, S., Wintermann, F. The genotoxicity of unsubstituted and nitrated polycyclic aromatic hydrocarbons. *Anticancer Res.* 13, 2037-2043, 1993.

MIELZYNSKA, D., SIWINSKA, E., KAPKA, L., SZYFTER<sup>1</sup>, S., KNUDSEN, L. E. AND MERLO, F. D., The influence of environmental exposure to complex mixtures including PAHs and lead on genotoxic effects in children living in Upper Silesia, Poland *Mutagenesis* vol. 21 no. 5 pp. 295–304, 2006.

MOON, H. B., KANNAN, K., LEE, S. H., OK, G., Atmospheric Deposition of Polycyclic Aromatic Hydrocarbons in an Urban and a Suburban Area of Korea from 2002 to 2004 *Arch. Environ. Contam. Toxicol.* 51, 494–502 , 2006.

MOORTHY, B., MILLER, K. P., JIANG, W., WILLIAMS, E. S., KONDRAGANTI, S. R and RAMOS, R., Role of Cytochrome P4501B1 in Benzo[a]pyrene Bioactivation to DNA-Binding Metabolites in Mouse Vascular Smooth Muscle Cells: Evidence from <sup>32</sup>P-Postlabeling for Formation of 3-Hydroxybenzo[a]pyrene and Benzo[a]pyrene-3,6-quinone as Major Proximate Genotoxic Intermediates *journal of pharmacology and experimental therapeutics* 305:394–401, 2003.

MOREIRA, J. S.; PORTO, N.; CAMARGO, J. J. e GEYER, G. R. Carcinoma brônquico. In: SILVA, L. C. C. *Conduas em Pneumologia*. Rio de Janeiro: Revinter, vol. I, 553-568, 2001.

NAIR, J., FURSTENBERGER, G., BURGER, F., MARKS, F. E BARTSCH, H. Promutagenic etheno-DNA adducts in multistage mouse skin carcinogenesis: correlation with lipoxygenase-catalyzed arachidonic acid metabolism. *Chem. Res. Toxicol.* 13, 703-709, 2000.

NAVASUMRIT, P., WARD, T. H., O'CONNOR, P. J., NAIR, J., FRANK, N., BARTSCH, H., Ethanol enhances the formation of endogenously and exogenously derived adducts in rat hepatic DNA, *Mutation Research* 479 81–94, 2001.

NEBERT, D. W., DALTON, T. P., The role of cytochrome P450 enzymes in endogenous signalling pathways and environmental carcinogenesis. *Nature reviews. Cancer.* 6(12): 947-60. 2006.

NETTO, A.D.P., MOREIRA, J.C., DIAS, A.E.X.O., ARBILLA, G., FERREIRA, L.F.V., OLIVEIRA, A.S., BAREK, J. Evaluation of human contamination with polycyclic aromatic hydrocarbons (PAHs) and their nitrated derivatives (NHPAs): a review of methodology. *Quím. Nova* 23, 765-773. 2000.

OKONA-MENSAH, K. B., BATTERSHILL, J., BOOBIS, A., FIELDER, R., An approach to investigating the importance of high potency polycyclic aromatic hydrocarbons (PAHs) in the induction of lung cancer by air pollution *Food and Chemical Toxicology* 43 1103–1116, 2005.

OLIVEIRA, L., PINHEIRO, R. C; VALADARES, M. C. avaliação da citotoxicidade da *punica granatum* l. sobre células tumorais revista eletrônica de farmácia vol 2 (2), 150-152, 2005.

OMAR, N.Y.M.J., ABAS, M.R.B., KETULY, K.A., TAHIR, N.M., Concentrations of PAHs in atmospheric particles (PM-10) and roadside soil particles collected in Kuala Lumpur, Malaysia. *Atmospheric Environment* 36, 247-254, 2002.

ORLINSKI, R., Multipoint moss passive samplers assessment of urban airborne polycyclic aromatic hydrocarbons: concentrations profile and distribution along Warsaw main streets. *Chemosphere* 48, 181-186, 2002.

PANDEY, K. M., PANT, A. B., DAS, M., In vitro cytotoxicity of polycyclic aromatic hydrocarbon residues arising through repeated Wsh fried oil in human hepatoma Hep G2 cell line *Toxicology in Vitro* 20 308–316. 2006.

PARK, J. H., GOPISHETTY, S., SZEWCZUK, L. M., TROXEL, A. B., HARVEY, R. G., AND PENNING, T.M., Formation of 8-oxo-7,8-dihydro-2'-deoxyguanosine (8-oxo-dGuo) by PAH o-quinones: involvement of reactive oxygen species and copper(II)/copper(I) redox cycling *Chem Res Toxicol*; 18(6): 1026–1037, 2005.

PARK, J. H., TROXEL, A. B., HARVEY, R.G AND PENNING, T. M., Polycyclic Aromatic Hydrocarbon (PAH) *o*-Quinones Produced by the Aldo-Keto-Reductases (AKRs) Generate Abasic Sites, Oxidized Pyrimidines, and 8-Oxo-dGuo via Reactive Oxygen Species *Chem. Res. Toxicol.*, *19*, 719-728, 2006.

PARRISH, Z. D., WHITE, C. J. ISLEYEN, M., GENT, M. P. N., IANNUCCI-BERGER, W., EITZER, B.,KELSEY, W., MATTINA, M. I., Accumulation of weathered polycyclic aromatic hydrocarbons (PAHs) by plant and earthworm species. *Chemosphere* *64*, 609–618. 2006.

PEIFER, G. P., HAINAUT, P., On the origin of G --> T transversions in lung cancer. *Mutat Res.* *15;526(1-2):39-43*, 2003.

PEREIRA NETTO, A. D., SISINNO, C. L., MOREIRA, Josino Costa, ARBILLA, Graciela, DUFPRAYER, M. C. Polycyclic Aromatic Hydrocabons in Leachate from a Municipal Solid Waste Dump of Niterói City, RJ, Brazil.. *Bulletin of Environmental Contamination and Toxicology.* , v.68, p.148 - 154, 2002.

PERERA, P.F., TANG, T., RAUH, V., LESTER, K., TSAI, W. Y., TU, Y. H.,WEISS, L., HOEPNER, L., KING, J., DEL PRIORE, G., AND LEDERMAN, S. A. Relationships among Polycyclic Aromatic Hydrocarbon–DNA Adducts, Proximity to the World Trade Center, and Effects on Fetal Growth Environmental Health Perspectives. VOLUME 113. 8.1062-1067, 2005.

PLATT, K. L., AND GRUPE, S., Microsomal Biotransformation of Benzo[*ghi*]perylene, a Mutagenic Polycyclic Aromatic Hydrocarbon without a “Classic” Bay Region *Chem. Res. Toxicol.* *18*, 700-710, 2005.

PLATT, K. L., DEGENHARDT, C., GRUPE, S., FRANK, H., SEIDEL, A. Microsomal activation of dibenzo[*def,mno*]chrysene (anthanthrene), a hexacyclic aromatic hydrocarbon without a bay-region, to mutagenic metabolites. *Chem Res Toxicol.* *15*, 332-342. 2002.

POIRIER, A. C., chemical-induced dna damage and human cancer risk, *nature*, v. 4, 630-637, 2004.

RAIMONDI, S., GARTE, S., SRAM, R. J., BINKOVA, B., KALINA, I., LYUBOMIROVA, K., TAIOLI, E., SINGH, R., FARMER, P. B., Effects of diet on biomarkers of exposure and effects and on oxidative damage. *Mutation Research* 620 93 –102, 2007.

RE´-POPPI, N E SILVA, S. M., Polycyclic aromatic hydrocarbons and other selected organic compounds in ambient air of Campo Grande City, Brazil *Atmospheric Environment* 39 2839–2850, 2005.

RIBEIRO, H., e ASSUNÇÃO, V. J., Efeitos das queimadas na saúde humana *Estudos Avançados* 16 (44), 2002.

RICE, C.A., MYERS, M.S., WILLIS, M.L., FRENCH, B.L. CASILLAS, E., From sediment bioassay to sh biomarker connecting the dots using simple trophic relationships. *Marine Environmental Research* 50 527-533, 2000.

ROBOTOM-FERREIRA, A. B., AQUINO, S. R., QUEIROGA, R., ALBANO, R. M., AND PINTO, L. F. R., Expression of CYP2A3 mRNA and its regulation by 3-methylcholanthrene, pyrazole, and  $\beta$ -ionone in rat tissues. *Brasilian Journal of Medical and Biological Research*. 36: 839-844, 2003.

SAETTA, A.A., GIGELOU, F., PAPANASTASIOU, P.I., KOILAKOU, S.V., KALEKOU-GRECA, H., MILIARAS, D., NIKOLAOS V. MICHALOPOULOSA, PATSOURIS, E., High-level microsatellite instability is not involved in gallbladder carcinogenesis *Experimental and Molecular Pathology* 80. 67 – 71, 2006.

SAMANTA, S. K., SINGH, O.V., JAIN, R. K., Polycyclic aromatic hydrocarbons environmental pollution and bioremediation. *Trends in Biotechnology*, v. 20, p. 243-248, 2002.

SAVOURET, J.F., BARRA, Y., Evidence for a new human CYP1A1 regulation pathway involving PPAR-alpha and 2 PPRE sites. *Gastroenterology* 127, 1436–1445, 2004.

SAYRE, L.M., SMITH, M.A., AND PERRY, G.. Chemistry and biochemistry of oxidative stress in neurodegenerative disease. *Curr. Med. Chem* 8:721–738. 2001.

SCHOKET, B., PAPP, G., LÉVAY, K., MRACKOVÁ, G., KADLUBAR, F. F., VINCZE, I., Impact of metabolic genotypes on levels of biomarkers of genotoxic exposure *Mutation Research* 482 57–69, 2001.

SCHOR, S.L., SCHOR, M. A., Tumour–stroma interactions Phenotypic and genetic alterations in mammary stroma: implications for tumour progression, *Breast Cancer Res*, 3:373-379, 2001.

SHILOH, Y.; ATM and related protein kinases: safeguarding genome integrity. *Nature reviews* v 3 p. 155-168, 2003.

SHI, M., XU, B., WANG, X., AOYAMA, K., MICHIE, S. A., TAKEUCHI, T., Oxidative damage synchronous inflammation of a mouse auto immune disease model, *Immunology Letters* 95, 233–236, 2004.

SIMIOLI, P., LUPI, S., GREGORIO, P., SIWINSKA, E., MIELZYNSKA, D., CLONFERO, E., PAVANELLO, S., Non-smoking coke oven workers show an occupational PAH exposure-related increase in urinary mutagens. *Mutation research*. 8;562 (1-2):103-110, 2004.

SINGH, R., AND FARMER, B. P., Liquid chromatography-electrospray ionization-mass spectrometry: the future of DNA adduct detection *Carcinogenesis* vol.27 no.2 pp.178–196, 2006.

SINGH, R., KAUR, B., KALINA, I., POPOV, A. P., GEORGIEVA, T., GARTE, S., BINKOVA, B., F SRAM, J. R., TAIOLI, E. T., FARMER, B. P., Effects of

environmental air pollution on endogenous oxidative DNA damage in humans. *Mutation Research* 620, 71–82, 2007.

SISINNO, C. L. S., NETTO, D. P., REGO, E. C. P., LIMA, G. S. V., Polycyclic aromatic hydrocarbons in industrial solid waste: a preliminary evaluation of the potential risk of environmental and human contamination in waste disposal areas. *Cad. Saúde Pública*, Rio de Janeiro, 19(2):671-676, 2003.

SIWINSKA, E., MIELZYNSKA, D., e KAPKA, L., Association between urinary 1-hydroxypyrene and genotoxic effects in coke oven workers. *Occup. Environ. Med.* ;61;10, 2004.

SLUPPHAUG, G., KAVLI, B., AND KROKAN, H. E., The interacting pathways for prevention and repair of oxidative DNA damage. *Mutat. Res.*, 531, 231± 251, 2003.

SQUADRITO GL, CUETO R, DELLINGER B, PRYOR WA: Quinoid redox study. *Lancet* 360:1203–1209, 2001.

SRAM, R.J., BINKOVA, B. Molecular epidemiology studies on occupational and environmental exposure to mutagens and carcinogens, 1997-1999. *Environ Health Perspect.* 108, 57-70, 2000.

SUZUKI, T., PARK, H., KWOFIE, M.A., LENNARZ, W. J., Rad23 provides a link between the Png1 deglycosylating enzyme and the 26 S proteasome in yeast. *J Biol Chem.*, 276 (24): 21601-7, 2001.

TSUCHIYA, Y., NAKAJIMA, M., KYO, S., KANAYA, T., INOUE, M., AND YOKOI, T., Human *CYP1B1* Is Regulated by Estradiol via Estrogen Receptor. *Câncer research* 64, 3119–3125, May 1, 2004.

UMBUZEIRO G.A., ROUBICEK D.A., STOPPE N.C. RODRIGUES P.F., RECK C.M., COIMBRÃO C.A., SATO M.I.Z., Caracterização de amostras de sedimentos hídrico do estuário de Santos utilizando análises de toxicidade aguda e

genotoxicidade de bactérias dos ciclos biogeoquímicos. O mundo de saúde, 28 (4): 436-443, 2004.

VACA, C. E., WILHELM, J., HARMS-RINGDAHL, M., Interaction of lipid peroxidation products with DNA. A review. *Mutat Res.* 1988 Mar;195(2):137-49

VENTURINI N., TOMASSI L.R., BÍCEGO M.C., MARTINS C.C., Characterization of the benthic environment of a coastal área adjacent to an oil refinery, Todos os Santos bay (NE-Brazil). *Brazilian journal of oceanography*, São Paulo, v. 52, n. 2, p. 123-134, 2004.

WASSENBERG, D. M. AND DI GIULIO, T. R., Synergistic Embryotoxicity of Polycyclic Aromatic Hydrocarbon Aryl Hydrocarbon Receptor Agonists with Cytochrome P4501A Inhibitors in *Fundulus heteroclitus* *Environmental Health Perspectives* Volume 112 , 17. 1658-1664, 2004.

WEY, M. Y., CHEN, J. C., WU, H. Y., YU, W. J., TSAI, T. H., Formations and controls of HCl and PAHs by different additives during waste incineration. *Fuel* 85 755–763, 2006.

WORLD HEALTH ORGANIZATION. (WHO) Polynuclear aromatic hydrocarbons in drinking-water. Background document for preparation of WHO Guidelines for drinking-water quality. Geneva, (WHO/SDE/WSH/03.04/59), 2003.

WONG, R. H., KUO, C. Y., HSU, M. L., WANG, T. Y., CHANG, P. I., WU, T. W AND HUANG, S. Increased Levels of 8-Hydroxy-2'-Deoxyguanosine Attributable to Carcinogenic Metal Exposure among Schoolchildren. *Environmental Health Perspectives*. 113, 10, 1386 -1390, 2005.

XAVIER, L. S. W., MOREIRA, I. M. N. S., HIGARASHI, M. M., MOREIRA, J. C. M., FERREIRA, L. F. V., OLIVEIRA, A.S., fotodegradação de hidrocarbonetos policíclicos aromáticos em placas de sílica impregnadas com dióxido de titânio *Quim. Nova*, vol. 28, no. 3, 409-413, 2005.



XIA, Q., YIN, J. J., CHERNG, S. H., WAMER, W. G., BOUDREAU, M., HOWARD, P. C., FU, P. P., UVA photoirradiation of retinyl palmitate - Formation of singlet oxygen and superoxide, and their role in induction of lipid peroxidation *Toxicology Letters* 163, 30–43, 2006.

XUE, W AND WARSHAWSKY, D., Metabolic activation of polycyclic and heterocyclic aromatic hydrocarbons and DNA damage: A review *Toxicology and Applied Pharmacology* 206, 73– 93, 2003.

YAN, J., WANG, L., FU, P.P., YU, H. Photomutagenicity of 16 polycyclic aromatic hydrocarbons from the US EPA priority pollutant list. *Mutat. Res.* 557, 99-108, 2004.

YU, H., XIA, Q., YAN, J., HERRENO-SAENZ, D., WU, Y.S., TANG, I. W., FU, P.P., Photoirradiation of Polycyclic Aromatic Hydrocarbons with UVA Light - A Pathway Leading to the Generation of Reactive Oxygen Species, Lipid Peroxidation, and DNA Damage. *Int J Environ Res Public Health.* 3(4):348-54, 2006.

YUAN, Z. X., SIKKA, H. C., MUNIR, S., KUMAR, A., MURUGANANDAM, A. V., AND KUMAR, S., Metabolism of the Polynuclear Sulfur Heterocycle Benzo[*b*]phenanthro[2,3-*d*]thiophene by Rodent Liver Microsomes: Evidence for Multiple Pathways in the Bioactivation of Benzo[*b*]phenanthro[2,3-*d*]thiophene *Chem. Res. Toxicol.* 16, 1581-1588, 2003.

ZANOBETTI A, SCHWARTZ J, SAMOLI E, GRYPARIS A, TOULOUMI G, PEACOCK J, ANDERSON RH, LE TERTRE A, BOBROS J., CELCO, M., GOREN A, FORSBERG B, MICHELOZZI P, RABCZENKO D, HOYOS SP, WICHMANN HE, KATSOUYANNI K. The temporal pattern of respiratory and heart disease mortality in response to air pollution. *Environ Health Perspect.* 111(9): 1188-1193, 2003.

ZOPPI, C. C., ANTUNES-NETO, J., CATANHO, F. O., GOULART, L. F., MOTTA E MOURA., MACEDO, D. V., Alterações em biomarcadores de estresse oxidativo, defesa antioxidante e lesão muscular em jogadores de futebol durante uma temporada competitiva. Revista paulista de Educação Física., São Paulo, 17(2): 119-30, 2003.